

**2010**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**52**

Lee County  
Town of Jonesville  
Town of Pennington Gap  
Town of St. Charles

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
23	From: Scott County Line															
	Lee County	4.08	9700	F	93%	0%	1%	0%	6%	0%	F	0.085	F	0.564	10000	F
	To: Wise County Line															
58 Daniel Boone Trail	From: Tennessee State Line															
	Lee County	1.76	6500	F	94%	0%	1%	1%	4%	0%	F	0.089	F	0.619	6500	F
	To: 52-912 W, Station Creek Rd															
58 Daniel Boone Trail	From: 52-691 Old Quarry Rd															
	Lee County	4.33	7700	F	94%	0%	1%	1%	4%	0%	F	0.088	F	0.645	7800	F
	To: 52-690 Caylor Rd; Doc Hurst Rd															
58 Daniel Boone Trail	From: 52-690 Doehurst Rd															
	Lee County	3.09	4300	F	94%	0%	1%	1%	4%	0%	F	0.088	F	0.513	4400	F
	To: 52-684 Norray Rd															
58 Daniel Boone Trail	From: 52-684 Chadwell Station Rd															
	Lee County	6.84	3900	F	94%	0%	1%	1%	4%	0%	F	0.091	F	0.524	3900	F
	To: 52-667 Old Nursery Rd															
58 Daniel Boone Heritage Hwy	From: 52-758 Cony Hollow															
	Lee County	8.94	3500	F	94%	0%	1%	1%	4%	0%	F	0.087	F	0.568	3600	F
	To: WCL Jonesville															
58	From: Town of Jonesville (Maint: 52)															
	Lee County	0.95	5100	N	94%	0%	1%	1%	4%	0%	N	0.096	N	0.630	5200	N
	To: ALT US 58															
58 Wilderness Rd	From: ECL Jonesville															
	Town of Jonesville (Maint: 52)	0.74	4800	F	91%	1%	1%	1%	6%	0%	F	0.095	F	0.526	5000	F
	To: 52-641 East of Jonesville															
58 Daniel Boone Trail	From: US 421 Dot															
	Lee County	7.54	2800	F	91%	1%	1%	1%	6%	0%	F	0.095	F	0.542	3000	F
	To: Scott County Line															
58 421	From: US 58 Jones St															
	Lee County	6.00	4600	F	91%	1%	1%	1%	6%	0%	C	0.096	F	0.527	4800	F
	To: NCL Jonesville															
ALT 58 Main St	From: 52-645 Clyde Pearson Rd															
	Town of Jonesville (Maint: 52)	0.59	6300	F	96%	1%	1%	0%	2%	0%	C	0.093	F	0.553	6600	F
	To: 52-645 VC Tech Dr															
ALT 58 W Morgan Ave	From: WCL Pennington Gap															
	Lee County	3.51	7400	G	96%	1%	1%	0%	2%	0%	F	0.093	N	0.553	7400	G
	To: 52-645 VC Tech Dr															
ALT 58 W Morgan Ave	From: WCL Pennington Gap															
	Lee County	2.58	9200	F	95%	1%	1%	2%	2%	0%	F	0.095	F	0.516	9600	F
	To: WCL Pennington Gap															
ALT 58 Morgan Ave	From: US 421 W, Old Zion Rd															
	Town of Pennington Gap (Maint: 52)	1.79	9200	N	95%	1%	1%	2%	2%	0%	N	0.095	N	0.516	9600	N

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
ALT 58 421 E Morgan Ave	Town of Pennington Gap (Maint: 52)	0.40	13000	F	95%	1%	1%	2%	2%	0%	F	0.089	F	0.527	14000	F
ALT 58 Trail of the Lonesome Pine	Town of Pennington Gap (Maint: 52)	0.23	6600	F	95%	1%	1%	2%	2%	0%	C	0.086	F	0.517	7000	F
ALT 58 Trail of the Lonesome Pine	Lee County	4.60	6600	N	95%	1%	1%	2%	2%	0%	N	0.086	N	0.517	7000	N
ALT 58 Trail of the Lonesome Pine	Lee County	2.69	4400	F	95%	1%	1%	2%	2%	0%	F	0.084	F	0.562	4600	F
ALT 58 Trail of the Lonesome Pine	Lee County	2.67	3300	F	95%	1%	1%	2%	2%	0%	F	0.094	F	0.655	3500	F
ALT 58 Trail of the Lonesome Pine	Lee County	2.22	3300	N	95%	1%	1%	2%	2%	0%	N	0.094	N	0.655	3500	N
ALT 58 Trail of the Lonesome Pine	Lee County	1.32	5500	F								0.099	F	0.763	5500	F
Bus 58 Dr Thomas Walker Rd	Lee County	7.00	1300	F	91%	1%	1%	1%	6%	0%	F	0.126	F	0.565	1400	F
Bus 58	Lee County	1.72	NA									NA		NA		
70	Lee County	3.35	220	F	96%	1%	1%	1%	1%	0%	F	0.103	F	0.556	240	F
70 Trail of the Lonesome Pine	Lee County	3.69	280	F	96%	1%	1%	1%	1%	0%	C	0.102	F	0.688	300	F
70 Trail of the Lonesome Pine	Lee County	4.80	790	F	96%	1%	1%	1%	1%	0%	F	0.101	F	0.599	830	F
70	Town of Jonesville (Maint: 52)	0.04	790	N	96%	1%	1%	1%	1%	0%	N	0.101	N	0.599	830	N
352 St Charles Rd	Lee County	2.13	1900	F	95%	0%	1%	1%	3%	0%	C	0.089	F	0.609	2000	F
352	Town of St. Charles (Maint: 52)	0.27	1900	N	95%	0%	1%	1%	3%	0%	N	0.089	N	0.609	2000	N
421	Lee County	4.55	1700	F	94%	0%	1%	1%	3%	0%	F	0.08	F	0.558	1800	F



Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
421	From: SR 352 St Charles Rd															
	Lee County	2.18	4300	F	94%	0%	1%	1%	3%	0%	C	0.089	F	0.543	4500	F
421	To: NCL Pennington Gap															
	Town of Pennington Gap (Maint: 52)	0.77	4300	N	94%	0%	1%	1%	3%	0%	N	0.089	N	0.543	4500	N
421	From: ALT US 58 W															
	Town of Pennington Gap (Maint: 52)	0.40	13000	F	95%	1%	1%	2%	2%	0%	F	0.089	F	0.527	14000	F
421	To: ALT US 58 E															
	Town of Pennington Gap (Maint: 52)	0.18	5200	F	94%	0%	1%	2%	2%	0%	F	0.089	F	0.501	5500	F
421	From: SCL Pennington Gap															
	Lee County	2.64	5200	N	94%	0%	1%	2%	2%	0%	N	0.089	N	0.501	5500	N
421	To: 52-642															
	Lee County	2.39	3600	F	94%	0%	1%	2%	2%	0%	C	0.098	F	0.587	3800	F
421	To: US 58 Daniel Boone Trail															
	Lee County	6.00	4600	F	91%	1%	1%	1%	6%	0%	C	0.096	F	0.527	4800	F
421	From: US 58															
	Lee County	6.00	4600	F	91%	1%	1%	1%	6%	0%	C	0.096	F	0.527	4800	F
421	To: Scott County Line															

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(600) Flower Gap Rd	1.68	290	R				From: 52-604				NA		NA		10/22/2008	
(600) Flower Gap Rd	4.29	180	R				From: 52-784 Eldridge Hollow Rd				NA		NA		10/22/2008	
							To: Scott County Line									
(601) Hillsville Rd	0.52	110	R				From: Tennessee State Line				NA		NA		10/23/2008	
							To: 52-600 W, Flower Gap Rd									
(601) Greenhouse Rd	2.34	80	R				From: 52-600 E, Flower Gap Rd				NA		NA		10/23/2008	
							To: Scott County Line									
(602) Hickory Hill Rd	3.85	49	R				From: 52-600 Flower Gap Rd				NA		NA		10/22/2008	
(602) Hickory Hill Rd	0.40	80	R				From: 52-768 Glass Hollow Rd				NA		NA		10/22/2008	
							To: Scott County Line									
(603) Back Valley Rd	1.14	70	R				From: SR 70				NA		NA		10/22/2008	
(603) Back Valley Rd	0.34	47	R				From: 52-608 Asbury Rd				NA		NA		10/22/2008	
							To: 52-604 WEST									
(603) Carter Cave Rd	4.24	80	F	97%	0%	2%	1%	0%	0%	C	0.146	F	0.5	80	F	2010
							To: Scott County Line									
(604) Blackwater Rd	3.61	100	R				From: Tennessee State Line				NA		NA		10/22/2008	
(604) Blackwater Rd	2.01	120	R				From: 3.61 ME of State Line				NA		NA		10/22/2008	
							To: SR 70 N, Trail of the Lonesome Pine									
(604) AJ Osborne Hwy	0.60	270	F	99%	0%	1%	0%	1%	0%	C	0.127	F	0.568	290	F	2010
							To: 52-600 Flower Gap Rd									
(604) AJ Osborne Hwy	1.18	250	F	99%	0%	1%	0%	1%	0%	F	0.13	F	0.662	260	F	2010
							To: 52-600 Flowers Gap Rd									
(604) Blackwater Rd	1.00	170	R				From: 52-603 E, Carter Cave Rd				NA		NA		10/22/2008	
							To: 52-603 EAST									
(604) Blackwater Rd	4.55	220	R				From: 52-608 Asbury Rd				NA		NA		10/22/2008	
							To: Scott County Line									
(605) Old Zion Rd	1.40	200	R				From: Dead End				NA		NA		10/22/2008	
							To: Wise County Line									
(606)	2.16	1100	F	96%	0%	1%	2%	1%	0%	C	0.089	F	0.59	1100	F	2010
							From: US 421									
(606)	2.19	820	F	96%	0%	1%	2%	1%	0%	F	0.092	F	0.563	860	F	2010
							To: 52-742 Rocklick Rd									
(606)	2.71	630	F	96%	0%	1%	2%	1%	0%	F	0.094	F	0.6	670	F	2010
							From: 52-628 Reeds Creek Rd									
(606)	3.29	450	F	96%	0%	1%	2%	1%	0%	F	0.112	F	0.72	470	F	2010
							To: 52-766 Reeds Creek Rd									
(606)	3.47	470	F	96%	0%	1%	2%	1%	0%	F	0.107	F	0.591	500	F	2010
							From: 52-625 Sigma Rd									
(606)	0.95	610	F	96%	0%	1%	2%	1%	0%	F	0.114	F	0.527	650	F	2010
							From: 52-624 MID Rawhide LP									
							To: 52-624 E, Rawhide LP									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(606)	2.30	1100	F	96%	0%	From: 52-624 E, Rawhide LP To: Wise County Line; SR 68				F	0.109	F	0.536	1100	F	2010
(607)	Hurd Hollow Rd	1.39	40	R		From: 52-600 Flower Gap Rd To: Dead End					NA			NA		10/22/2008
(608)	Asbury Rd	1.30	70	R		From: 52-603 Back Valley Rd To: 52-604 Blackwater Rd					NA			NA		10/22/2008
(609)		0.80	70	R		From: Tennessee State Line To: 52-610					NA			NA		10/23/2008
(610)		1.50	160	R		From: Tennessee State Line To: 52-609					NA			NA		10/23/2008
(610)		1.40	110	R		From: SR 70 To: 52-612 S, Kane Gap Rd					NA			NA		10/23/2008
(611)	Hippie Hollow Rd	0.50	30	R		From: 52-612 S, Kane Gap Rd To: 0.50 MN 52-612					NA			NA		11/04/2008
(611)	Hippie Hollow Rd	0.70	9	R		From: 0.50 MN 52-612 To: 1.20 MN 52-612					NA			NA		11/04/2008
(611)	Hippie Hollow Rd	0.50	2	R		From: 1.20 MN 52-612 To: 52-738					NA			NA		11/04/2008
(611)	Jasper Rd	0.40	150	R		From: 52-738 To: 52-612 N, Kane Gap Rd					NA			NA		11/04/2008
(611)	Jasper Rd	0.43	140	R		From: 52-612 N, Kane Gap Rd To: 0.43 MW 52-612					NA			NA		11/04/2008
(611)	Jasper Rd	1.07	110	R		From: 0.43 MW 52-612 To: 52-619 Love Lady Gap Rd					NA			NA		11/06/2008
(611)	Jasper Rd	2.95	160	R		From: 52-619 Love Lady Gap Rd To: 2.95 ME 52-619					NA			NA		11/06/2008
(611)	Jasper Rd	0.55	260	R		From: 2.95 ME 52-619 To: 52-817					NA			NA		11/06/2008
(611)	Jasper Rd	0.50	490	R		From: 52-817 To: US 23					NA			NA		11/06/2008
(612)	Lower Waldens Creek R	0.89	80	R		From: 52-758; Tennessee State Line To: 0.89 MN 52-758					NA			NA		03/13/2009
(612)	Lower Waldens Creek R	0.57	60	R		From: 0.89 MN 52-758 To: 52-613					NA			NA		03/13/2009
(612)	Lower Waldens Creek R	1.47	60	R		From: 52-613 To: 52-665					NA			NA		03/13/2009
(612)	Lower Waldens Creek R	1.36	110	R		From: 52-665 To: 52-615					NA			NA		03/13/2009
(612)	Lower Waldens Creek R	1.00	90	R		From: 52-615 To: 1.00 ME 52-615					NA			NA		03/13/2009
(612)	Lower Waldens Creek R	1.45	70	R		From: 1.00 ME 52-615 To: 52-654 Hurricane Rd					NA			NA		03/13/2009
(612)	Lower Waldens Creek R	2.73	150	R		From: 52-654 Hurricane Rd To: SR 70 W, Trail of the Lonesome Pine SR 70 E, Trail of the Lonesome Pine					NA			NA		03/13/2009
(612)	Middle Waldens Creek	1.80	130	R		From: SR 70 E, Trail of the Lonesome Pine To: 52-617					NA			NA		03/13/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(612) Middle Wallens Creek	5.66	180	F	99%	0%	0%	0%	0%	0%	F	0.145	F	0.52	190	F	2010
						From: 52-617 Counts Rd										
(612) Middle Wallens Creek R	2.05	320	F	99%	0%	0%	0%	0%	0%	F	0.116	F	0.568	340	F	2010
						From: 52-823 Lambert Hollow Rd										
(612) Middle Wallens Creek R	0.41	440	F	99%	0%	0%	0%	0%	0%	F	0.101	F	0.563	460	F	2010
						From: 52-826 Rasnic Hollow Rd										
(612) Middle Wallens Creek R	1.29	630	F	99%	0%	0%	0%	0%	0%	F	0.108	F	0.628	660	F	2010
						From: 52-865 Head Hollow Rd										
(612) Middle Wallens Creek R	0.36	740	F	99%	0%	0%	0%	0%	0%	C	0.1	F	0.568	780	F	2010
						From: 52-859 Joe Bill Rd										
(612) Kane Gap Rd	1.30	370	R									NA		NA		11/04/2008
						From: US 58 West										
						To: US 58 EAST										
(612) Kane Gap Rd	4.82	280	R									NA		NA		11/04/2008
						From: 52-611 S, Hippie Hollow Rd										
						To: 52-611 N, Jasper Rd										
(613)	0.70	90	R									NA		NA		03/17/2009
						From: 52-758 Flannery Ridge Rd										
(613)	0.34	80	R									NA		NA		03/17/2009
						From: 52-832										
						To: 52-612 Lower Waldens Creek Rd										
(614) Sandy Ridge Rd	2.56	110	R									NA		NA		02/17/2009
						From: 52-654										
						To: SR 70										
(615)	3.06	120	R									NA		NA		03/17/2009
						From: 52-654 Hurricane Rd										
						To: 52-612 Lower Waldens Creek Rd										
(616)	3.74	170	R									NA		NA		03/17/2009
						From: 52-665										
						To: 52-654 WEST										
(616)	0.50	30	R									NA		NA		03/17/2009
						From: 52-654 EAST										
						To: 0.50 ME 52-654										
(616)	0.50	6	R									NA		NA		03/17/2009
						From: 1.00 ME 52-654										
(616)	3.00	4	R									NA		NA		03/17/2009
						From: 52-612 Lower Waldens Creek Rd										
(617) Counts Rd	1.90	270	F	99%	0%	0%	0%	0%	0%	C	0.11	F	0.548	280	F	2010
						From: SR 70 Trail of the Lonesome Pine										
						To: 52-612 Middle Wallens Creek Rd										
(618) Cam Sam Rd	0.60	40	R									NA		NA		03/11/2009
						From: 52-612										
						To: 0.60 MN 52-612										
(618) Cam Sam Rd	0.60	47	R									NA		NA		03/11/2009
						From: Dead End										
(619) Bill Jessee Rd	0.36	280	F	98%	0%	1%	1%	0%	0%	C	0.140	F	0.556	290	F	2010
						From: Bus US 58										
						To: 52-787 Murphy Hobbs Rd										
(619) Bill Jesse Rd	1.41	230	F	98%	0%	1%	1%	0%	0%	F	0.113	F	0.593	240	F	2010
						From: 52-642 S, Old Woodway Rd										
						To: 52-642 NORTH										
(619) Love Lady Gap Rd	0.20	90	R									NA		NA		11/06/2008
						From: Jefferson For Bndy										
(619) Love Lady Gap Rd	3.30	30	R									NA		NA		11/06/2008
						From: 52-722 Klondike Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(619) Love Lady Gap Rd	0.20	90	R											NA		11/06/2008
From: 52-722 Klondike Rd																
To: 52-611 Jasper Rd																
(620) Hen Reasor	2.50	90	R											NA		05/12/2009
From: Alt US 58																
To: 52-622																
(621) Left Poor Valley Rd	5.40	220	R											NA		05/19/2009
From: 52-946 Burning Well Rd																
To: 52-657 Tobacco Rd																
(621) Left Poor Valley Rd	7.19	550	R											NA		05/19/2009
From: 52-645																
To: US 421 South																
(621) Left Poor Valley Rd	4.50	300	F	98%	1%	1%	1%	0%	0%	C	0.11	F	0.667	310	F	2010
From: US 421 North																
To: 52-788 Crane Rd																
(621) Right Poor Valley Rd	0.07	520	F	98%	1%	1%	1%	0%	0%	F	0.091	F	0.509	550	F	2010
From: 52-632 Right Poor Valley Rd																
To: 52-726																
(621) Right Poor Valley Rd	2.16	200	F	98%	0%	2%	0%	0%	0%	C	0.128	F	0.552	210	F	2010
From: 52-845 Cave Springs Park Rd																
To: 52-622 West Stone Mtn Rd																
(621) Cave Springs Rd	2.90	240	F	98%	0%	2%	0%	0%	0%	F	0.125	F	0.6	250	F	2010
From: 52-803 Doc Olweger Rd																
To: 52-803 Doc Olinger Rd																
(621) Cave Springs Rd	1.50	170	F	98%	0%	2%	0%	0%	0%	F	0.117	F	0.542	180	F	2010
From: 52-622 East																
To: 52-825 Hobbs Rd																
(621) Cave Springs Rd	3.86	140	F	98%	0%	2%	0%	0%	0%	F	0.153	F	0.619	140	F	2010
From: 52-622 West Stone Mtn Rd																
To: 52-803 Doc Olweger Rd																
(621) Cave Springs Rd	0.12	350	F	98%	0%	2%	0%	0%	0%	F	0.112	F	0.604	370	F	2010
From: 52-803 Doc Olinger Rd																
To: 52-622 East																
(621) Cave Springs Rd	0.47	460	F	98%	0%	2%	0%	0%	0%	F	0.105	F	0.546	490	F	2010
From: 52-622 East																
To: 52-622 East																
(621) Wampler Hollow Rd	2.14	290	R											NA		05/12/2009
From: 52-825 Hobbs Rd																
To: Alt US 58																
(621) Wampler Hollow Rd	0.10	380	R											NA		05/12/2009
From: Alt US 58																
To: 52-982																
(622) Cave Springs Rd	1.30	230	F	94%	1%	2%	1%	2%	0%	C	0.101	F	0.63	240	F	2010
From: 52-621 E, Wampler Hollow Rd; Cave Springs Rd																
To: 52-621 WEST																
(622) Cave Springs Rd	2.40	160	R											NA		05/12/2009
From: Dead End																
To: 52-624 Rawhide Loop																
(623) Mohawk Loop	0.93	110	R											NA		05/19/2009
From: 52-877																
To: 52-606																
(623) Mohawk Loop	0.66	290	R											NA		05/19/2009
From: 52-606 WEST																
To: 52-623 Mohawk Loop																
(624) Rawhide Loop	1.60	180	R											NA		05/12/2009
From: 52-606 EAST																
To: 52-606 North																
(624) Rawhide Loop	0.50	190	R											NA		05/12/2009
From: 52-606 EAST																
To: 52-606 North																
(624) Glenbrook Mtn Rd	1.31	410	F	93%	0%	0%	5%	1%	0%	C	0.097	F	0.667	430	F	2010
From: Kentucky State Line																
To: Dead End																
(625) Sigma Rd	0.40	60	R											NA		05/21/2009
From: Dead End																
To: 52-862																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(625) Sigma Rd	0.60	130	R			From: 52-862					NA		NA			05/21/2009
						To: 52-606										
(626) Delvale Rd	1.70	90	R			From: Dead End					NA		NA			05/21/2009
						To: 52-919 Hoover Hill Rd										
(627) Stewart Rd	0.36	70	R			From: 52-606					NA		NA			05/21/2009
						To: Dead End										
(628) Reeds Creek Rd	1.20	90	R			From: Dead End					NA		NA			05/21/2009
						To: 52-776										
(628) Reeds Creek Rd	1.35	190	R			From: 52-776					NA		NA			05/21/2009
						To: 52-606										
(629) Chris Barney Rd	0.50	140	R			From: Alt US 58 WEST					NA		NA			05/14/2009
						To: 0.50 ME Alt US 58										
(629) Possum Valley Rd	1.00	120	R			From: 0.50 ME Alt US 58					NA		NA			05/14/2009
						To: 1.50 ME Alt US 58										
(629) Possum Valley Rd	0.35	210	R			From: 1.50 ME Alt US 58					NA		NA			05/14/2009
						To: 52-750										
(629) Possum Valley Rd	0.15	840	R			From: 52-750					NA		NA			05/14/2009
						To: Alt US 58 EAST										
(629) Possum Valley Rd	0.02	210	R			From: Alt US 58 EAST					NA		NA			05/14/2009
						To: 52-619										
(629) Possum Valley Rd	0.65	220	R			From: 52-619					NA		NA			05/14/2009
						To: Bus US 58										
(630) Big Hill Rd	1.33	430	R			From: US 421					NA		NA			01/06/2009
						To: 52-631 Willis Chapel Rd										
(630) Big Hill Rd	0.87	270	R			From: 52-631 Willis Chapel Rd					NA		NA			01/06/2009
						To: 0.87 MN 52-631										
(630) Big Hill Rd	1.55	170	R			From: 0.87 ME 52-631					NA		NA			01/06/2009
						To: 52-861 Ramey Rd										
(630) Big Hill Rd	1.13	190	R			From: 52-861 Ramey Rd					NA		NA			01/06/2009
						To: Alt US 58										
(631) Willis Chapel Rd	1.00	70	R			From: Dead End					NA		NA			01/06/2009
						To: 52-630 Big Hill Rd										
(632) Right Poor Valley Rd	0.89	370	R			From: Alt US 58					NA		NA			05/14/2009
						To: 52-621										
(633) S Fork River Rd	0.30	30	R			From: US 421					NA		NA			01/06/2009
						To: SCL Pennington Gap										
<b>Town of Pennington Gap</b>																
(633) S Fork River Rd	0.45	4	R			From: SCL Pennington Gap					NA		NA			01/06/2009
						To: NCL Pennington Gap										
<b>Lee County</b>																
(633) S Fork River Rd	0.85	40	R			From: NCL Pennington Gap					NA		NA			01/06/2009
						To: 52-621										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of St. Charles</b>																
(634) Bunny Blue Rd	0.15	420	F	89%	1%	3%	1%	6%	0%	C	0.127	F	0.729	440	F	2010
						From: SR 352; 52-636 St Charles Rd										
						To: WCL Saint Charles										
<b>Lee County</b>																
(634)	1.49	420	N	89%	1%	3%	1%	6%	0%	N	0.127	N	0.729	440	N	2010
						From: WCL Saint Charles										
						To: Dead End										
(635) Kemmer Gem Rd	1.20	220	F	96%	2%	2%	0%	0%	0%	C	0.122	F	0.531	240	F	2010
						From: 52-636 Monarch Rd										
						To: 1.20 MN 52-636										
(635)	0.06	210	G								0.122	N	0.531	210	G	2010
						From: Dead End										
						To: Dead End										
<b>Town of St. Charles</b>																
(636) Monarch Rd	0.17	900	F	96%	1%	2%	1%	0%	0%	C	0.103	F	0.54	940	F	2010
						From: SR 352										
						To: NCL Saint Charles										
<b>Lee County</b>																
(636) Momarch Rd	2.43	410	F	96%	1%	2%	1%	0%	0%	F	0.104	F	0.596	430	F	2010
						From: NCL Saint Charles										
						To: Dead End										
(637)	0.63	190	R								NA			NA		03/17/2009
						From: Dead End										
						To: 52-634										
(638) Hickory Flats Rd	0.80	720	R								NA			NA		12/18/2008
						From: US 58 Daniel Boone Trail										
						To: 52-882 Knob View Rd										
(638) Hickory Flats Rd	1.20	1300	R								NA			NA		12/18/2008
						From: 52-642 Fannon Rd										
						To: 52-640										
(639)	0.50	120	R								NA			NA		03/17/2009
						From: 52-723										
						To: 52-723										
(640) Shavers Ford Rd	1.20	300	F	98%	0%	1%	0%	0%	0%	C	0.119	F	0.575	310	F	2010
						From: US 58 Daniel Boone Heritage Hwy										
						To: 52-646										
(640) Shavers Ford Rd	1.45	320	F	98%	0%	1%	0%	0%	0%	F	0.123	F	0.697	340	F	2010
						From: 52-643 East Frank Hall Rd										
(640) Shavers Ford Rd	2.23	220	F	98%	0%	1%	0%	0%	0%	F	0.122	F	0.633	240	F	2010
						From: 52-641 S. Hinkle Rd										
(640) Shavers Ford Rd	0.70	290	F	98%	0%	1%	0%	0%	0%	F	0.113	F	0.644	300	F	2010
						From: 52-641 North										
(640) Shavers Ford Rd	0.65	590	F	98%	0%	1%	0%	0%	0%	F	0.102	F	0.682	620	F	2010
						From: 52-1106 Ford St										
						To: 52-1106 Ford St										
<b>Town of Pennington Gap</b>																
(640) Shavers Ford Rd	0.11	600	F	98%	0%	1%	0%	0%	0%	F	0.101	F	0.618	630	F	2010
						From: 52-1123 Media St										
(640) Shavers Ford Rd	0.25	670	F	98%	0%	1%	0%	0%	0%	F	0.092	F	0.669	710	F	2010
						From: 52-1117 Hospital Dr										
(640) Harrell St	0.20	1200	F	98%	0%	1%	0%	0%	0%	F	0.089	F	0.554	1200	F	2010
						From: Alt US 58										
						To: Alt US 58										
<b>Lee County</b>																
(641) Cooney Hollow Rd	0.93	170	R								NA			NA		05/21/2009
						From: 52-783 Cooney Hollow Rd										
						To: 0.93 MN 52-783										
(641) Cooney Hollow Rd	0.57	350	R								NA			NA		05/26/2009
						From: US 58 E, Daniel Boone Trail										
						To: US 58 E, Daniel Boone Trail										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(641) Cox Rd	1.39	20	R								NA			NA		05/26/2009
			From: US 58 W, Daniel Boone Trail													
(641) Clawson Rd	1.49	90	R								NA			NA		05/27/2009
			To: 52-780 Hand Rd													
(641) Clawson Rd	0.60	100	R								NA			NA		05/26/2009
			From: 52-644 WEST													
			To: 52-644 EAST													
(641) Clawson Rd	0.50	150	R								NA			NA		05/26/2009
			From: 0.60 MN 52-644													
			To: 52-643 WEST													
(641) Cooney Hollow Rd	0.98	180	R								NA			NA		05/26/2009
			From: 52-643 E, Ward Hill Rd													
			To: 52-640 SOUTH													
(641) Cooney Hollow Rd	1.80	270	R								NA			NA		05/26/2009
			From: 52-640 N, Skaggs Hill Rd													
			To: US 421 NORTH													
(641) Smyth Chapel Rd	0.10	70	R								NA			NA		05/26/2009
			From: US 421 SOUTH													
			To: Dead End													
(642) Fannon Rd	0.30	90	R								NA			NA		12/18/2008
			From: Dead End													
(642) Fannon Rd	0.62	160	R								NA			NA		12/18/2008
			From: 52-772 Norman Middleton Rd													
(642) Old Woodway Rd	0.92	1100	F	97%	1%	0%	1%	0%	0%	F	0.126	F	0.62	1200	F	2010
			From: 52-638 Hickory Flats Rd													
			To: 52-638													
(642) Old Woodway Rd	0.08	2000	F	97%	1%	0%	1%	0%	0%	F	0.13	F	0.783	2100	F	2010
			From: US 421													
(642) Old Woodway Rd	3.48	930	F	97%	1%	0%	1%	0%	0%	C	0.104	F	0.642	970	F	2010
			From: 52-785 Elk Knob Rd													
			To: 52-743 Mill Dam Rd													
(642) Old Woodway Rd	3.48	500	F	97%	1%	0%	1%	0%	0%	F	0.104	F	0.598	520	F	2010
			From: 52-743 Mill Dam Rd													
			To: Alt US 58													
(643) Ward Hill Rd	1.43	280	R								NA			NA		02/11/2009
			From: US 58 Daniel Boone Trail													
			To: 52-640 WEST													
(643) Ward Hill Rd	2.10	380	R								NA			NA		02/11/2009
			From: 52-640 EAST													
(643)	0.10	440	R								NA			NA		02/11/2009
			From: 52-641 E, Cooney Hollow Rd													
(643)	0.90	590	R								NA			NA		02/17/2009
			From: 52-641 W, Clawson Rd													
(643) Kelly Rd	0.50	370	R								NA			NA		02/11/2009
			From: Alt US 58 NORTH													
			To: Alt US 58 SOUTH													
(644)	0.30	170	R								NA			NA		03/19/2009
			From: Dead End													
			To: Alt US 58 NORTH													
(644)	0.55	700	R								NA			NA		03/19/2009
			From: Alt US 58 SOUTH													
(644)	1.20	200	R								NA			NA		03/19/2009
			From: 52-647 Millers Chapel Rd													
(644)	1.50	120	R								NA			NA		03/19/2009
			From: 52-641 E, Clawson Rd													
			To: 52-640													



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Lee County</b>																	
(645)	0.11	70	R								NA			NA		03/19/2009	
(645)	Clyde Pearson Rd	0.79	640	F	98%	1%	1%	0%	0%	0%	C	0.09	F	0.569	670	F	2010
<b>Town of Jonesville</b>																	
(646)	Clawson Rd	0.53	190	R							NA			NA		05/26/2009	
(646)	Clawson Rd	0.26	140	R							NA			NA		05/26/2009	
(646)	Clawson Rd	1.20	90	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	0.19	370	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	0.13	240	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	1.23	80	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	0.47	100	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	1.42	420	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	1.53	570	R							NA			NA		05/26/2009	
(647)	Millers Chapel Rd	0.90	240	R							NA			NA		03/17/2009	
(648)	Emmit Allen Farm Rd	0.28	120	R							NA			NA		02/17/2009	
(648)	Ridgeview Rd	1.02	510	F	99%	1%	0%	0%	0%	0%	C	0.111	F	0.509	530	F	2010
<b>Town of Jonesville</b>																	
(648)	Town Branch Rd	0.55	1500	R							NA			NA		02/17/2009	
<b>Lee County</b>																	
(648)		0.18	1500	N							NA			NA		02/17/2009	
<b>Town of Jonesville</b>																	
(649)	Park St	0.32	680	R							NA			NA		02/26/2009	
(649)	Park St	0.08	2100	R							NA			NA		02/26/2009	
(649)	Collins Rd	0.22	1100	R							NA			NA		02/26/2009	
(649)	Collins Rd	0.05	150	R							NA			NA		02/26/2009	

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(649) Collins Rd	0.40	110	R								NA			NA		02/26/2009
<b>Town of Jonesville</b>																
(650) Harlan Rd	0.40	260	F	99%	1%	0%	0%	0%	0%	C	0.112	F	0.667	280	F	2010
<b>Lee County</b>																
(650)	1.65	260	N	99%	1%	0%	0%	0%	0%	N	0.112	N	0.667	280	N	2010
(651) Fleenortown Rd	0.70	110	R								NA			NA		03/11/2009
(652) Campground Rd	2.76	480	R								NA			NA		03/05/2009
(653) Maple Hill Rd	0.50	60	R								NA			NA		12/09/2008
(653) Maple Hill Rd	2.10	300	R								NA			NA		12/09/2008
(654) Hurricane Rd	2.00	80	R								NA			NA		03/11/2009
(654) Hurricane Rd	3.00	380	F	97%	0%	1%	0%	0%	0%	C	0.127	F	0.62	400	F	2010
(655) Lizzie Minor Rd	0.55	90	R								NA			NA		12/09/2008
(656) Old Friendship Rd	1.68	190	R								NA			NA		12/04/2008
(656) Old Friendship Rd	0.45	90	R								NA			NA		12/04/2008
(656) Old Friendship Rd	3.26	40	R								NA			NA		12/04/2008
(656) Old Friendship Rd	0.46	90	R								NA			NA		12/04/2008
(656) Old Friendship Rd	0.50	320	R								NA			NA		12/04/2008
(657) Tobacco Rd	1.00	110	R								NA			NA		05/05/2009
(657) Tobacco Rd	1.23	40	R								NA			NA		05/05/2009
(657) Tobacco Rd	0.43	90	R								NA			NA		05/05/2009
(657)	0.40	100	R								NA			NA		05/05/2009
(657) Russells Chapel Rd	0.56	180	F	98%	0%	2%	0%	0%	0%	C	0.133	F	0.714	190	F	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(657) Russells Chapel Rd	1.71	40	F	98%	0%	2%	0%	0%	0%	F	0.227	F	0.706	40	F	2010
(657) Tobacco Rd	0.55	170	R								NA		NA			05/05/2009
(658) Cedar Hill Rd	0.90	30	R								NA		NA			05/07/2009
(658) Cedar Hill Rd	1.00	60	R								NA		NA			05/07/2009
(658) Cedar Hill Rd	1.75	210	R								NA		NA			05/07/2009
(659) Sugar Run Rd	4.99	520	F	99%	1%	0%	0%	0%	0%	F	0.092	F	0.593	550	F	2010
(659) Sugar Run Rd	3.45	590	F	99%	1%	0%	0%	0%	0%	C	0.096	F	0.603	620	F	2010
(660) Hardeys Creek Rd	0.10	180	R								NA		NA			05/05/2009
(660) Hardeys Creek Rd	0.50	140	R								NA		NA			05/05/2009
(660) Hardeys Creek Rd	0.10	130	R								NA		NA			05/05/2009
(660) Hardeys Creek Rd	2.00	80	R								NA		NA			05/05/2009
(660) Hardeys Creek Rd	1.01	120	R								NA		NA			05/05/2009
(661) Flatwoods Rd	0.80	180	R								NA		NA			05/05/2009
(661) Flatwoods Rd	1.97	270	R								NA		NA			05/05/2009
(661) Flatwoods Rd	3.02	420	F	98%	0%	1%	0%	0%	0%	C	0.108	F	0.642	440	F	2010
(661) Flatwoods Rd	0.71	470	F	98%	0%	1%	0%	0%	0%	F	0.129	F	0.651	500	F	2010
(661) Flatwoods Rd	0.55	810	R								NA		NA			05/05/2009
(661) Flatwoods Rd	2.10	970	R								NA		NA			05/05/2009
(662) Tobacco Rd	0.80	120	F	97%	0%	1%	0%	1%	0%	F	0.215	F	0.5	120	F	2010
(662) Tobacco Rd	1.19	140	F	97%	0%	1%	0%	1%	0%	F	0.178	F	0.567	150	F	2010
(662) Curt Russell Rd	1.50	300	F	97%	0%	1%	0%	1%	0%	F	0.098	F	0.536	310	F	2010
(662) Curt Russell Rd	2.90	400	F	97%	0%	1%	0%	1%	0%	F	0.102	F	0.532	420	F	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(662) Curt Russell Rd	1.00	900	F	97%	0%	1%	0%	1%	0%	C	0.109	F	0.528	950	F	2010
(663) Cedar Creek Church Rd	1.50	70	R								NA		NA			05/05/2009
(663) Cedar Creek Church Rd	1.00	110	R								NA		NA			05/05/2009
(664) McClures Chapel Rd	2.30	70	R								NA		NA			05/07/2009
(664) McClures Chapel Rd	0.20	80	R								NA		NA			05/07/2009
(664) Boones Path Rd	0.30	60	R								NA		NA			05/07/2009
(664) Boones Path Rd	2.20	130	R								NA		NA			05/07/2009
(664)	0.13	40	R								NA		NA			05/07/2009
(665)	2.00	70	R								NA		NA			03/17/2009
(665)	1.00	190	R								NA		NA			03/17/2009
(665)	0.55	180	R								NA		NA			03/17/2009
(665)	1.65	100	R								NA		NA			03/17/2009
(666)	0.20	30	R								NA		NA			03/17/2009
(666)	0.40	30	R								NA		NA			03/17/2009
(667) Old Nursary Rd	1.20	210	F	98%	1%	1%	0%	1%	0%	F	0.129	F	0.5	220	F	2010
(667) Old Nursary Rd	2.30	250	F	98%	1%	1%	0%	1%	0%	F	0.115	F	0.6	260	F	2010
(667) Old Nursary Rd	2.00	600	F	98%	1%	1%	0%	1%	0%	C	0.110	F	0.68	630	F	2010
(668)	2.60	80	R								NA		NA			03/17/2009
(669)	0.70	140	R								NA		NA			03/17/2009
(669)	0.80	100	R								NA		NA			03/17/2009
(669)	2.00	140	R								NA		NA			03/19/2009
(670) Hennagar Town Rd	1.15	480	R								NA		NA			05/07/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(671)	0.55	240	R													03/19/2009
(671)	1.15	90	R													03/24/2009
(671)	1.60	330	R													03/24/2009
(671)	0.70	210	R													03/19/2009
(671)	0.88	130	R													03/19/2009
(672)	0.50	110	R													03/24/2009
(672)	0.40	190	R													03/19/2009
(672)	0.70	90	R													03/24/2009
(672)	0.80	80	R													03/24/2009
(672)	1.60	200	R													03/19/2009
(672)	2.00	510	R													03/19/2009
(673)	0.54	790	R													03/19/2009
(673)	1.21	320	R													03/19/2009
(674)	1.00	210	R													03/19/2009
(674)	1.10	70	R													03/24/2009
(675)	0.60	10	R													03/24/2009
(676)	Lamb Hollow Rd	0.89	20	R												05/05/2009
(676)	Lamb Hollow Rd	0.71	20	R												05/05/2009
(676)	Lamb Hollow Rd	2.50	140	R												05/05/2009
(676)	Lamb Hollow Rd	1.10	110	R												05/05/2009
(676)	Lamb Hollow Rd	1.00	190	R												05/05/2009
(676)	Lamb Hollow Rd	0.40	130	R												05/07/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(676) Lamb Hollow Rd	0.42	180	R				From: 52-668					NA		NA		05/07/2009
(676) Lamb Hollow Rd	2.00	150	R				From: 52-670 Hennagar Town Rd					NA		NA		05/07/2009
(676) Lamb Hollow Rd	2.00	70	R				From: 52-664 N. Boones Path Rd; McClures Chapel Rd To: 52-664 S. McClures Chapel Rd					NA		NA		05/07/2009
(677)	2.00	40	R				From: 52-669					NA		NA		03/24/2009
(677)	1.30	70	R				From: 52-852 To: 52-667					NA		NA		03/24/2009
(678)	0.20	40	R				From: 52-661 Flatwoods Rd					NA		NA		03/24/2009
(678)	0.18	20	R				From: Dead End; Gap To: 52-679					NA		NA		03/24/2009
(679)	0.60	100	R				From: 52-661 Flatwoods Rd					NA		NA		03/26/2009
(679)	1.00	10	R				From: Tennessee State Line					NA		NA		03/26/2009
(679)	1.40	40	R				From: 52-678					NA		NA		03/26/2009
(679)	1.80	90	R				From: 52-833					NA		NA		03/26/2009
(679)	2.11	190	R				From: 52-854 To: 52-758 Flannery Ridge Rd					NA		NA		03/26/2009
(680) Speaks Branch Rd	1.60	70	F	96%	1%	2%	0%	1%	0%	F	0.177	F	0.5	70	F	2010
(680) Speaks Branch Rd	1.10	160	F	96%	1%	2%	0%	0%	0%	F	0.117	F	0.721	170	F	2010
(680) Pleasant View Rd	0.80	180	F	96%	1%	2%	0%	1%	0%	C	0.120	F	0.818	190	F	2010
(681)	1.00	47	R				From: Tennessee State Line To: 52-695					NA		NA		03/26/2009
(682)	1.30	60	R				From: Tennessee State Line					NA		NA		03/26/2009
(682)	0.80	80	R				From: 52-695					NA		NA		03/24/2009
(682) Giles Hollow Rd	0.20	80	F	94%	1%	4%	2%	0%	0%	C	0.164	F	0.588	80	F	2010
(682) Giles Hollow Rd	4.20	230	F	94%	1%	4%	2%	0%	0%	F	0.135	F	0.565	240	F	2010
(683)	1.70	80	R				From: 52-851					NA		NA		03/24/2009
(683)	2.00	310	R				From: 52-676 Lamb Hollow Rd To: 52-744					NA		NA		03/24/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(684) Chadwell Station Rd	1.15	310	R									NA		NA		11/19/2008
(684) Chadwell Station Rd	2.24	310	R									NA		NA		11/19/2008
(684)	1.60	380	R									NA		NA		03/24/2009
(684) Holiness Hollow Rd	1.97	180	R									NA		NA		12/09/2008
(685) Indian Creek Rd	0.35	40	R									NA		NA		11/19/2008
(685) Lick Branch Rd	1.55	270	R									NA		NA		12/02/2008
(686) Brooks Memorial Dr	0.50	100	R									NA		NA		12/02/2008
(686) Brooks Memorial Dr	0.55	130	R									NA		NA		12/02/2008
(687) Frog Level Rd	0.82	260	R									NA		NA		12/02/2008
(687) Frog Level Rd	1.08	320	R									NA		NA		12/02/2008
(687) Frog Level Rd	0.52	500	R									NA		NA		12/02/2008
(688) Dry Branch Rd	1.30	170	R									NA		NA		11/13/2008
(689) Mattie Springs Rd	0.50	70	R									NA		NA		11/10/2008
(690) Kesterson Rd	0.55	100	R									NA		NA		11/13/2008
(690) Kesterson Rd	1.15	190	R									NA		NA		11/19/2008
(690) Kesterson Rd	0.98	270	R									NA		NA		11/19/2008
(690) Doc Hurst Rd	0.20	70	R									NA		NA		11/13/2008
(690) Caylor Rd	0.30	500	R									NA		NA		11/13/2008
(690) Caylor Rd	3.71	290	R									NA		NA		11/13/2008
(691) Wheeler Rd	1.91	400	F	97%	1%	0%	2%	0%	0%	C	0.111	F	0.531	420	F	2010
(691)	0.10	110	R									NA		NA		03/24/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(692)	0.88	46	R									NA		NA		03/26/2009
(692)	0.40	210	R									NA		NA		03/26/2009
(692)	0.50	80	R									NA		NA		03/26/2009
(693)	0.57	80	R									NA		NA		03/26/2009
(693)	0.44	180	R									NA		NA		03/26/2009
(694)	0.10	1500	R									NA		NA		04/03/2009
(695)	0.80	90	R									NA		NA		04/03/2009
(696) Flower Gap Rd	0.02	190	R									NA		NA		10/22/2008
(697)	0.22	400	R									NA		NA		04/03/2009
(698) Cowans Mill Rd	0.73	110	R									NA		NA		11/19/2008
(698) Calway Rd	0.30	140	R									NA		NA		11/19/2008
(699) Machine Branch Rd	1.64	160	R									NA		NA		11/10/2008
(699) Machine Branch Rd	0.46	430	R									NA		NA		11/10/2008
(700) Bolinskie Dr	0.04	70	R									NA		NA		05/12/2009
(701) Stillhouse Hollow Rd	0.09	40	R									NA		NA		05/12/2009
(702) Rhea Rasnic Rd	0.95	150	R									NA		NA		10/23/2008
(703)	0.02	NA										NA		NA		
(704) Castle Rd	0.02	10	R									NA		NA		10/23/2008
(704) Castle Rd	0.30	10	R									NA		NA		10/23/2008
(705) Eversole Rd	0.20	9	R									NA		NA		01/06/2009



Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Pennington Gap</b>																
(706) Kentucky Rd	0.67	2800	R				From: Alt US 58 ; 52-1111				NA			NA		01/29/2009
(706) Fairground St	0.08	60	R				From: US 421				NA			NA		01/29/2009
							To: Dead End									
<b>Lee County</b>																
(707) Patriots Rd	0.86	130	R				From: Dead End				NA			NA		11/13/2009
							To: 52-684 Chadwell Station Rd									
(708) Seminary Rd	0.80	60	R				From: 52-622				NA			NA		05/12/2009
(708) Seminary Rd	0.10	90	R				From: 52-805				NA			NA		05/12/2009
(708) Seminary Rd	0.40	400	R				From: 0.10 MS 52-805				NA			NA		05/12/2009
							To: Alt US 58									
(709) Belle Meadows Rd	0.35	49	R				From: Alt US 58 SOUTH				NA			NA		05/12/2009
							To: Alt US 58 NORTH									
(710) Bethany Rd	0.37	90	R				From: Dead End				NA			NA		11/13/2008
(710) Bethany Rd	0.79	260	R				From: 0.37 MN Dead End				NA			NA		11/13/2008
							To: US 58 Daniel Boone Trail									
(711)	0.16	70	R				From: US 421 WEST				NA			NA		01/29/2009
							To: US 421 EAST									
(712)	2.12	100	R				From: 52-765				NA			NA		03/31/2009
							To: US 421									
(713)	0.40	40	R				From: US 421				NA			NA		03/31/2009
							To: US 421									
(714)	0.40	30	R				From: Dead End				NA			NA		03/31/2009
							To: US 421									
(715)	0.28	46	R				From: Dead End				NA			NA		03/31/2009
							To: Alt US 58									
(716) Eagle Ridge Rd	0.33	90	R				From: Alt US 58 WEST				NA			NA		03/11/2009
							To: Alt US 58 E; 52-659									
(717)	0.11	120	R				From: Dead End				NA			NA		03/31/2009
							To: 52-634									
(718)	0.10	20	R				From: Dead End				NA			NA		03/11/2009
							To: Alt US 58									
(719) Glenda Eldridge Dr	0.02	20	R				From: 52-647 Millers Chapel Rd				NA			NA		05/26/2009
							To: Dead End									
<b>Town of St. Charles</b>																
(720) Big Rock Rd	0.12	110	R				From: SR 352				NA			NA		01/29/2009
							To: SCL Saint Charles									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(720) Big Rock Rd	1.05	110	N				SCL Saint Charles				NA			NA		01/29/2009
(720)	1.87	80	R				52-949				NA			NA		01/29/2009
(721) Combs Rd	0.10	2400	R				Dead End				NA			NA		02/11/2009
							WCL Pennington Gap									
<b>Town of Pennington Gap</b>																
(721)	0.11	2400	N				WCL Pennington Gap				NA			NA		02/11/2009
							Alt US 58									
<b>Lee County</b>																
(722) Klondike Rd	2.22	70	R				Dead End				NA			NA		11/06/2008
							52-619 Love Lady Gap Rd									
(723)	0.68	50	R				Dead End				NA			NA		03/31/2009
(723)	0.60	190	R				52-639				NA			NA		03/31/2009
							52-641 Cooney Hollow Rd									
(724) Sand Cave Rd	0.19	1100	R				US 58				NA			NA		12/09/2008
(724) Sand Cave Rd	0.12	990	R				52-810 S, Red Clover Loop				NA			NA		12/09/2008
(724) Sand Cave Rd	0.43	900	R				52-810 N, Red Clover Loop				NA			NA		12/09/2008
(724) Sand Cave Rd	0.24	50	R				52-860 Boone Tabernacle Rd				NA			NA		12/09/2008
							Dead End									
(725) School House Ridge Rd	0.60	80	R				SR 352				NA			NA		03/31/2009
							SR 352									
(726) School House Ridge Rd	0.24	200	R				52-629 Possum Valley Rd				NA			NA		05/14/2009
(726) School House Ridge Rd	0.03	1000	R				Alt US 58 WEST				NA			NA		05/14/2009
							Alt US 58 EAST									
(726) School House Ridge Rd	0.70	940	R				52-9226 NORTH				NA			NA		05/14/2009
(726) School House Ridge Rd	1.08	110	R				52-870 Lewis Heights Rd				NA			NA		05/14/2009
							52-621									
(727) Disney Loop	0.50	70	R				52-982 WEST				NA			NA		05/12/2009
							52-982 EAST									
(728) Tritt Rd	0.12	90	R				Alt US 58				NA			NA		05/12/2009
							Cul-de-Sac									
(729) Warriors Path Rd	0.50	160	R				52-691				NA			NA		11/10/2008
							US 58 Daniel Boone Trail									
(730)	1.25	40	R				Dead End				NA			NA		03/31/2009
							52-662									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Lee County</b>																	
(731)	0.29	30	R								NA		NA			03/31/2009	
(732)	0.41	80	R								NA		NA			04/04/2009	
(733)	Deep Springs Rd	0.26	70	R							NA		NA			05/14/2009	
(734)		0.45	70	R							NA		NA			04/03/2009	
(735)	Mink Hollow Rd	0.10	40	R							NA		NA			11/19/2008	
(735)		0.30	40	R							NA		NA			11/19/2008	
(736)	Castene Rd	0.80	46	R							NA		NA			12/02/2008	
(737)	Troy Litton Rd	0.03	40	F	99%	0%	1%	0%	0%	0%	C	0.178	F	0.75	40	F	2010
(738)		0.04	580	R							NA		NA			10/23/2008	
(738)		3.07	540	R							NA		NA			11/04/2008	
(739)	Tan Bark Ridge Rd	1.08	30	R							NA		NA			03/13/2009	
(739)	Tan Bark Ridge Rd	1.22	40	R							NA		NA			03/13/2009	
(740)		0.09	60	R							NA		NA			01/27/2009	
(741)		1.20	130	R							NA		NA			03/31/2009	
(742)	Rock Lick Rd	0.05	90	R							NA		NA			05/12/2009	
(742)	Rock Line Rd	1.45	70	R							NA		NA			05/12/2009	
(743)		1.52	140	R							NA		NA			03/31/2009	
(744)	Willow Tree Rd	1.75	270	F	99%	0%	1%	0%	0%	0%	F	0.098	F	0.619	280	F	2010
(744)	Willow Tree Rd	0.75	290	F	99%	0%	1%	0%	0%	0%	F	0.106	F	0.548	310	F	2010
(744)	Willow Tree Rd	1.20	440	F	99%	0%	1%	0%	0%	0%	C	0.107	F	0.56	460	F	2010

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(745) Mill Hollow Rd	0.34	100	R								NA		NA			03/31/2009
(746)	0.50	10	R								NA		NA			03/31/2009
(747)	0.10	30	R								NA		NA			03/31/2009
(747)	0.15	160	R								NA		NA			03/31/2009
(748) Thomas Hollow Rd	0.69	20	R								NA		NA			05/21/2009
(748) Thomas Hollow Rd	0.24	80	R								NA		NA			05/21/2009
(749)	0.03	320	R								NA		NA			03/31/2009
(749)	0.15	800	R								NA		NA			03/31/2009
(749)	0.02	110	R								NA		NA			03/31/2009
(750)	0.03	120	R								NA		NA			04/03/2009
(750)	0.13	660	R								NA		NA			04/03/2009
(751) Stoney Lonesome Rd	0.45	100	R								NA		NA			05/21/2009
(752) Powell River Rd	1.07	330	R								NA		NA			11/10/2008
(753) Sturgill Rd	1.53	150	R								NA		NA			05/14/2009
(754)	0.55	140	R								NA		NA			04/03/2009
(755) Johnny Martin Rd	0.70	47	R								NA		NA			03/13/2009
(757)	0.50	40	R								NA		NA			04/03/2009
(758) Flannery Ridge Rd	1.60	270	R								NA		NA			05/05/2009
(758) Flannery Ridge Rd	1.40	290	R								NA		NA			05/05/2009
(758) Flanary Bridge Rd	0.90	350	F	96%	2%	2%	1%	0%	0%	F	0.095	F	0.743	370	F	2010

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(758) Flanary Bridge Rd	1.45	470	F	96%	2%	2%	1%	0%	0%	F	0.100	F	0.784	500	F	2010
						From: 52-665 Mt Moriah Rd										
						To: 52-662 Tobacco Rd; Curt Russell Rd										
(758) Flanary Bridge Rd	1.79	400	F	96%	2%	2%	1%	0%	0%	F	0.096	F	0.575	420	F	2010
						From: 52-661 Flatwoods Rd										
						To: US 58										
(758) Flanary Bridge Rd	0.13	1500	F	96%	2%	2%	1%	0%	0%	C	0.149	F	0.529	1500	F	2010
						From: 52-676 Lamb Hollow Rd										
						To: Dead End										
(759) Pea Speaks Rd	1.00	49	R								NA			NA		05/07/2009
						From: Dead End										
						To: Dead End										
(760) Paris Rd	0.17	40	R								NA			NA		03/11/2009
						From: Alt US 58										
						To: Dead End										
(760) Hines Hill Rd	0.31	130	R								NA			NA		03/11/2009
						From: 52-612 WEST										
						To: 52-612 EAST										
(761) Thunder Rd	1.90	70	R								NA			NA		03/13/2009
						From: Dead End										
(762)	0.50	3	R								NA			NA		11/04/2008
						From: 52-612 Kane Gap Rd										
(763)	0.80	60	R								NA			NA		04/03/2009
						From: 52-709 Belle Meadows Rd										
						To: Dead End										
<b>Town of Pennington Gap</b>																
(764) Johnson Rd	0.66	760	R								NA			NA		01/12/2009
						From: US 421										
						To: 52-1104 Anderson St										
(764) Johnson Rd	0.20	630	R								NA			NA		01/12/2009
						From: 52-1114 Forest Ave										
						To: 52-706 Kentucky Rd										
<b>Lee County</b>																
(765)	0.74	180	R								NA			NA		04/03/2009
						From: US 421										
						To: 52-712										
(765)	2.40	110	R								NA			NA		04/03/2009
						From: 52-754										
						To: SR 352										
(766) Meadows Fork Rd	3.78	100	R								NA			NA		05/21/2009
						From: 52-628 Reeds Creek Rd										
						To: 52-606										
(767) Cave Springs Rd	0.60	630	R								NA			NA		05/14/2009
						From: Alt US 58										
						To: 52-621										
(768) Glass Hollow Rd	0.30	20	R								NA			NA		10/23/2008
						From: 52-602 Hickory Hill Rd										
						To: Dead End										
(769)	0.60	60	R								NA			NA		04/03/2009
						From: Dead End										
						To: 52-682										
(770)	0.70	30	R								NA			NA		12/02/2008
						From: 52-687 Frog Level Rd										
						To: Dead End										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(771) Green Leaf Rd	1.50	60	R				From: 52-653 Maple Hill Rd				NA			NA		12/09/2008
							To: 52-652 Campground Rd									
(772) Norman Middleton Rd	0.80	70	R				From: Dead End				NA			NA		12/18/2008
							To: 52-642 Fannon Rd									
(773) Kelly Coomer Rd	0.40	50	R				From: Alt US 58				NA			NA		05/12/2008
							To: Dead End									
(774) Wind Gushed Rd	0.70	46	R				From: 52-617				NA			NA		03/13/2009
							To: Dead End									
(775)	1.60	160	R				From: Dead End				NA			NA		04/14/2009
							To: 52-673									
(776)	0.30	30	R				From: 52-628 Reeds Creek Rd				NA			NA		04/14/2009
							To: 52-878									
(776)	0.70	20	R				From: 52-878				NA			NA		04/14/2009
							To: Dead End									
(777)	0.08	20	R				From: 52-643				NA			NA		04/14/2009
							To: Dead End									
(778) Sycamore Rd	0.28	160	R				From: Alt US 58				NA			NA		11/06/2008
							To: Dead End									
(779) Clear Springs Rd	1.30	80	R				From: 52-684				NA			NA		12/02/2008
							To: Dead End									
(780) Hand Rd	1.40	110	R				From: 52-641 Clawson Rd; Cox Rd				NA			NA		05/26/2009
							To: 52-640									
(781) Roy Cheek Rd	1.60	270	R				From: US 58 Daniel Boone Trail				NA			NA		05/21/2009
							To: 52-783 Cooney Hollow Rd									
(782) Burley Elkins Hollow Rd	0.50	30	R				From: 52-612				NA			NA		03/13/2009
							To: 0.50 MN 52-612									
(782) Burley Elkins Hollow Rd	0.10	30	R				From: 0.50 MN 52-612				NA			NA		03/13/2009
							To: Dead End									
(783) Cooney Hollow Rd	0.38	140	R				From: SR 70				NA			NA		05/21/2009
							To: 52-739 Tan Bark Ridge Rd									
(783) Cooney Hollow Rd	1.58	100	R				From: 52-739 Tan Bark Ridge Rd				NA			NA		05/21/2009
							To: 52-641 Cooney Hollow Rd									
(783) Cooney Hollow Rd	1.00	47	R				From: 52-641 Cooney Hollow Rd				NA			NA		05/21/2009
							To: 52-781 Roy Cheek Rd									
(783) Cooney Hollow Rd	0.15	60	R				From: 52-781 Roy Cheek Rd				NA			NA		05/21/2009
							To: 0.15 MN 52-781									
(783) Cooney Hollow Rd	1.14	120	R				From: 0.15 MN 52-781				NA			NA		05/21/2009
							To: US 58 Daniel Boone Trail									
(784) Eldridge Hollow Rd	0.80	20	R				From: Dead End				NA			NA		10/22/2008
							To: 52-600 Flower Gap Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(785) Elk Knob Rd	0.25	400	R				From: US 421 WEST				NA			NA		12/18/2008
(785) Elk Knob Rd	0.05	720	R				To: 52-642				NA			NA		12/18/2008
(785) Elk Knob Rd	1.15	230	R				From: 52-807 Ben Lawson Dr				NA			NA		12/18/2008
(785) Elk Knob Rd							To: US 421 EAST									
(786) Sleepy Hollow Rd	0.21	40	R				From: Dead End				NA			NA		05/21/2009
(786) Sleepy Hollow Rd							To: 52-606									
(787) Murphy Hobbs Rd	0.40	70	R				From: Dead End				NA			NA		01/27/2009
(787) Murphy Hobbs Rd							To: 52-619									
(788)	0.13	180	R				From: 52-621				NA			NA		04/14/2009
(788)							To: Dead End									
(789)	0.60	90	R				From: Dead End				NA			NA		04/14/2009
(789)							To: 52-621 Left Poor Valley Rd									
(790)	0.40	40	R				From: 52-658 Cedar Hill Rd				NA			NA		04/14/2009
(790)							To: 52-831									
(790)	1.35	100	R				From: 52-946 Burning Well Rd				NA			NA		04/14/2009
(790)							To: 52-946 Burning Well Rd									
(791) Cecil Orr Rd	0.57	110	R				From: US 58 Daniel Boone Trail				NA			NA		05/21/2009
(791) Cecil Orr Rd							To: US 58 Daniel Boone Trail									
(792) Woliver Rd	0.50	80	R				From: US 58 W, Daniel Boone Trail				NA			NA		03/13/2009
(792) Woliver Rd							To: US 58 E, Daniel Boone Trail									
(793)	0.10	6	R				From: Dead End				NA			NA		03/13/2009
(793)							To: 52-792 Woliver Rd									
(794)	0.30	30	R				From: 52-766 Meadows Fork Rd				NA			NA		04/14/2009
(794)							To: Dead End									
(795)	0.02	90	R				From: Dead End				NA			NA		05/14/2009
(795)							To: SR 352									
(796) Dalton Gap Rd	0.10	60	R				From: 52-621				NA			NA		05/12/2009
(796) Dalton Gap Rd							To: Dead End									
(797)	2.00	30	R				From: 52-673				NA			NA		04/16/2009
(797)							To: Kentucky State Line									
(798)	0.30	20	R				From: Dead End				NA			NA		04/16/2009
(798)							To: 52-642									
(799)	0.10	110	R				From: Dead End				NA			NA		04/16/2009
(799)							To: 52-749									
(799)	0.40	370	R				From: 52-749				NA			NA		04/16/2009
(799)							To: 52-673									
(800) Dinsmore Rd	0.30	180	R				From: 52-629; 52-838				NA			NA		04/16/2009
(800) Dinsmore Rd							To: 52-726 School House Ridge Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(801)	0.01	20	R				From: SR 352					NA		NA		01/29/2009
							To: Dead End									
(802)	0.10	210	R				From: US 58					NA		NA		04/16/2009
							To: Dead End									
(803) Doc Olinger Rd	0.02	140	R				From: 52-621					NA		NA		05/12/2009
(803) Doc Olinger Rd	0.48	70	R				From: 0.02 MN 52-621					NA		NA		05/12/2009
							To: Dead End									
(804)	0.20	880	R				From: 52-765					NA		NA		04/16/2009
							To: Dead End									
(805)	0.40	40	R				From: 52-708 Seminary Rd					NA		NA		04/16/2009
							To: Dead End									
(806) Yearly Hollow Rd	0.20	40	R				From: 52-684 Holiness Hollow Rd					NA		NA		12/02/2009
							To: Dead End									
(807) Ben Lawson Dr	0.10	120	R				From: 52-785 Elk Knob Rd					NA		NA		12/18/2009
							To: Dead End									
(809) Blair Rd	0.40	47	R				From: Dead End					NA		NA		05/12/2009
							To: Alt US 58									
(810) Red Clover Loop	0.18	70	R				From: 52-724 Sand Cave Rd					NA		NA		12/09/2009
							To: 52-724 Sand Cave Rd									
(811) Beaver Brook Rd	0.49	110	R				From: Dead End					NA		NA		11/10/2008
							To: US 58 Daniel Boone Trail									
(812)	0.30	70	R				From: Dead End					NA		NA		04/16/2009
							To: 52-765									
(813) Basswood Rd	0.33	30	R				From: 52-670 Hennagar Town Rd					NA		NA		05/07/2009
							To: Dead End									
(814)	0.02	140	R				From: 52-664 Boones Path Rd					NA		NA		04/16/2009
(814)	0.08	120	R				From: US 58					NA		NA		04/21/2009
							To: Dead End									
(815)	0.14	5	R				From: Dead End					NA		NA		04/21/2009
							To: US 58									
(816) Mande Harless Rd	0.20	70	R				From: Dead End					NA		NA		10/23/2008
							To: 52-702 Rhea Rasnic Rd									
(817)	0.40	120	R				From: Dead End					NA		NA		04/21/2009
							To: 52-611 Jasper Rd									
(818)	0.20	30	R				From: 52-621 Left Poor Valley Rd					NA		NA		04/21/2009
							To: Dead End									



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(819)	0.40	49	R				52-671				NA		NA		04/21/2009	
							Dead End									
(820)	0.60	120	R				52-657				NA		NA		04/16/2009	
							Dead End									
(821) Seabolt Rd	0.20	9	R				Dead End				NA		NA		03/13/2009	
							SR 70									
(822) Violas Flanary Dr	0.10	10	R				52-619				NA		NA		05/14/2009	
							Dead End									
(823) Lambert Hollow Rd	0.60	40	R				52-612				NA		NA		03/11/2009	
							Dead End									
(824)	0.15	290	R				US 23				NA		NA		04/16/2009	
							52-863									
(824)	0.44	110	R				Dead End				NA		NA		04/16/2009	
							Dead End									
(825) Hobbs Rd	0.08	30	R				Dead End				NA		NA		05/12/2009	
							52-621 Wampler Hollow Rd									
(826) Rasnic Hollow Rd	0.90	110	R				52-612				NA		NA		03/11/2009	
							Dead End									
(827) Lee Rd	0.20	100	R				52-690 Caylor Rd				NA		NA		11/13/2008	
							Dead End									
(828) Baileys Pond Rd	0.18	130	R				52-726 School House Ridge Rd				NA		NA		05/14/2009	
							Dead End									
(829) Tomlinson Rd	0.30	140	R				Alt US 58				NA		NA		05/14/2009	
							0.30 MN Alt US 58									
(829) Tomlinson Rd	0.10	100	R				Dead End				NA		NA		05/14/2009	
							Dead End									
(830) Ridgeview Rd	0.50	440	R				52-614 Sandy Ridge Rd				NA		NA		02/17/2009	
							52-648 Town Branch Rd									
(831)	0.30	40	R				52-790				NA		NA		04/16/2009	
							Dead End									
(832)	0.30	10	R				52-613				NA		NA		04/16/2009	
							Dead End									
(833)	1.73	180	R				52-679				NA		NA		04/16/2009	
							52-661									
							Dead End									
(834)	0.71	40	R				Dead End				NA		NA		04/21/2009	
							52-661									
(835)	0.30	20	R				52-833				NA		NA		04/21/2009	
							Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(836) Bellevue Rd	0.44	70	R			From: US 58					NA		NA			12/04/2008
						To: US 58										
(837) Dry Creek Rd	0.07	190	R			From: US 58					NA		NA			10/23/2008
						To: 52-738										
(838)	0.10	490	R			From: 52-629; 52-800					NA		NA			04/21/2008
						To: Dead End										
(839) Covenant Church Rd	0.50	70	R			From: 52-612					NA		NA			03/11/2009
						To: Dead End										
(840) Rash Hollow Rd	0.67	30	R			From: 52-612					NA		NA			03/11/2009
						To: Dead End										
(841)	0.10	160	R			From: US 58					NA		NA			04/23/2009
						To: Dead End										
(842) George Jones Dr	0.10	80	R			From: US 58 Daniel Boone Trail					NA		NA			05/21/2009
						To: Dead End										
(843)	0.20	30	R			From: Dead End					NA		NA			04/23/2009
						To: 52-620 Hen Reasor										
(844) Old Hill Rd	0.30	70	R			From: Dead End					NA		NA			05/21/2009
						To: 52-904										
(845) Cave Springs Park Rd	0.32	40	R			From: 52-621					NA		NA			05/12/2009
						To: Dead End										
(846)	0.30	10	R			From: Dead End					NA		NA			10/23/2008
						To: SR 70										
(847) Marson Quillen Rd	0.75	30	R			From: Dead End					NA		NA			11/19/2008
						To: 52-690 Kesterson Rd										
(848) Peppy Sand Rd	0.10	7	R			From: 52-604					NA		NA			10/23/2008
						To: Dead End										
(849) Laster Rd	0.20	9	R			From: 52-612 Kane Gap Rd					NA		NA			11/04/2008
						To: Dead End										
(850)	2.10	110	R			From: 52-664 McClures Chapel Rd					NA		NA			04/23/2008
						To: 52-661										
(851)	0.10	20	R			From: Tennessee State Line					NA		NA			04/23/2008
						To: 52-683										
(851)	2.30	80	R			From: 52-682					NA		NA			04/21/2009
						To: 52-680										
(852)	1.70	130	R			From: 52-680					NA		NA			04/21/2009
						To: 52-677										
(853)	1.80	70	R			From: 52-667					NA		NA			04/21/2009
						To: 52-676 Lamb Hollow Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(854)	1.29	70	R			From: 52-661						NA		NA		04/21/2009
(854)	0.55	70	R			To: Dead End; Gap						NA		NA		04/21/2009
(855)	1.60	180	R			From: 52-667						NA		NA		04/23/2009
(856)	0.55	60	R			To: 52-661						NA		NA		04/23/2009
(856)	0.55	60	R			From: Dead End						NA		NA		04/23/2009
(857)	0.50	40	R			To: 52-758 Flannery Ridge Rd						NA		NA		04/23/2009
(857)	0.50	40	R			From: Dead End						NA		NA		04/23/2009
(858)	0.30	30	R			To: 52-672						NA		NA		04/23/2009
(858)	0.30	30	R			From: Dead End						NA		NA		12/09/2008
(858)	0.30	30	R			To: 52-744						NA		NA		12/09/2008
(859)	0.13	30	R			From: Dead End						NA		NA		03/11/2009
(859)	0.13	30	R			To: 52-612						NA		NA		03/11/2009
(860)	0.05	130	R			From: 52-724 Sand Cave Rd						NA		NA		12/09/2008
(860)	0.05	130	R			To: Dead End						NA		NA		12/09/2008
(861)	0.22	80	R			From: Dead End						NA		NA		01/06/2009
(861)	0.22	80	R			To: 52-630 Big Hill Rd						NA		NA		01/06/2009
(862)	0.50	60	R			From: Dead End						NA		NA		04/23/2009
(862)	0.50	60	R			To: 52-625 Sigma Rd						NA		NA		04/23/2009
(863)	0.30	110	R			From: 52-824						NA		NA		04/23/2009
(863)	0.30	110	R			To: Dead End						NA		NA		04/23/2009
<b>Town of Jonesville</b>																
(864)	0.07	570	R			From: SR 70 Trail of the Lonesome Pine						NA		NA		02/17/2009
(864)	0.07	570	R			To: SCL Jonesville						NA		NA		02/17/2009
<b>Lee County</b>																
(864)	0.10	470	R			From: SCL Jonesville						NA		NA		02/17/2009
(864)	0.10	470	R			To: SR 70 Old						NA		NA		02/17/2009
(864)	0.25	590	R			From: Dead End						NA		NA		02/17/2009
(864)	0.25	590	R			To: Dead End						NA		NA		02/17/2009
(865)	0.30	20	R			From: Dead End						NA		NA		03/11/2009
(865)	0.30	20	R			To: 52-612						NA		NA		03/11/2009
(866)	0.15	30	R			From: 52-621 Left Poor Valley Rd						NA		NA		04/23/2009
(866)	0.15	30	R			To: Dead End						NA		NA		04/23/2009
(867)	0.17	120	R			From: US 23						NA		NA		04/23/2009
(867)	0.17	120	R			To: Wise County Line						NA		NA		04/23/2009
(868)	0.25	80	R			From: US 23 SOUTH						NA		NA		04/23/2009
(868)	0.25	80	R			To: Dead End ; Gap						NA		NA		04/23/2009
(868)	0.16	20	R			From: Dead End ; Gap						NA		NA		04/27/2009
(868)	0.16	20	R			To: US 23 NORTH						NA		NA		04/27/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(869) Fisher Farm Rd	0.11	40	R								NA			NA		10/22/2008
(870) Lewis Heights Rd	0.16	330	R								NA			NA		05/14/2009
(871) Chapman Rd	0.36	190	R								NA			NA		05/14/2009
(873) Cliff Ely Rd	0.14	40	R								NA			NA		05/21/2009
(874)	0.30	60	R								NA			NA		04/27/2009
(875)	0.10	30	R								NA			NA		04/27/2009
(876)	0.91	80	R								NA			NA		04/27/2009
(877)	0.09	40	R								NA			NA		04/27/2009
(878)	0.50	10	R								NA			NA		04/27/2009
(879) Pioneer Rd	0.10	60	R								NA			NA		12/16/2008
(879) Pioneer Rd	0.20	70	R								NA			NA		12/09/2008
(880) Red Fletcher Rd	1.24	210	R								NA			NA		05/05/2008
(880) Rod Fletcher Rd	1.28	350	F	98%	0%	2%	0%	0%	0%	C	0.112	F	0.628	370	F	2010
(881) Eagle Ridge Rd	0.12	8	R								NA			NA		03/11/2009
(882) Knob View Rd	0.20	110	R								NA			NA		12/18/2008
(883) Shady Rd	0.18	70	R								NA			NA		03/11/2009
(884) Whited Rd	0.15	49	R								NA			NA		01/06/2009
(885)	0.05	48	R								NA			NA		04/23/2009
<b>Town of St. Charles</b>																
(886)	0.11	40	R								NA			NA		04/23/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of St. Charles</b>																
(887)	0.06	70	R											NA		04/23/2009
(888)	0.06	140	R											NA		04/23/2009
<b>Lee County</b>																
(890) Kathy Blanton Rd	0.30	70	R											NA		12/18/2008
(891) Hillary Dr	0.18	60	R											NA		01/06/2009
(892) Horton Dr	0.28	630	R											NA		03/05/2009
(893) Conley Hill Dr	0.25	80	R											NA		03/05/2009
(894) Porter Ray St	0.24	100	R											NA		03/11/2009
(894) Ola Dr	0.14	120	R											NA		03/11/2009
(895)	0.09	40	R											NA		02/17/2009
(896)	0.42	70	R											NA		04/23/2009
(897) Grand View Dr	0.35	60	R											NA		11/19/2008
(898)	0.08	40	R											NA		12/16/2008
(899) Beech Springs Rd	0.75	130	F	95%	0%	1%	3%	1%	0%	C	0.099	F	0.563	140	F	2010
(899) Beech Springs Rd	0.51	100	F	95%	0%	1%	3%	1%	0%	F	0.14	F	0.647	110	F	2010
(900)	0.17	180	R											NA		04/23/2009
(901)	0.40	150	R											NA		04/23/2009
(903) White Castle Rd	0.05	60	R											NA		12/09/2008
(904) Shepard Hill Rd	0.79	30	F	94%	3%	3%	0%	0%	0%	C	0.178	F	0.625	30	F	2010
(905)	0.10	40	R											NA		04/27/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(906)	0.23	48	R			From: Bus US 58					NA			NA		04/27/2009
						To: Dead End										
(907)	Loretta Rouse Rd	0.03	190	R		From: Bus US 58					NA			NA		12/16/2008
						To: US 58 Daniel Boone Trail										
(908)		0.55	140	R		From: US 58 Daniel Boone Trail					NA			NA		04/29/2009
						To: Dead End										
(909)		0.08	30	R		From: Bus US 58					NA			NA		04/27/2009
						To: 52-908										
(910)		0.40	160	R		From: Dead End					NA			NA		04/27/2009
						To: 52-708 Seminary Rd										
(911)		0.07	110	R		From: Bus US 58					NA			NA		04/27/2009
						To: US 58 Daniel Boone Trail										
(912)		0.32	270	R		From: US 58 W, Daniel Boone Trail					NA			NA		04/23/2009
						To: US 58 E, Daniel Boone Trail										
(913)		0.06	80	R		From: 52-748 Thomas Hollow Rd					NA			NA		04/23/2009
						To: Dead End										
(914)		0.17	NA			From: 52-802					NA			NA		
						To: 52-841										
(915)	Oak Ridge Rd	1.13	100	R		From: US 58 WEST					NA			NA		10/23/2008
						To: 52-704 Castle Rd										
(915)	Oak Ridge Rd	0.23	90	R		From: 52-703					NA			NA		10/23/2008
						To: US 58 EAST										
(915)	Oak Ridge Rd	0.56	90	R		From: 52-606 WEST					NA			NA		10/23/2008
						To: US 58 EAST										
(919)	Hoover Hill Rd	1.12	140	R		From: 52-606 WEST					NA			NA		05/21/2009
						To: 52-606 EAST										
(920)	Blue Gray Rd	0.11	80	R		From: Dead End					NA			NA		12/16/2008
						To: US 58; 52-9222 EAST										
(923)	Martin Station Trail	0.57	46	R		From: US 58 Daniel Boone Trail					NA			NA		11/10/2008
						To: Cul-de-Sac										
(925)	Cain Creek Rd	0.24	70	R		From: 52-643 Kelly Rd					NA			NA		02/11/2009
						To: Dead End										
(926)		0.61	90	R		From: US 58 Daniel Boone Trail					NA			NA		04/27/2009
						To: Cul-de-Sac										
(927)		0.05	40	R		From: 52-926					NA			NA		04/27/2009
						To: US 58 Daniel Boone Trail										
(928)		0.08	40	R		From: Dead End					NA			NA		04/27/2009
						To: 52-750										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(930) Poteet Rd	0.25	320	R								NA			NA		05/21/2009
(931) Fincastle Heights Rd	0.30	110	R								NA			NA		05/21/2009
(932) Woodlawn Dr	0.23	100	R								NA			NA		05/21/2009
(933) Sexson Rd	0.12	90	R								NA			NA		05/21/2009
(934)	0.28	90	R								NA			NA		04/27/2009
(935) Easy Dr	0.10	70	R								NA			NA		01/06/2009
(937)	0.12	90	R								NA			NA		04/27/2009
(938) Back Fields Loop	0.22	46	R								NA			NA		12/09/2008
(939)	0.10	NA									NA			NA		
(940)	0.24	90	R								NA			NA		04/29/2008
(941)	0.04	40	R								NA			NA		12/09/2008
(942)	0.04	46	R								NA			NA		12/09/2008
(944)	0.25	140	R								NA			NA		04/29/2009
(945)	0.03	40	R								NA			NA		04/29/2009
(946) Burning Well Rd	2.77	380	R								NA			NA		05/07/2009
(947)	0.07	NA									NA			NA		
(948)	0.34	NA									NA			NA		
(949)	0.62	NA									NA			NA		
(950) Allen Rock Rd	0.29	110	R								NA			NA		11/10/2008

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(951) Goat Town Rd	0.20	120	R								NA			NA		11/10/2008
(952) Monte Vista Rd	0.18	70	R								NA			NA		11/10/2008
(953) Stapleton Rd	0.12	70	R								NA			NA		11/19/2008
(954)	0.09	NA									NA			NA		
(955) Snavelly Rd	0.16	220	R								NA			NA		11/19/2008
(956)	0.16	NA									NA			NA		
(960)	0.20	160	R								NA			NA		04/29/2009
(975)	0.66	320	R								NA			NA		04/29/2009
(982) Seminary Church Rd	0.74	310	F								0.113	F	0.556	310	F	2010
(982) Seminary Church Rd	1.71	690	F								0.1	F	0.610	730	F	2010
(983)	0.51	NA									NA			NA		
(998) Brush Country Dr	0.13	20	R								NA			NA		05/26/2009
(999) Bailey Loop	0.28	20	R								NA			NA		05/12/2009
(1001) Short Cut Loop	0.07	640	R								NA			NA		05/21/2009
(1002) Short Cut Loop	0.25	160	R								NA			NA		05/21/2009
(1002) Short Cut Loop	0.16	130	R								NA			NA		05/21/2009
(1002)	0.17	610	R								NA			NA		05/21/2009
(1003) Post Office Rd	0.15	130	R								NA			NA		05/21/2009
(1004) Wilson Rd	0.10	70	R								NA			NA		05/21/2009



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(1005) Gates Hollow Rd	0.20	48	R								NA			NA		05/21/2009
(1005) Gates Hollow Rd	0.06	47	R								NA			NA		05/21/2009
(1006) Bear Rd	0.08	50	R								NA			NA		05/21/2009
(1007) Bicycle Rd	0.10	40	R								NA			NA		05/19/2009
(1010) Sadie Lane	0.18	180	R								NA			NA		11/10/2008
(1011) Haines Rd	0.18	90	R								NA			NA		11/10/2008
(1014) Buck Dr	0.23	40	R								NA			NA		05/21/2009
(1015) Herrell Subdivision Rd	0.28	180	R								NA			NA		05/21/2009
(1020) Blaircroft Rd	0.43	190	R								NA			NA		12/18/2008
(1021)	0.04	20	R								NA			NA		12/18/2008
(1022) Eagle Trail	0.05	30	R								NA			NA		12/16/2008
(1023) John Andia Rd	0.35	180	R								NA			NA		12/16/2008
(1025)	0.25	90	R								NA			NA		12/18/2008
(1026)	0.24	NA									NA			NA		
(1030) Union Church Rd	0.18	180	R								NA			NA		12/16/2008
(1030) Union Church Rd	0.10	90	R								NA			NA		12/16/2008
(1031) Pitman Rd	0.05	70	R								NA			NA		12/16/2008
(1033)	0.23	80	R								NA			NA		03/11/2009
(1034) Eula Court Rd	0.06	70	R								NA			NA		03/11/2009

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(1035) Overview Loop	0.57	120	R								NA			NA		02/17/2009
(1040) Dryden Heights Rd	0.89	270	R								NA			NA		11/10/2008
(1041) Cherry Tree Rd	0.10	60	R								NA			NA		11/10/2008
(1045)	0.35	NA									NA			NA		
(1046)	0.25	120	R								NA			NA		1998
(1046)	0.13	NA									NA			NA		
(1050) Crosscreek Rd	0.86	400	R								NA			NA		11/06/2008
(1051) Rock Wood Rd	0.15	200	R								NA			NA		11/06/2008
(1052) Mountain Ash Rd	0.27	70	R								NA			NA		11/06/2008
(1053) Oak Lane Rd	0.07	60	R								NA			NA		11/06/2008
(1054) Yellow Poplar Rd	0.09	46	R								NA			NA		11/06/2008
(1055) Pine Cone Rd	0.11	80	R								NA			NA		11/06/2008
(1056) Oak Lane Rd	0.09	40	R								NA			NA		11/06/2008
(1057) Oak Lane Rd	0.08	45	R								NA			NA		11/06/2008
(1058) Cross Creek Rd	0.15	20	R								NA			NA		11/10/2008
<b>Town of Pennington Gap</b>																
(1100) Smithfield Dr	0.06	30	R								NA			NA		02/09/2009
(1101) Cecil St	0.20	720	R								NA			NA		02/09/2009
(1101) Cecil St	0.10	90	R								NA			NA		02/09/2009
<b>Lee County</b>																
(1101)	0.06	90	N								NA			NA		02/09/2009

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Pennington Gap</b>																
(1102) Leona St	0.14	350	R				From: Alt US 58				NA			NA		02/09/2009
							To: Dead End									
(1103) Leigh St	0.27	80	R				From: Dead End				NA			NA		02/09/2009
							To: 52-1101 Cecil St									
(1103) Leigh St	0.50	290	R				From: 52-1101 Cecil St				NA			NA		02/09/2009
							To: 52-1102 Leona St									
(1103) Leigh St	0.18	100	R				From: 52-1102 Leona St				NA			NA		02/09/2009
							To: Dead End									
(1104) Anderson St	0.06	560	R				From: 52-764 Johnson Rd				NA			NA		01/12/2009
							To: Alt US 58									
(1104) Anderson St	0.12	100	R				From: Alt US 58				NA			NA		01/12/2009
							To: 52-1114 Forest Ave									
(1104) Anderson St	0.06	180	R				From: 52-1114 Forest Ave				NA			NA		01/12/2009
							To: 52-1134 EAST									
(1104) Anderson St	0.11	90	R				From: 52-1134 WEST				NA			NA		01/12/2009
							To: 52-1136									
(1105) Johnson St	0.28	180	R				From: 52-764 Johnson Rd				NA			NA		01/12/2009
							To: 52-1113 Robinette St									
(1106) Ford St	0.28	60	R				From: 52-640 SCL Pennington Gap				NA			NA		02/11/2009
							To: Dead End									
<b>Lee County</b>																
(1107) King Dr	0.10	20	R				From: Dead End				NA			NA		01/29/2009
							To: US 421									
<b>Town of Pennington Gap</b>																
(1108) Church Ave	0.25	180	R				From: 52-1104 Anderson St				NA			NA		01/12/2009
							To: US 421									
(1108) Church Ave	0.17	140	R				From: US 421				NA			NA		01/12/2009
							To: Dead End									
(1109) Oakwood Dr	0.33	230	R				From: Dead End				NA			NA		01/12/2009
							To: US 421									
(1109) Oakwood Dr	0.26	260	R				From: US 421				NA			NA		01/12/2009
							To: 52-1137 Industrial Dr									
(1110) Cross St	0.06	7	R				From: 52-1103 Leigh St				NA			NA		02/09/2009
							To: Dead End									
(1111) Joslyn Ave	0.69	130	R				From: 52-706 Kentucky Rd				NA			NA		02/09/2009
							To: Alt US 58									
(1112) Liberty St	0.05	970	R				From: 52-1111 Joslyn Ave				NA			NA		01/29/2009
							To: Alt US 58									
(1112) Liberty St	0.04	40	R				From: Alt US 58				NA			NA		01/29/2009
							To: Dead End									
(1113) Robinette St	0.18	110	R				From: Dead End				NA			NA		01/12/2009
							To: US 421									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Pennington Gap</b>																
(1114) Forest Ave	0.12	80	R								NA			NA		01/27/2009
(1114) Forest Ave	0.25	120	R								NA			NA		01/27/2009
(1115) Nolan Ave	0.08	240	R								NA			NA		02/09/2009
(1116) Herndon St	0.22	570	R								NA			NA		02/09/2009
(1117) Hospital Dr	0.12	190	R								NA			NA		02/11/2009
(1118) Willow Ave	0.06	80	R								NA			NA		02/11/2009
(1119) Willow Ave	0.07	50	R								NA			NA		02/11/2009
(1120) Ford St	0.06	40	R								NA			NA		02/09/2009
(1120) Ford St	0.07	110	R								NA			NA		02/09/2009
(1120) Ford St	0.05	300	R								NA			NA		02/09/2009
(1120) Ford St	0.06	220	R								NA			NA		02/09/2009
(1121) Summit Ave	0.25	310	R								NA			NA		02/09/2009
<b>Lee County</b>																
(1122) Flat Top Hill Dr	0.53	30	R								NA			NA		02/11/2009
<b>Town of Pennington Gap</b>																
(1123) Media St	0.10	70	R								NA			NA		02/11/2009
(1124) Lee St	0.08	170	R								NA			NA		01/12/2009
(1125) Doris Ave	0.26	900	R								NA			NA		01/12/2009
(1126) Duff St	0.17	430	R								NA			NA		02/09/2009
(1127) Burke St	0.04	150	R								NA			NA		02/11/2009
(1128) Calvary St	0.06	440	R								NA			NA		02/09/2009

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Pennington Gap</b>																
(1129) Consatitution Rd	0.16	320	R				From: 52-640 Skaggs Hill Rd				NA			NA		02/11/2009
							To: Dead End									
(1130)	0.04	220	R				From: 52-706 Kentucky Rd				NA			NA		01/29/2009
							To: 52-1141									
(1131) Walnut St	0.04	90	R				From: 52-1108 Church Ave				NA			NA		01/12/2009
							To: 52-1109 Oakwood Ave									
(1132) Allen St	0.05	130	R				From: 52-1109 Oakwood Ave				NA			NA		01/27/2009
							To: 52-1114 Forest Ave									
(1133) Bailey St	0.25	140	R				From: 52-1101 Cecil St				NA			NA		02/09/2009
							To: Dead End									
(1134)	0.09	80	R				From: 52-1138				NA			NA		01/29/2009
							To: 52-1135									
(1135)	0.11	40	R				From: 52-1136				NA			NA		01/29/2009
							To: 52-1134									
(1136)	0.05	50	R				From: 52-1104 Anderson St				NA			NA		01/29/2009
							To: 52-1135									
(1137) Industrial Dr	0.48	700	R				From: US 58				NA			NA		01/27/2009
							To: Dead End									
(1138)	0.08	30	R				From: 52-1134				NA			NA		01/29/2009
							To: Dead End									
(1139) Burke St	0.16	70	R				From: Dead End				NA			NA		02/09/2009
							To: 52-1103 Leigh St									
(1140) Media St	0.05	60	R				From: Dead End				NA			NA		02/11/2009
							To: 52-1123 St									
(1141)	0.16	460	R				From: US 58				NA			NA		01/29/2009
							To: 52-1130									
(1141)	0.17	300	R				From: 52-1130				NA			NA		01/29/2009
							To: Dead End									
(1142)	0.01	120	R				From: 52-706 Kentucky Rd				NA			NA		10/08/2009
							To: Dead End									
(1143) Edwards St	0.05	130	R				From: Alt US 58				NA			NA		02/09/2009
							To: 52-1103 Leigh St									
(1144) Constitution Dr	0.14	30	R				From: 52-640 Skaggs Hill Rd				NA			NA		02/11/2009
							To: Dead End									
(1145) Terrace Dr	0.04	200	R				From: 52-721				NA			NA		02/11/2009
							To: Dead End									
(1148)	0.38	40	R				From: 52-706 Fairground St				NA			NA		01/27/2009
							To: 52-621									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Pennington Gap</b>																
(1149) Bank St	0.05	160	R				From: 52-1111 Joslyn Ave				NA			NA		02/11/2009
							To: Alt US 58 WEST									
<b>Town of Jonesville</b>																
(1200) Martin Subdivision Rd	0.68	200	R				From: US 58; 52-648				NA			NA		02/17/2009
							To: Dead End									
(1201) Institute St	0.35	590	R				From: 52-650 Harlan Rd				NA			NA		02/26/2009
							To: 52-649 Park St									
(1201) Institute St	0.07	130	R				From: 52-1205 Church St				NA			NA		02/26/2009
							To: Dead End									
(1201) Institute St	0.10	460	R				From: US 58				NA			NA		02/26/2009
							To: 52-1201 Institute St									
(1202) Ely St	0.07	240	R				From: Dead End				NA			NA		02/26/2009
							To: US 58									
(1203) Russell St	0.35	250	R				From: US 58 Jones St				NA			NA		02/26/2009
							To: 52-648 Town Branch Rd									
(1204) Cunningham St	0.12	210	R				From: US 58 Jones St				NA			NA		02/17/2009
							To: Alt US 58									
(1205) Church St	0.08	1600	R				From: 52-1201 Institute St				NA			NA		02/26/2009
							To: Dead End									
(1205) Church St	0.15	380	R				From: US 58 Jones St				NA			NA		02/26/2009
							To: Alt US 58									
(1205) Church St	0.03	610	R				From: 52-1201 Institute St				NA			NA		02/26/2009
							To: Dead End									
(1206) Palace Pl	0.08	430	R				From: US 58 Jones St				NA			NA		02/26/2009
							To: 52-1201 Institute St									
(1206) Palace Pl	0.03	2100	R				From: 52-1210 Fourth St				NA			NA		03/05/2009
							To: 52-1208 Second St									
(1207) Carlisle St	0.22	180	R				From: 52-650 Harlan Rd				NA			NA		03/05/2009
							To: US 58									
(1207) Carlisle St	0.05	250	R				From: US 58				NA			NA		03/05/2009
							To: Dead End									
(1208) Second St	0.10	80	R				From: US 58; 52-1211				NA			NA		03/03/2009
							To: Dead End									
(1209) Third St	0.10	40	R				From: Dead End				NA			NA		03/05/2009
							To: US 58									
(1210) Fourth St	0.12	200	R				From: US 58; 52-1210				NA			NA		03/03/2009
							To: Dead End									
(1211) Johnson St	0.08	90	R				From: US 58; 52-1210				NA			NA		03/03/2009
							To: 52-1217 Central St									
(1212) Holmes St	0.28	290	R				From: US 58				NA			NA		03/03/2009
							To: US 58									

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Jonesville</b>																
(1213) Martin St	0.18	220	R			From: 52-1221 Crest Dr					NA			NA		03/03/2009
(1213) Martin St	0.12	340	R			From: 52-1216 Second Ave					NA			NA		03/03/2009
						To: US 58										
(1214) Joslyn St	0.26	190	R			From: 52-1220 Fitts Lane					NA			NA		02/26/2009
						To: US 58										
(1215) Harless Ave	0.15	70	R			From: Dead End					NA			NA		02/26/2009
						To: 52-1214 Joslyn St										
(1216) Second Ave	0.06	30	R			From: 52-1213 Martin St					NA			NA		03/03/2009
						To: 52-1214 Joslyn St										
(1217) Central St	0.17	140	R			From: Dead End					NA			NA		03/03/2009
						To: 52-1212 Holmes St										
(1218) Randolph Ave	0.17	90	R			From: Dead End					NA			NA		03/03/2009
(1218) Randolph Ave	0.11	140	R			From: 52-1212 Holmes St					NA			NA		03/03/2009
						To: 52-1213 Martin St										
(1219) Gibson St	0.11	100	R			From: 52-1221 Crest Dr					NA			NA		03/03/2009
						To: 52-1218 Randolph Ave										
(1220) Fitts Lane	0.06	70	R			From: 52-1213 Martin St					NA			NA		03/03/2009
						To: 52-1214 Joslyn St										
(1221) Crest Dr	0.12	80	R			From: 52-1219 Gibson St					NA			NA		03/03/2009
						To: Dead End										
<b>Lee County</b>																
(1222) Crocket Springs Rd	0.30	20	R			From: 52-648, NCL Jonesville					NA			NA		02/17/2009
						To: Dead End										
<b>Town of Jonesville</b>																
(1223) Chapell St	0.18	1200	R			From: Dead End					NA			NA		03/05/2009
(1223) Chapell St	0.13	2000	R			From: 52-1224 Turner St					NA			NA		03/05/2009
						To: US 58										
(1224) Turner St	0.08	250	R			From: Dead End					NA			NA		03/05/2009
						To: 52-1223 Chapell St										
(1225) Park St	0.51	270	R			From: 52-649 Park St					NA			NA		02/26/2009
						To: Cul-de-Sac										
(1226) Third St	0.12	60	R			From: 52-1238 Emmy Collins St					NA			NA		03/05/2009
						To: NCL Jonesville										
<b>Lee County</b>																
(1226) Third St	0.14	60	R			From: NCL Jonesville					NA			NA		03/05/2009
						To: 52-650										

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Jonesville</b>																
(1227) Third St	0.05	80	R											NA		03/05/2009
(1228) Dale St	0.06	200	R											NA		03/03/2009
(1229) Dale St	0.13	230	R											NA		03/03/2009
<b>Lee County</b>																
(1230) Chalet Village Rd	0.50	120	R											NA		05/21/2009
(1231) Richmond Heights Rd	0.05	30	R											NA		02/17/2009
(1231) Richmond Heights Rd	0.05	90	R											NA		02/17/2009
(1232) Capitol Rd	0.15	50	R											NA		02/17/2009
(1233) Streetrod Dr	0.05	20	R											NA		02/17/2009
<b>Town of Jonesville</b>																
(1237) Lombardi Lane	0.03	10	R											NA		03/05/2009
(1238) Emmy Collins St	0.07	20	R											NA		03/05/2009
(1238) Emmy Collins St	0.05	60	R											NA		03/05/2009
(1240) Moody Dr	0.08	170	R											NA		03/05/2009
<b>Lee County</b>																
(1301)	0.20	180	R											NA		03/11/2009
(1301)	0.08	130	R											NA		03/11/2009
(1302)	0.21	80	R											NA		03/11/2009
(1303)	0.15	110	R											NA		03/11/2009
(1310)	0.05	170	R											NA		03/11/2009
(1311)	0.05	70	R											NA		03/11/2009
(1311)	0.06	90	R											NA		03/11/2009



Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Lee Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Lee County</b>																
(9222)	0.15	310	R								NA		NA			03/11/2009
(9223)	0.01	100	R								NA		NA			03/11/2009
(9225)	0.16	160	R								NA		NA			03/11/2009
(9226)	0.08	370	R								NA		NA			03/11/2009
(9227)	0.10	270	R								NA		NA			03/11/2009
(9231) School Rd	0.05	170	R								NA		NA			12/18/2008
(9492)	0.10	180	R								NA		NA			03/11/2009
(9554)	0.14	480	R								NA		NA			03/11/2009
<b>Town of Pennington Gap</b>																
(9659)	0.16	1400	R								NA		NA			01/27/2009
<b>Town of Jonesville</b>																
(9710) Middle School Rd	0.18	400	R								NA		NA			03/03/2009
<b>Lee County</b>																
(9711)	0.22	210	R								NA		NA			03/13/2009
(9907) Ely Dale Rd	0.03	60	R								NA		NA			11/10/2008
(9909) Ely Dale Rd	0.11	100	R								NA		NA			11/10/2008