

**2007**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Special Locality Report**

**151**

City of Fairfax

Information in this report is included in Report

**29**

(Fairfax County)

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

## Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Fairfax

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: WCL Fairfax															
29 Lee Highway	City of Fairfax	0.16	41000	G	99%	0%	0%	0%	0%	F	0.077	F	0.618	45000	G	
	To: Jermantown Rd															
29 Lee Highway	City of Fairfax	0.44	38000	G	99%	0%	0%	0%	0%	F	0.077	F	0.604	41000	G	
	To: US 50; SR 236 Main St															
29 50 Lee Highway	City of Fairfax	0.96	35000	G	99%	0%	0%	0%	0%	F	0.076	F	0.611	38000	G	
	To: SR 123 Chain Bridge Rd															
29 50 Lee Highway	City of Fairfax	0.21	35000	G	99%	0%	0%	0%	0%	F	0.074	F	0.579	38000	G	
	To: University Dr															
29 50 Lee Highway	City of Fairfax	0.59	41000	G	99%	0%	0%	0%	0%	F	0.073	F	0.575	45000	G	
	To: Plantation Parkway															
29 50 Lee Hwy	City of Fairfax	0.68	40000	G	99%	0%	0%	0%	0%	F	0.077	F	0.570	44000	G	
	To: Draper Drive															
29 50 Lee Highway	City of Fairfax	0.28	35000	G	99%	0%	0%	0%	0%	F	0.082	F	0.604	38000	G	
	To: US 50															
29 Lee Highway	City of Fairfax	0.08	35000	N	99%	0%	0%	0%	0%	N	0.082	N	0.604	38000	N	
	To: US 50 Fairfax Circle															
29 237 Lee Highway	City of Fairfax	0.13	29000	N	98%	1%	1%	0%	0%	N	0.085	N	0.514	32000	N	
	To: ECL Fairfax															
	From: WCL Fairfax															
50 Lee Jackson Hwy	City of Fairfax	0.57	64000	G	97%	0%	1%	1%	0%	F	0.079	F	0.522	71000	G	
	To: US 29 S, Lee Highway															
50 29 Lee Highway	City of Fairfax	0.96	35000	G	99%	0%	0%	0%	0%	F	0.076	F	0.611	38000	G	
	To: SR 123 Chain Bridge Rd															
50 29 Lee Highway	City of Fairfax	0.21	35000	G	99%	0%	0%	0%	0%	F	0.074	F	0.579	38000	G	
	To: University Dr															
50 29 Lee Highway	City of Fairfax	0.59	41000	G	99%	0%	0%	0%	0%	F	0.073	F	0.575	45000	G	
	To: Plantation Parkway															
50 29 Lee Hwy	City of Fairfax	0.68	40000	G	99%	0%	0%	0%	0%	F	0.077	F	0.570	44000	G	
	To: Draper Drive															
50 29 Lee Highway	City of Fairfax	0.28	35000	G	99%	0%	0%	0%	0%	F	0.082	F	0.604	38000	G	
	To: US 29 N, Lee Highway															
50 237 Arlington Blvd	City of Fairfax	0.28	37000	G	97%	0%	1%	1%	0%	F	0.078	F	0.536	40000	G	
	To: SR 237 Pickett Rd															
50 Arlington Blvd	City of Fairfax	0.03	50000	G	97%	0%	1%	1%	0%	F	0.081	N	0.572	55000	G	
	To: ECL Fairfax															
	From: SCL Fairfax															
123 Chain Bridge Rd	City of Fairfax	0.47	29000	G	98%	0%	0%	1%	1%	F	0.074	F	0.666	30000	G	
	To: Judicial Dr															

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Fairfax

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Judicial Dr															
123 Chain Bridge Rd	City of Fairfax	0.26	24000	G	98%	0%	0%	1%	1%	0%	F	0.069	F	0.614	25000	G
	To: SR 236 Main St															
123 Chain Bridge Rd	City of Fairfax	0.19	24000	G	98%	0%	0%	1%	1%	0%	F	0.074	F	0.641	26000	G
	To: Whitehead St															
123 Chain Bridge Rd	City of Fairfax	0.10	23000	G	98%	0%	0%	1%	1%	0%	F	0.069	F	0.547	25000	G
	To: Kenmore Dr															
123 Chain Bridge Rd	City of Fairfax	0.58	25000	G	98%	0%	0%	1%	1%	0%	F	0.069	F	0.530	26000	G
	To: US 29; US 50 Lee Hwy															
123 Chain Bridge Rd	City of Fairfax	0.35	46000	G	98%	0%	1%	0%	1%	0%	C	0.07	F	0.562	48000	G
	To: I-66 NCL Fairfax															
	From: US 29 Lee Highway; US 50 Lee Jackson Hwy															
236 Main St	City of Fairfax	0.94	45000	G	98%	0%	1%	0%	0%	0%	F	0.077	F	0.547	49000	G
	To: West St															
236 Main St	City of Fairfax	0.21	19000	G	98%	0%	1%	0%	0%	0%	F	0.078	F		20000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	99%	1%	1%	0%	0%	0%	F	NA			44000	G
	To: North St E															
	From: Old Lee Hwy															
236 Main St	City of Fairfax	1.31	42000	G	98%	0%	1%	0%	0%	0%	C	0.083	F	0.522	46000	G
	To: Whitacre Rd															
236 Little River Tpke	City of Fairfax	0.57	42000	G	97%	1%	1%	0%	1%	0%	F	0.078	F	0.519	46000	G
	To: ECL Fairfax															
	From: SR 236 W															
236 North St	City of Fairfax	0.30	22000	G	99%	1%	0%	0%	0%	0%	F	NA			24000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	G	99%	1%	1%	0%	0%	0%	F	NA			44000	G
	To: SR 236 E															
	From: SR 236 Main St															
237 Pickett Rd	City of Fairfax	0.49	30000	G	96%	0%	1%	1%	2%	0%	F	0.082	F	0.593	33000	G
	To: Colonial Ave															
237 Pickett Rd	City of Fairfax	1.17	31000	G	96%	0%	1%	1%	2%	0%	C	0.081	F	0.574	34000	G
	To: US 50 Arlington Blvd															
237 50 Arlington Blvd	City of Fairfax	0.28	37000	G	97%	0%	1%	1%	1%	0%	F	0.078	F	0.536	40000	G
	To: US 29 Lee Highway															
237 29 Lee Highway	City of Fairfax	0.13	29000	N	98%	1%	1%	0%	0%	0%	N	0.085	N	0.514	32000	N
	To: ECL Fairfax															



Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
City of Fairfax

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Fairfax</b>																
(F254) Phoenix Dr	0.09	NA														
(9128/29) Phoenix Dr	0.18	1700	R													1991
(9136/29) Phoenix Dr	0.08	290	R													1991
(9598/29) Phoenix Dr	0.06	190	R													1991
(1) Judicial Dr	0.22	15000	G	99%	0%	0%	0%	0%	0%	F	0.085	F	0.534	16000	G	2007
(1) Judicial Dr	0.43	14000	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.631	15000	G	2007
(2) Kenmore Dr	0.19	5300	G	99%	0%	0%	0%	0%	0%	C	0.084	F	0.644	5800	G	2007
(3) Layton Hall Dr	0.29	5600	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.715	6100	G	2007
(6623) Burke Station Rd	0.17	6800	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.696	7500	G	2007
(6623) Burke Station Rd	0.31	6900	G	99%	0%	0%	0%	0%	0%	F	0.09	F	0.71	7500	G	2007
(6625) Roberts Rd	0.27	9500	G	99%	0%	0%	0%	0%	0%	C	0.091	F	0.642	10000	G	2007
(6625) Roberts Rd	0.25	4000	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.628	4300	G	2007
(6627) University Dr	0.39	13000	G	99%	1%	0%	0%	0%	0%	C	0.095	F	0.561	15000	G	2007
(6627) University Dr	0.21	15000	G	99%	1%	0%	0%	0%	0%	F	0.09	F	0.576	16000	G	2007
(6627) University Dr	0.11	14000	N	99%	1%	0%	0%	0%	0%	N	0.091	N	0.599	16000	N	2007
(6627) University Dr	0.22	14000	G	99%	1%	0%	0%	0%	0%	F	0.091	F	0.599	16000	G	2007
(6627) University Dr	0.13	12000	G	99%	1%	0%	0%	0%	0%	F	0.082	F	0.502	13000	G	2007
(6627) University Dr	0.70	7000	G	99%	1%	0%	0%	0%	0%	F	0.101	F	0.501	7700	G	2007
(6628) Old Lee Hwy	0.41	14000	G	98%	1%	1%	0%	0%	0%	F	0.094	F	0.681	16000	G	2007
(6628) Old Lee Hwy	0.49	17000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.665	19000	G	2007
(6628) Old Lee Hwy	0.19	16000	G	98%	1%	1%	0%	0%	0%	F	0.102	F	0.655	17000	G	2007

Virginia Department of Transportation  
 Traffic Engineering Division  
 2007  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 City of Fairfax

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Fairfax</b>																
(6628) Old Lee Hwy	0.25	16000	G	98%	1%	1%	0%	0%	0%	C	0.100	F	0.682	18000	G	2007
						From: Brookwood Rd										
						To: Cornell Rd										
(6628) Old Lee Hwy	0.15	17000	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.687	18000	G	2007
						From: Rebel Run										
						To: US 50 Lee Hwy										
(6628) Old Lee Hwy	0.55	14000	G	98%	1%	1%	0%	0%	0%	F	0.092	F	0.658	16000	G	2007
						From: US 29 Lee Highway										
						To: US 50 Lee Jackson Hwy										
(6634) Jermantown Rd	0.30	18000	G								NA			19000	G	2007
						From: US 50 Lee Jackson Hwy										
						To: Gainsborough Ct										
(6634) Jermantown Rd	0.50	16000	G	98%	1%	1%	0%	0%	0%	C	0.08	F	0.614	18000	G	2007
						From: Gainsborough Ct										
						To: NCL Fairfax										
Addison Rd		250	G								0.104	F	0.519	250	G	2007
						From: Collier Road										
						To: Sager Avenue										
Confederate Lane		290	G								0.097	F	0.683	290	G	2007
						From: Atlanta Street										
						To: Reb Street										
Cornwall Rd		550	G								0.109	F	0.521	550	G	2007
						From: Old Post Road										
						To: Park Hill Place										
Democracy Ln		840	G								0.107	F		840	G	2007
						From: Whitehead St										
						To: Layton Hall Dr										
Draper Dr		4100	G								0.087	F		4100	G	2007
						From: US 29, US 50										
						To: Kingsbridge Dr										
Orchard St		2900	G								0.133	F		2900	G	2007
						From: Jermantown Rd										
						To: McLean Ave										
Pickett Rd		19000	G								0.086	F		19000	G	2007
						From: US 50										
						To: NCL Fairfax										
Sager Ave		2700	G								0.114	F		2700	G	2007
						From: Chain Bridge Rd										
						To: Dwight Ave										
School St		1600	G								0.096	F		1600	G	2007
						From: Chain Bridge Rd										
						To: Trowbridge St										
Whitacre Rd		4400	G								0.129	F	0.799	4400	G	2007
						From: SR 236										
						To: Baccarat Dr										
Wilson St		90	G								0.122	F	0.565	90	G	2007
						From: Howerton Avenue										
						To: Norman Avenue										