

2003

**Virginia Department of Transportation
Daily Traffic Volume Estimates**

Special Locality Report

325

Town of West Point

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

Special Routes



Bus - Business Route
Bypas - Bypass Route



Truck - Truck Route
ALT - Alternate Route
Wve - Wve Route connector











































P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Mobility Management Division
 2003
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of West Point

Route	Length	AADT	QA	Year
Town of West Point				
From: WCL West Point				
 30	2.19	3300	N	2003
To: SR 33 West Point				
From: New Kent County Line				
 30	0.25	15000	G	2003
To: King William County Line				
From: SR 30				
 33	0.48	15000	G	2003
To: SR 33				
From: SR 298				
 296	0.40	1100	G	2003
To: End Route				
From: SR 296				
 298	0.22	1900	G	2003
To: SR 33				
From: 50-702				
 636	0.19	420	R	05/21/2001
To: WCL West Point				
From: 50-1026				
 701	0.58	840	G	2003
To: SR 30				
From: SR 30				
 702	0.07	300	R	05/21/2001
To: 50-636				
From: 50-1013 NORTH				
 1000	0.28	140	R	1998
To: 50-1013 SOUTH				
From: 50-1002				
 1001	0.50	150	R	03/14/2001
To: Dead End				
From: 50-1010				
 1002	0.20	360	R	03/14/2001
To: SR 30				
From: SR 30				
 1002	1.02	1200	G	2003
To: 50-1003				
From: 0.09 MN 50-1003				
 1002	0.09	40	R	03/14/2001
To: SR 33				
From: SR 33				
 1003	1.05	1200	G	2003
To: 50-1004				
From: 50-1004				
 1003	0.30	710	G	2003
To: 50-1006				
From: 50-1006				
 1003	0.75	590	G	2003
To: 50-1002				
From: 50-1002				
 1003	0.28	770	R	03/14/2001
To: 50-1014				
From: 50-1014				
 1003	0.15	100	R	03/14/2001
To: 0.15 MN 50-1014				
From: 0.15 MN 50-1014				
 1003	0.24	48	R	03/14/2001
To: NCL West Point				

Route	Length	AADT	QA	Year
Town of West Point				
From: 50-1002				
 1004	0.70	980	R	03/14/2001
To: 50-1006				
From: 50-1006				
 1004	0.20	840	R	03/14/2001
To: 50-1003				
From: 50-1030				
 1005	0.45	200	R	03/14/2001
To: 50-1006				
From: 50-1006				
 1005	0.20	80	R	03/14/2001
To: Dead End				
From: SR 30				
 1006	0.93	1500	G	2003
To: 50-1003				
From: 50-1108				
 1007	0.13	130	R	05/16/2001
To: SR 30				
From: SR 30				
 1007	0.20	210	R	05/16/2001
To: Dead End				
From: Dead End				
 1008	0.20	410	R	05/16/2001
To: SR 30				
From: Dead End				
 1009	0.16	60	R	05/16/2001
To: SR 30				
From: SR 30				
 1009	0.06	1000	R	05/16/2001
To: Dead End				
From: 50-701				
 1010	0.25	380	R	05/17/2001
To: 50-1002				
From: 50-1002				
 1010	0.40	410	R	05/17/2001
To: SR 30				
From: 50-1002				
 1011	0.05	110	R	05/17/2001
To: Dead End				
From: 50-1108				
 1012	0.13	150	R	05/16/2001
To: SR 30				
From: Dead End				
 1013	0.50	100	R	1998
To: 50-701				
From: 50-701				
 1013	0.33	410	R	05/17/2001
To: 50-1026				
From: 50-1003				
 1014	0.10	350	R	1998
To: 50-1032				
From: 50-1032				
 1014	0.17	140	R	1986
To: 50-1015				
From: 50-1014				
 1015	0.17	120	R	1998
To: 50-1034				
From: 50-1009				
 1016	0.05	8	R	05/16/2001
To: Dead End				
From: 50-1009				
 1017	0.06	20	R	05/16/2001
To: Dead End				

Virginia Department of Transportation
 Mobility Management Division
 2003
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of West Point

Route	Length	AADT	QA	Year
Town of West Point				
From: Dead End				
1018 50	0.07	30	R	1998
To: 50-701				
From: 50-701				
1019 50	0.10	120	R	1998
To: 50-1020				
From: Dead End				
1020 50	0.08	40	R	1998
To: 50-1019				
From: 50-1019				
1020 50	0.08	60	R	1998
To: Dead End				
From: SR 30				
1021 50	0.07	150	R	05/16/2001
To: 50-1025				
From: 50-1108				
1022 50	0.12	80	R	05/16/2001
To: SR 30				
From: 50-1108				
1023 50	0.13	120	R	05/16/2001
To: SR 30				
From: 50-1108				
1024 50	0.12	100	R	05/16/2001
To: SR 30				
From: SR 30				
1024 50	0.12	70	R	05/16/2001
To: 50-1006				
From: 50-1021				
1025 50	0.08	70	R	05/16/2001
To: Dead End				
From: 50-701				
1026 50	0.17	170	R	1998
To: 50-1028				
From: 50-1028				
1026 50	0.11	80	R	1998
To: 50-1027				
From: 50-1027				
1026 50	0.02	130	R	1986
To: 50-1013				
From: 50-1013				
1026 50	0.14	70	R	1998
To: Dead End				
From: Dead End				
1027 50	0.06	40	R	1998
To: 50-1026				
From: Dead End				
1028 50	0.06	60	R	1998
To: 50-1026				
From: 0.08 MN 50-1002				
1029 50	0.08	200	R	05/17/2001
To: 50-1002				
From: 50-1002				
1029 50	0.21	90	R	03/14/2001
To: 50-1010				
From: 50-1005				
1030 50	0.28	150	R	03/14/2001
To: 50-1004				
From: 50-1004				
1030 50	0.29	170	R	03/14/2001
To: 50-1003				
From: 50-1003				
1031 50	0.11	170	R	1998
To: 50-1032				

Route	Length	AADT	QA	Year
Town of West Point				
From: 50-1014				
1032 50	0.12	70	R	1998
To: 50-1031				
From: 50-1031				
1032 50	0.04	60	R	03/14/2001
To: Dead End				
From: 50-1006				
1033 50	0.22	190	R	1998
To: Cul-de-Sac				
From: 50-1036				
1034 50	0.08	40	R	03/14/2001
To: 50-1015				
From: 50-1014				
1036 50	0.14	130	R	03/14/2001
To: 50-1034				
From: Dead End				
1037 50	0.16	200	R	1998
To: 50-1004				
From: Dead End				
1038 50	0.12	70	R	1998
To: 50-1006				
From: 50-1014				
1039 50	0.16	90	R	03/14/2001
To: Dead End				
From: SR 30				
1040 50	0.13	70	R	03/14/2001
To: Dead End				
From: 50-01004(B)/				
1041 50	0.12	NA		
To: Dead End/				
From: Dead End				
1045 50	0.11	40	R	1998
To: 50-1003				
From: SR 33				
1101 50	0.22	980	R	03/14/2001
To: 50-1114				
From: 50-1114				
1101 50	0.29	310	R	03/14/2001
To: 50-1120				
From: Dead End				
1102 50	0.06	220	R	1998
To: SR 296				
From: SR 296				
1102 50	0.08	280	R	1998
To: 50-1129				
From: 50-1129				
1102 50	0.03	260	R	1998
To: 0.03 ME 05-1129				
From: SR 298				
1102 50	0.02	80	R	1998
To: Dead End				
From: Dead End				
1103 50	0.05	60	R	1998
To: SR 296				
From: SR 296				
1103 50	0.17	250	R	1998
To: SR 298				
From: SR 298				
1103 50	0.06	60	R	1998
To: Dead End				
From: Dead End				
1104 50	0.09	120	R	1998
To: SR 298				

Virginia Department of Transportation
 Mobility Management Division
 2003
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of West Point

Route	Length	AADT	QA	Year
Town of West Point				
From SR 298				
(1104/50)	0.17	250	R	1998
To SR 296				
(1104/50)	0.02	30	R	1998
To Dead End				
From Dead End				
(1105/50)	0.03	2	R	05/17/2001
To 50-1107				
(1105/50)	0.17	360	R	1998
To SR 298				
(1105/50)	0.02	30	R	1998
To Dead End				
From Dead End				
(1106/50)	0.08	180	R	1998
To 50-1107				
(1106/50)	0.17	340	R	1998
To SR 298				
(1106/50)	0.08	200	R	1998
To Dead End				
From 50-1121				
(1107/50)	0.21	220	R	1998
To SR 298				
(1107/50)	0.06	2	R	05/17/2001
To 50-1110				
(1107/50)	0.23	1000	R	1998
To SR 296				
From SR 30				
(1108/50)	0.12	610	R	1998
To 50-1118				
(1108/50)	0.19	70	R	1998
To 50-1022				
(1108/50)	0.12	20	R	1998
To 50-1007				
From 50-1121				
(1109/50)	0.23	450	R	1998
To SR 298				
From 50-1107				
(1110/50)	0.09	270	R	1998
To 50-1129				
(1110/50)	0.08	340	R	1998
To SR 298				
From Dead End				
(1111/50)	0.25	230	R	1998
To 50-1109				
From Dead End				
(1112/50)	0.03	10	R	1998
To 50-1107				
(1112/50)	0.16	130	R	1998
To 50-1109				
(1112/50)	0.05	7	R	1998
To Dead End				
From SR 30				
(1113/50)	0.15	90	R	1998
To 50-1127				

Route	Length	AADT	QA	Year
Town of West Point				
From SR 30				
(1114/50)	0.15	320	R	1998
To 50-1127				
From 50-01127(B)/				
(1114/50)	0.05	NA		
To Dead End/				
From SR 30				
(1115/50)	0.15	130	R	1998
To 50-1127				
From SR 30				
(1116/50)	0.16	260	R	1998
To 50-1127				
From 50-1107				
(1117/50)	0.16	160	R	1998
To 50-1109				
From Dead End				
(1118/50)	0.08	45	R	1998
To 50-1108				
From 50-1108				
(1118/50)	0.07	440	R	04/03/2001
To SR 30				
From SR 30				
(1118/50)	0.14	150	R	04/03/2001
To 50-1127				
From SR 30				
(1119/50)	0.14	110	R	04/03/2001
To 50-1127				
From SR 30				
(1120/50)	0.08	290	R	04/03/2001
To 50-1101				
From 50-1101				
(1120/50)	0.08	60	R	04/03/2001
To Dead End				
From 50-1107				
(1121/50)	0.08	190	R	05/17/2001
To 50-1129				
From 50-1129				
(1121/50)	0.08	220	R	05/17/2001
To 50-1109				
From Dead End				
(1122/50)	0.08	130	R	04/03/2001
To 50-1108				
From 50-1108				
(1122/50)	0.08	990	R	04/03/2001
To SR 30				
From SR 30				
(1122/50)	0.13	500	R	04/03/2001
To 50-1127				
From 50-1127				
(1122/50)	0.02	70	R	04/03/2001
To Dead End				
From 50-1107				
(1123/50)	0.16	210	R	05/17/2001
To SR 298				
From SR 298				
(1123/50)	0.02	80	R	05/17/2001
To Dead End				
From Dead End				
(1124/50)	0.09	40	R	03/14/2001
To 50-1001				
From SR 30				
(1125/50)	0.08	170	R	1998
To 50-1101				

Virginia Department of Transportation
 Mobility Management Division
 2003
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Town of West Point

Route	Length	AADT	QA	Year
Town of West Point				
From: 50-1101				
1125 50	0.06	48	R	1998
To: Dead End				
From: Dead End				
1126 50	0.02	10	R	03/14/2001
To: SR 296				
From: SR 296				
1126 50	0.05	30	R	03/14/2001
To: Dead End				
From: Dead End				
1127 50	0.02	160	R	04/03/2001
To: SR 33				
From: SR 33				
1127 50	0.22	520	R	04/03/2001
To: 50-1114				
From: 50-1114				
1127 50	0.18	380	R	04/03/2001
To: 50-1116				
From: 50-1116				
From: SR 298				
1128 50	0.05	50	R	05/17/2001
To: Dead End				
From: 50-1121				
1129 50	0.23	930	R	05/17/2001
To: SR 298				
From: SR 298				
1129 50	0.10	1100	R	05/17/2001
To: 50-1106				
From: 50-1106				
1129 50	0.17	2000	R	05/17/2001
To: SR 296				
From: SR 296				
1129 50	0.23	2900	G	2003
To: SR 33				
From: SR 33				
1130 50	0.20	250	R	03/14/2001
To: Dead End				
From: 50-1006				
9205 50	0.11	380	R	05/16/2001
To: West Point Schools				
From: 50-1004				
9406 50	0.11	390	R	05/16/2001
To: West Point HS				
From: 50-1006				
9407 50	0.05	90	R	1998
To: 50-1006				