

**2011**  
**Virginia Department of Transportation**  
**Daily Traffic Volume Estimates**  
**Including Vehicle Classification Estimates**  
where available

**Jurisdiction Report**

**37**

Goochland County

Prepared By  
**Virginia Department of Transportation**  
**Traffic Engineering Division**

In Cooperation With  
**U.S. Department of Transportation**  
**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA: Quality of AADT:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC: Quality of Classification Data:**

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.






**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source





**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypas - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
		From:	Fluvanna County Line, ECL Columbia														
6 River Rd West	Goochland County	6.01	1600	G	94%	1%	1%	1%	3%	0%	C	0.107	F	0.625	1700	G	
		To:	SR 45 Georges Tavern														
6 River Rd West	Goochland County	6.47	3800	G	94%	1%	1%	1%	3%	0%	F	0.091	F	0.698	4100	G	
		To:	37-600 Rock Castle Rd														
6 River Rd West	Goochland County	3.41	5400	G	94%	1%	1%	1%	3%	0%	F	0.107	F	0.805	5800	G	
		To:	US 522 W, Sandy Hook Rd														
6 522 River Road West	Goochland County	1.74	7400	G	96%	1%	1%	0%	2%	0%	F	0.101	F	0.581	7900	G	
		To:	E US 522														
6 River Rd West	Goochland County	4.95	4200	G	99%	0%	0%	1%	0%	0%	F	0.109	F	0.572	4500	G	
		To:	37-628 Lee Rd														
6 River Rd West	Goochland County	6.62	5700	G	99%	0%	0%	1%	0%	0%	F	0.106	F	0.555	6100	G	
		To:	37-621 Manakin Rd														
6 Patterson Ave	Goochland County	1.84	8900	G	97%	0%	1%	1%	1%	0%	C	0.097	F	0.587	9500	G	
		To:	SR 288														
6 Patterson Ave	Goochland County	2.36	18000	G	99%	0%	0%	1%	0%	0%	C	0.111	F	0.548	20000	G	
		To:	Henrico County Line														
		From:	Cumberland County Line														
45 Cartersville Rd	Goochland County	2.47	960	G	95%	1%	1%	2%	1%	0%	F	0.111	F	0.623	1000	G	
		To:	37-707 Hackney Rd														
45 Cartersville Rd	Goochland County	2.57	1400	G	95%	1%	1%	2%	1%	0%	C	0.094	F	0.648	1500	G	
		To:	SR 6 River Rd West														
		From:	Maintenance Boundary														
East 64	Goochland County	1.11	14000	A	89%	1%	1%	1%	9%	0%	F	0.142	A		12000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	A	89%	1%	1%	0%	9%	0%	F	0.121	A		25000	A
		To:	37-605 Shannon Hill Rd														
East 64	Goochland County	3.92	14000	A	89%	1%	1%	1%	9%	0%	F	0.14	A		12000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.121	A		25000	A
		To:	37-629 Old Fredericksburg Rd														
East 64	Goochland County	5.20	14000	A	89%	1%	1%	1%	9%	0%	F	0.134	A		13000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	89%	1%	1%	0%	9%	0%	F	0.118	A		26000	A
		To:	Louisa County Line														
East 64	Louisa County (Maint: 37)	1.49	14000	A	89%	1%	1%	1%	9%	0%	F	0.134	A		13000	A	
		Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	89%	1%	1%	0%	9%	0%	F	NA		26000	A	
		To:	US 522 Cross County Rd														

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: US 522 Cross County Rd															
	Louisa County (Maint: 37)	3.07	17000	G	89%	1%	1%	1%	9%	0%	F	NA		15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			32000	G									30000	G	
East 64	From: Goochland County Line															
	Louisa County Line															
East 64	From: Goochland County	4.81	17000	G	89%	1%	1%	1%	9%	0%	F	NA		15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			33000	G	89%	1%	1%	0%	9%	0%	F	NA	30000	G	
East 64	From: 37-617 Oilville Rd															
	Goochland County	6.56	20000	A	89%	1%	1%	1%	9%	0%	F	0.114	A	20000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			40000	A	89%	1%	1%	0%	9%	0%	F	0.106	A	39000	A
East 64	From: 37-623 Ashland Rd															
	Goochland County	1.19	24000	B	89%	1%	1%	1%	9%	0%	F	0.114	A	24000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			48000	B	89%	1%	1%	0%	9%	0%	F	0.105	A	48000	B
East 64	From: SR 288															
	Goochland County	0.64	32000	N	89%	1%	1%	1%	9%	0%	N	0.13	N	35000	N	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			63000	N	89%	1%	1%	0%	9%	0%	N	NA	69000	N	
East 64 Ramp	From: I-64-E TO RT 605WEST & EAST															
	Goochland County	0.19	NA									NA		NA		
	To: 37-605; 37-605- 7A FROM & TO I-64															
East 64 Ramp	From: I-64-E TO RT 629WEST & EAST															
	Goochland County	0.18	NA									NA		NA		
	To: 37-629; 37-629- 1A FROM & TO I-64															
East 64 Ramp	From: I-64-E TO US 522SOUTH & NORTH															
	Goochland County	0.26	NA									NA		NA		
	To: US 522 US 522- 18A FROM & TO I-64															
East 64 Ramp	From: I-64-E TO RT 617SOUTH & NORTH															
	Goochland County	0.13	490	G								NA		490	G	
	To: 37-617; 37-617- A FROM & TO I-64															
East 64 Goochland Rest Area Ramp	From: I-64 East to Rest Area															
	Goochland County	0.09	NA									NA		NA		
	To: Enter Rest Area Parking Lot															
East 64 Goochland Rest Area Ramp	From: Exit Rest Area Parking Lot															
	Goochland County	0.13	1200	G								NA		1200	G	
	To: I-64 East from Rest Area															
East 64 Ramp	From: I-64-E TO RT 623SOUTH & NORTH															
	Goochland County	0.21	1400	G								NA		1400	G	
	To: 37-623; 37-623- 6A FROM & TO I-64															
East 64 Ramp From I-64 E to SR 288	From: I-64 East															
	Goochland County	0.23	5700	B								0.109	A	5700	B	
	To: SR 288															



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: Maintenance Boundary															
	Goochland County	1.50	14000	A	89%	1%	1%	0%	9%	0%	F	0.133	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	A	89%	1%	1%	0%	9%	0%	F	0.121	A	25000	A	
West 64	From: 37-605 Shannon Hill Rd															
	Goochland County	3.92	14000	A	89%	1%	1%	0%	9%	0%	F	0.132	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	89%	1%	1%	0%	9%	0%	F	0.121	A	25000	A	
West 64	From: 37-629 Old Fredericksburg Rd															
	Goochland County	4.75	14000	A	89%	1%	1%	0%	9%	0%	F	0.132	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	89%	1%	1%	0%	9%	0%	F	0.118	A	26000	A	
West 64	From: Louisa County Line															
	Louisa County (Maint: 37)	2.03	14000	A	89%	1%	1%	0%	9%	0%	F	0.132	A	13000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		29000	A	89%	1%	1%	0%	9%	0%	F	NA		26000	A	
West 64	From: US 522 Cross County Rd															
	Louisa County (Maint: 37)	2.61	16000	A								0.129	A	15000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		32000	G								0.111	A	30000	G	
West 64	From: Goochland County Line															
	Goochland County	5.02	16000	G	89%	1%	1%	0%	9%	0%	F	NA		15000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		33000	G	89%	1%	1%	0%	9%	0%	F	NA		30000	G	
West 64	From: 37-617 Oilville Rd															
	Goochland County	6.56	20000	A	89%	1%	1%	0%	9%	0%	F	0.124	A	19000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		40000	A	89%	1%	1%	0%	9%	0%	F	0.106	A	39000	A	
West 64	From: 37-623 Ashland Rd															
	Goochland County	0.71	24000	B	89%	1%	1%	0%	9%	0%	F	0.120	A	24000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		48000	B	89%	1%	1%	0%	9%	0%	F	0.105	A	48000	B	
West 64	From: SR 288															
	Goochland County	0.74	32000	B	89%	1%	1%	0%	9%	0%	F	0.136	A	35000	B	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	N	89%	1%	1%	0%	9%	0%	N	NA		69000	N	
West 64 Ramp	From: I-64-W TO RT 605WEST & EAST															
	Goochland County	0.19	NA									NA		NA		
West 64 Ramp	From: 37-605; 37-605- 7B FROM & TO I-64															
	Goochland County	0.17	830	A								0.166	A	860	A	
West 64 Ramp	From: I-64-W TO RT 629WEST & EAST															
	Goochland County	0.17	830	A								0.166	A	860	A	
West 64 Ramp	From: 37-629; 37-629- 1B FROM & TO I-64															
	Goochland County	0.24	3000	G								NA		3000	G	
West 64 Ramp	From: I-64-W TO US 522SOUTH & NORTH															
	Goochland County	0.24	3000	G								NA		3000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:															
	US 522 US 522- 18B FROM & TO I-64															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	From: I-64-W TO RT 617SOUTH & NORTH Goochland County To: 37-617; 37-617- B FROM & TO I-64	0.14	5200	G								NA		5200	G	
West 64 Goochland Rest Area Ramp	From: I-64 West to Rest Area Goochland County To: Enter Rest Area Parking Lot	0.05	NA									NA		NA		
West 64 Goochland Rest Area Ramp	From: Exit Rest Area Parking Lot Goochland County To: I-64 West from Rest Area	0.08	1200	G								NA		1200	G	
West 64 Ramp from I-64 W Exit 173A to 37-623	From: I-64 West Goochland County To: 37-623 Ashland Rd	0.18	5100	G	94%	0%	1%	3%	1%	0%	F	NA		5100	G	
West 64 Ramp from I-64 W Exit 175A to SR 288	From: I-64 West Goochland County To: SR 288 S	0.45	13000	B	96%	0%	1%	1%	3%	0%	F	0.187	A	16000	B	
250 Broad Street Rd	From: Fluvanna County Line Goochland County (Maint: 54) To: 37-605 Shannon Hill Rd	2.05	1100	N	97%	1%	1%	1%	1%	0%	N	0.087	N	0.573	1100	N
250 Broad Street Rd	From: 37-605 Shannon Hill Rd Goochland County (Maint: 54) To: Richmond Maintenance Boundary	0.29	1400	G	97%	1%	1%	1%	1%	0%	F	0.105	F	0.506	1500	G
250 Broad Street Rd	From: Richmond Maintenance Boundary Goochland County To: 37-606 Three Chopt Rd; Hadensville-Fife Rd	3.23	1500	G	97%	1%	1%	1%	1%	0%	C	0.107	F	0.581	1600	G
250 Broad Street Rd	From: 37-606 Three Chopt Rd; Hadensville-Fife Rd Goochland County To: Louisa County Line	6.80	1200	G	97%	1%	1%	1%	1%	0%	F	0.109	F	0.668	1300	G
250 Broad Street Rd	From: Louisa County Line Louisa County (Maint: 37) To: Goochland County Line	0.48	2400	G	97%	1%	1%	1%	1%	0%	F	0.097	F	0.758	2600	G
250 Broad Street Rd	From: US 522 Cross County Rd; Sandy Hook Rd Louisa County (Maint: 37) To: US 522 Cross County Rd	1.63	1600	G	95%	1%	1%	1%	2%	0%	C	0.107	F	0.638	1700	G
250 Broad Street Rd	From: Goochland County Line Goochland County To: Louisa County Line	6.72	2600	G	97%	0%	1%	1%	1%	0%	C	0.103	F	0.791	2700	G
250 Broad Street Rd	From: 37-670 Cardwell Rd Goochland County To: 37-621 Manakin Rd	5.56	5700	G	97%	0%	1%	1%	1%	0%	F	0.104	F	0.702	6100	G
250 Broad Street Rd	From: 37-621 Manakin Rd Goochland County To: 37-623 W, Hockett Rd	0.49	11000	G	97%	0%	1%	1%	1%	0%	F	0.095	F	0.651	12000	G
250 Broad Street Rd	From: 37-623 W, Hockett Rd Goochland County To: SR 288	1.47	11000	G	97%	0%	1%	1%	1%	0%	C	0.1	F	0.522	12000	G
250 Broad Street Rd	From: SR 288 Goochland County To: Henrico County Line	0.28	24000	G	98%	0%	1%	0%	0%	0%	F	NA		26000	G	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
271 Pouncey Tract Rd	From: Henrico County Line															
	Goochland County	0.53	5000	G	96%	0%	1%	2%	0%	0%	C	0.094	F	0.564	5300	G
288	To: Hanover County Line															
	From: Powhatan County Line															
Goochland County	1.57	45000	A	96%	0%	0%	1%	2%	0%	C	0.133	A		50000	A	
288	To: SR 6 Patterson Ave															
	Goochland County	0.64	35000	G	96%	0%	1%	1%	2%	0%	F	NA		41000	G	
288	To: West Creek Parkway															
	Goochland County	1.68	37000	G	96%	0%	1%	1%	2%	0%	F	0.153	N	43000	G	
288	To: Tuckahoe Creek Parkway															
	Goochland County	1.79	45000	A	96%	0%	1%	1%	2%	0%	C	0.153	A	52000	A	
288	To: US 250 Broad St															
	Goochland County	0.85	38000	A	96%	0%	1%	1%	3%	0%	C	0.152	A	44000	A	
North 288 Ramp	To: I-64															
	From: SR 288 N															
Goochland County	0.35	13000	F								0.173	A		16000	F	
North 288 Ramp	To: I-64 E															
	From: SR 288 N															
Goochland County	0.37	6200	B								0.123	A		6300	B	
522 Maidens Rd	To: I-64 W															
	From: Powhatan County Line															
Goochland County	0.38	4000	G	94%	1%	1%	1%	2%	0%	F	0.11	F	0.589	4300	G	
522 6 River Road West	To: S SR 6 River Road West															
	From: S SR 6; Maidens Rd															
Goochland County	1.74	7400	G	96%	1%	1%	0%	2%	0%	F	0.101	F	0.581	7900	G	
522 Sandy Hook Rd	To: N SR 6; Sandy Hook Rd															
	From: N SR 6 River Road West															
Goochland County	6.24	4300	G	96%	1%	1%	0%	2%	0%	C	0.102	F	0.769	4600	G	
522 Cross County Rd	To: Louisa County Line															
	From: Goochland County Line															
Louisa County (Maint: 37)	0.35	4100	G	94%	1%	1%	1%	2%	0%	F	0.098	F	0.665	4400	G	
522 Ramp	To: US 250 Broad Street Rd															
	From: US 522 I-64-E159A FROM & TO IS 64															
Goochland County	0.26	NA									NA			NA		
522 Ramp	To: I-64-E FRO US 522SOUTH & NORTH															
	From: US 522 I-64-W159A FROM & TO IS 64															
Goochland County	0.27	NA									NA			NA		
522 Ramp	To: I-64-W FROM US 522SOUTH & NORTH															

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(F84) Fleming Rd	0.27	180	R				From: Dead End				NA		NA			08/22/2006
							To: 37-605 Shannon Hill Rd									
(F85) Ange Rd	0.73	80	R				From: 37-606 Three Chopt Rd				NA		NA			08/24/2006
							To: Dead End									
(F86) Aspen Rd	0.14	9	R				From: Dead End				NA		NA			08/24/2006
							To: 37-629 Old Fredericksburg Rd									
(F88) Junction Rd	0.13	48	R				From: Dead End				NA		NA			03/30/2006
							To: US 522 Cross County Rd									
(F91) Goosewing Rd	0.25	220	R				From: 37-654 Shallow Well Rd				NA		NA			02/16/2006
							To: Dead End									
(F92) Landis Rd	0.47	100	R				From: 37-654 Shallow Well Rd				NA		NA			02/16/2006
							To: Dead End									
(F94) Bennington Rd	0.84	80	R				From: 37-623 Ashland Rd				NA		NA			02/27/2006
							To: Dead End									
(F1067) Sweetback Lane	0.21	30	R				From: Dead End				NA		NA			09/15/2009
							To: 37-647 Pagebrook Dr									
(F1068)	0.26	2	R				From: Dead End				NA		NA			09/21/2009
							To: SR 6 Patterson Ave									
(674 <sub>32</sub> ) Timber Rd	0.20	20	R				From: Dead End				NA		NA			07/08/2008
							To: Goochland County Line									
(674 <sub>32</sub> ) Timber Rd	0.20	90	R				From: Dead End				NA		NA			07/08/2008
							To: 32-659 Stage Junction Rd									
(600) Rock Castle Rd	1.50	49	R				From: Dead End				NA		NA			07/22/2009
							To: 37-627 Ben Lomond Rd									
(600) Rock Castle Rd	2.64	620	R				From: Dead End				NA		NA			08/22/2006
							To: 37-625 Three Square Rd									
(600) Rock Castle Rd	3.73	1000	R				From: Dead End				NA		NA			08/22/2006
							To: SR 6 River Rd West									
(600) Rock Castle Rd	0.53	300	R				From: Dead End				NA		NA			08/22/2006
							To: 37-614 Dogtown Rd									
(601) Pryor Rd	2.19	200	R				From: 37-648 Matthews Rd				NA		NA			07/20/2009
							To: 37-606 Hadensville-Fife Rd									
(602) Old Stage Rd	0.50	60	R				From: Dead End				NA		NA			07/22/2009
							To: 37-614 Dogtown Rd									
(603) Elk Island Rd	1.23	30	R				From: Cumberland County Line				NA		NA			08/22/2006
							To: SR 6 River Rd West									
(603) Elk Island Rd	2.21	80	R				From: Dead End				NA		NA			08/22/2006
							To: 37-667 W, Old Columbia Rd									
(603) Tabscott Rd	2.30	150	R				From: 37-667 E, Old Columbia Rd				NA		NA			08/22/2006
							To: 37-610 E, Community House Rd									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Goochland County</b>																	
603	Tabscott Rd	2.35	80	R								NA		NA		08/10/2009	
603	Tabscott Rd	0.51	50	R								NA		NA		07/13/2009	
603	Tabscott Rd	4.70	190	R								NA		NA		08/22/2006	
604	Whitsell Rd	0.44	440	R								NA		NA		07/13/2009	
605	Shannon Hill Rd	0.95	560	R								NA		NA		08/22/2006	
605	Shannon Hill Rd	3.92	440	R								NA		NA		08/22/2006	
605	Shannon Hill Rd	1.95	420	R								NA		NA		08/22/2006	
605	Shannon Hill Rd	0.40	1600	G	95%	1%	0%	1%	3%	0%	F	0.118	F	0.849	1800	G	2011
605	Shannon Hill Rd	0.15	1500	G	95%	1%	0%	1%	3%	0%	F	0.118	N	0.849	1400	G	2011
605	Shannon Hill Rd	0.31	1300	G	95%	1%	0%	1%	3%	0%	C	0.121	F	0.576	1500	G	2011
605	Ramp	0.24	NA									NA		NA			
605	Ramp	0.24	NA									NA		NA			
606	Hadensville-Fife Rd	1.07	1300	G	97%	2%	1%	0%	1%	0%	C	0.103	F	0.65	1400	G	2011
606	Hadensville-Fife Rd	3.12	710	G	97%	2%	1%	0%	1%	0%	F	0.147	F	0.548	760	G	2011
606	Hadensville-Fife Rd	0.02	990	G	97%	2%	1%	0%	1%	0%	F	0.117	F	0.538	1100	G	2011
606	Hadensville-Fife Rd	3.04	800	G	97%	2%	1%	0%	1%	0%	F	0.115	F	0.564	870	G	2011
606	Hadensville-Fife Rd	1.52	1300	G	97%	2%	1%	0%	1%	0%	F	0.095	F	0.605	1400	G	2011
606	Hadensville-Fife Rd	0.38	590	R								NA		NA		07/13/2009	
606	Three Chopt Rd	1.67	540	R								NA		NA		07/13/2009	
607	Irwin Rd	0.40	10	R								NA		NA		08/22/2006	
607	Jackson Shop Rd	3.15	360	R								NA		NA		08/22/2006	
608	Elk Hill Rd	1.70	130	R								NA		NA		07/20/2009	

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(608) Davis Mill Rd	1.20	160	R								NA			NA		07/20/2009
(608) Davis Mill Rd	4.93	200	R								NA			NA		07/20/2009
(609) Hickory Hill Rd	2.30	240	R								NA			NA		08/24/2006
(609) Three Chopt Rd	3.00	300	R								NA			NA		08/24/2006
(610) Community House Rd	5.70	370	R								NA			NA		07/13/2009
(611) Cedar Plains Rd	4.13	350	R								NA			NA		08/24/2006
(612) Three Chopt Rd	2.05	550	R								NA			NA		08/03/2009
(612) Three Chopt Rd	1.45	280	R								NA			NA		08/12/2009
(613) Riddles Bridge Rd	3.81	330	R								NA			NA		08/24/2006
(614) Dogtown Rd	2.70	510	G	95%	2%	1%	0%	1%	0%	C	NA		510	G		2011
(614) Dogtown Rd	1.25	1600	R								NA			NA		07/22/2009
(615) Chapel Hill Rd	4.30	300	R								NA			NA		08/24/2006
(615) Forest Grove Rd	3.15	430	R								NA			NA		08/24/2006
(616) Stokes Station Rd	0.40	20	R								NA			NA		07/22/2009
(616) Stokes Station Rd	1.50	130	R								NA			NA		07/22/2009
(616) Stokes Station Rd	0.97	530	R								NA			NA		07/22/2009
(616) Haskins Rd	3.13	680	R								NA			NA		08/24/2006
(617) Oilville Rd	0.72	8300	G	97%	0%	1%	0%	1%	0%	C	0.106	F	0.647	8900	G	2011
(617) Oilville Rd	0.25	4700	G	97%	0%	1%	0%	1%	0%	F	0.108	F	0.755	5000	G	2011
(617) Oilville Rd	0.20	3100	G	97%	0%	1%	0%	1%	0%	F	0.104	F	0.819	3300	G	2011
(617) Oilville Rd	0.33	2500	G	97%	0%	1%	0%	1%	0%	F	0.108	F	0.837	2600	G	2011

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(617) Ramp	0.14	NA				From: 37-617 I-64-E167A FROM & TO IS 64					NA			NA		
						To: I-64-E FROM RT 617SOUTH & NORTH										
(617) Ramp	0.20	NA				From: 37-617 I-64-W167A FROM & TO IS 64					NA			NA		
						To: I-64-W FROM RT 617SOUTH & NORTH										
(618) Whittcamp Rd	3.10	160	R			From: 37-616 Stokes Station Rd					NA			NA		08/22/2006
						To: SR 45 Cartersville Rd										
(619) Newline Rd	0.95	440	R			From: 37-700 Three Chopt Rd					NA			NA		08/10/2009
						To: Louisa County Line										
(620) Hanover Rd	0.80	1000	G	98%	0%	1%	0%	1%	0%	C	0.103	F	0.522	1100	G	2011
						From: 37-617 Oilville Rd										
(620) Hanover Rd	0.80	810	G	98%	0%	1%	0%	1%	0%	F	0.122	F	0.514	870	G	2011
						From: 37-654 Shallow Well Rd										
						To: Hanover County Line										
(621) Manakin Ferry Rd	0.70	80	R			From: Dead End					NA			NA		08/03/2009
						To: SR 6 Patterson Ave										
(621) Manakin Rd	5.95	1300	G	98%	0%	1%	0%	0%	0%	C	0.092	F	0.542	1400	G	2011
						From: SR 6 W, River Rd West										
(621) Manakin Rd	0.58	3100	G	97%	0%	1%	1%	1%	0%	C	0.087	F	0.615	3300	G	2011
						From: 37-676 Hermitage Rd										
(621) Manakin Rd	2.74	1700	G	98%	0%	1%	0%	0%	0%	C	0.106	F	0.693	1900	G	2011
						From: US 250 Broad Street Rd										
(621) Manakin Rd	0.39	590	G	98%	0%	1%	0%	0%	0%	F	0.112	F	0.541	630	G	2011
						From: 37-626 Seay Rd										
						To: Hanover County Line										
(622) Three Chopt Rd	0.23	80	R			From: US 250 Broad St					NA			NA		08/24/2009
						To: Dead End at SR 288										
(622) Three Chopt Rd	1.37	80	N			From: 37-623 S, Ashland Rd					NA			NA		08/24/2009
						To: Hanover County Line										
(622) Rockville Rd	2.35	2000	G	98%	0%	1%	0%	1%	0%	C	0.099	F	0.671	2200	G	2011
						From: SR 6 Patterson Ave; River Rd West										
(623) Hockett Rd	1.42	1100	G	94%	0%	1%	3%	1%	0%	F	0.116	F	0.595	1200	G	2011
						From: 37-668 N, Snead Rd										
(623) Hockett Rd	3.72	1600	G	94%	0%	1%	3%	1%	0%	F	0.117	F	0.715	1800	G	2011
						From: US 250 W, Broad St										
(623) Ashland Rd	1.17	9000	G	94%	0%	1%	3%	1%	0%	C	0.103	F	0.608	9700	G	2011
						From: US 250 E, Broad St										
(623) Ashland Rd	2.38	5800	G	91%	0%	1%	4%	3%	0%	C	0.110	F	0.619	6200	G	2011
						From: I-64										
						To: Hanover County Line										
(623) Ramp	0.18	4400	G			From: 37-623 I-64-E173A FROM & TO IS 64					NA			4400	G	2011
						To: I-64-E FROM RT 623SOUTH & NORTH										
(623) Ramp	0.16	1200	G			From: 37-623 I-64-W173A FROM & TO IS 64					NA			1200	G	2011
						To: I-64-W FROM RT 623SOUTH & NORTH										
(624) Vinita Rd	0.35	80	R			From: Dead End					NA			NA		02/13/2006
						To: 37-650 River Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(625) Three Square Rd	1.50	630	R									NA		NA		07/22/2009
From: 37-600 Rock Castle Rd																
To: 37-616 S, Stokes Station Rd																
(625) St Pauls Church Rd	2.65	250	R									NA		NA		07/22/2009
From: 37-616 N, Haskins Rd; Stokes Station Rd																
To: SR 45 Cartersville Rd																
(626) Seay Rd	2.85	530	R									NA		NA		02/27/2006
From: 37-654 Shallow Well Rd																
To: 37-621 Manakin Rd																
(627) Ben Lomond Rd	1.35	30	R									NA		NA		07/22/2009
From: 37-600 Rock Castle Rd																
To: Dead End																
(628) Lee Rd	0.92	100	R									NA		NA		02/15/2006
From: Dead End																
To: 0.92 MN Dead End																
(628) Lee Rd	1.48	260	R									NA		NA		02/15/2006
From: 0.92 MN Dead End																
To: SR 6 River Rd West																
(629) Old Fredericksburg Rd	0.30	640	G	97%	0%	1%	0%	1%	0%	C	0.107	F	0.712	690	G	2011
From: 37-606 Hadensville-Fife Rd																
To: US 250 Broad Street Rd																
(629) Old Fredericksburg Rd	0.78	1800	G	96%	0%	1%	1%	1%	0%	C	0.099	F	0.612	2000	G	2011
From: US 250 Broad Street Rd																
To: I-64																
(629) Old Fredericksburg Rd	2.04	1000	R									NA		NA		07/13/2009
From: I-64																
To: Louisa County Line																
(629) Ramp	0.24	860	A	96%	0%	1%	1%	1%	0%	F	0.186	A		890	A	2011
From: 37-629 I-64-E152A FROM & TO IS 64																
To: I-64-E FROM RT 629WEST & EAST																
(629) Ramp	0.25	530	R									NA		NA		1997
From: 37-629 I-64-W152A FROM & TO IS 64																
To: I-64-W FROM RT 629WEST & EAST																
(630) Cedar Point Rd	0.70	60	R									NA		NA		02/27/2006
From: Dead End																
To: SR 6 River Rd West																
(631) Scott Rd	0.25	40	R									NA		NA		07/27/2009
From: Dead End																
To: 37-666 Gathright Dr																
(631) Scott Rd	0.25	90	R									NA		NA		07/27/2009
From: 37-666 Gathright Dr																
To: 37-1205 Pitts Ave																
(631) Scott Rd	0.15	150	R									NA		NA		07/27/2009
From: 37-1205 Pitts Ave																
To: US 522 River Rd West																
(632) Fairground Rd	1.66	6800	G	97%	0%	1%	0%	1%	0%	C	0.105	F	0.647	7300	G	2011
From: US 522 Sandy Hook Rd																
To: 37-634 Maidens Rd																
(632) Fairground Rd	1.32	7200	G	97%	0%	1%	0%	1%	0%	F	0.102	F	0.704	7800	G	2011
From: 37-634 Maidens Rd																
To: 37-637 Hawk Town Rd																
(632) Fairground Rd	2.16	7100	G	97%	0%	1%	0%	1%	0%	F	0.103	F	0.718	7600	G	2011
From: 37-637 Hawk Town Rd																
To: US 250 Broad Street Rd																
(633) Poor House Rd	2.12	300	R									NA		NA		03/14/2006
From: US 522 Sandy Hook Rd																
To: 37-634 Maidens Rd																
(634) Maidens Rd	2.40	1700	R									NA		NA		07/27/2009
From: US 522 River Road West; Maidens Rd																
To: 37-632 Fairground Rd																
(634) Maidens Rd	1.50	660	R									NA		NA		07/27/2009
From: 37-632 Fairground Rd																
To: 37-637 Hawk Town Rd																



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(634) Maidens Rd	1.80	430	R								NA			NA		07/27/2009
From: 37-637 Hawk Town Rd																
To: 37-702 Pony Farm Rd																
(634) Maidens Rd	0.50	230	R								NA			NA		07/27/2009
From: 37-672 Turner Rd																
To: US 250 Broad Street Rd																
(634) Maidens Rd	0.20	280	R								NA			NA		07/27/2009
From: 37-637 Hawk Town Rd																
(635) Camelback Rd	1.15	760	R								NA			NA		02/27/2006
From: US 250 E, Broad Street Rd																
To: US 250 W, Broad Street Rd																
(635) Perkinsville Church Rd	1.90	220	G	97%	3%	0%	0%	0%	0%	C	0.11	F	0.571	240	G	2011
From: Louisa County Line																
To: US 250 Broad Street Rd																
(636) Elpis Church Rd	0.70	340	R								NA			NA		03/14/2006
From: 37-702 Pony Farm Rd																
To: 37-632 Fairground Rd																
(637) Hawk Town Rd	1.50	280	R								NA			NA		03/14/2006
From: Dead End																
To: 37-634 Maidens Rd																
(638) Soldiers Lodge Rd	0.27	46	R								NA			NA		07/29/2009
From: 37-639 Sheppard Town Rd																
To: 37-634 Maidens Rd																
(639) Sheppard Town Rd	5.08	1100	R								NA			NA		08/24/2006
From: SR 6 Patterson Ave																
To: Dead End																
(640) Rochelle Rd	0.24	100	R								NA			NA		09/15/2009
From: Dead End																
To: Dead End																
(641) Taylor Rd	0.64	620	R								NA			NA		02/16/2006
From: 37-670 S, Cardwell Rd																
To: 37-670 E, Cardwell Rd																
(641) Genito Rd	1.55	320	R								NA			NA		02/16/2006
From: 37-654 Shallow Well Rd																
To: 37-654; Genito Rd																
(641) Shallow Well Rd	1.95	360	R								NA			NA		02/16/2006
From: 37-644 Miller Lane																
To: SR 6 River Rd West																
(642) Dover Rd	1.90	150	R								NA			NA		07/29/2009
From: 37-641 Shallow Well Rd																
To: Dead End																
(643) West View Rd	1.10	60	R								NA			NA		08/22/2006
From: 37-600 Rock Castle Rd																
To: Dead End																
(644) Sabot Station Rd	0.08	45	R								NA			NA		07/29/2009
From: SR 6 E, River Rd West																
To: SR 6 W, River Rd West																
(644) Miller Lane	4.50	540	R								NA			NA		07/29/2009
From: 37-621 Manakin Rd																
To: SR 6 River Rd West																
(645) Beaverdam Creek Rd	1.33	560	R								NA			NA		02/16/2006
From: Dead End																
To: 37-603 Tabscott Rd																
(646) Duval Rd	2.47	200	R								NA			NA		08/22/2006
From: US 250 Broad Street Rd																
To: 37-650 River Rd																
(647) Pagebrook Dr	0.60	860	R								NA			NA		02/13/2006
From: 37-1109 S, Briarwood Circle																

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(647) Pagebrook Dr	0.10	1000	R								NA			NA		02/13/2006
			From: 37-1109 S, Briarwood Circle													
(647) Pagebrook Dr	0.45	1000	R								NA			NA		02/13/2006
			To: 37-1109 N, Briarwood Circle													
			From: SR 6 Patterson Ave													
(648) Matthews Rd	2.00	150	R								NA			NA		07/20/2009
			To: 37-610 Community House Rd													
			From: 37-606 Hadensville-Fife Rd													
(649) Blair Rd	1.00	1300	R								NA			NA		02/13/2006
			To: 37-650 River Rd													
			From: SR 6 Patterson Ave													
(650) River Rd	4.37	3500	G	98%	0%	1%	1%	0%	0%	C	0.132	F	0.591	3700	G	2011
			To: Henrico County Line													
			From: 37-667 Old Columbia Rd													
(651) Lowry Rd	2.80	140	R								NA			NA		07/13/2009
			To: 37-610 Community House Rd													
			From: SR 45 Cartersville Rd													
(652) Dadneys Rd	0.15	110	R								NA			NA		08/22/2006
			To: 37-618 Whittcamp Rd													
			From: 37-605 Shannon Hill Rd													
(653) Three Chopt Rd	1.00	130	R								NA			NA		07/13/2009
			To: 37-683 Parrish Rd													
(653) Three Chopt Rd	0.85	90	R								NA			NA		07/13/2009
			To: 37-604 Whittsell Rd													
			From: 37-641 Shallow Well Rd; Genito Rd													
(654) Shallow Well Rd	3.64	630	R								NA			NA		08/27/2006
			To: 37-620 Hanover Rd													
			From: 37-670 Cardwell Rd													
(655) First Union Rd	0.12	50	R								NA			NA		07/29/2009
			To: Dead End													
			From: Dead End													
(656) Leabough Rd	0.60	80	R								NA			NA		08/24/2006
			To: 37-614 Dogtown Rd													
			From: 37-670 Cardwell Rd													
(657) Sargent Rd	0.50	70	R								NA			NA		07/29/2009
			To: Dead End													
			From: Dead End													
(658) Pace Rd	0.50	120	R								NA			NA		08/22/2006
			To: 37-606 Hadensville-Fife Rd													
			From: SR 6 Patterson Ave													
(659) Creekmore Rd	0.25	290	R								NA			NA		09/15/2009
			To: Dead End													
			From: Dead End													
(660) Childress Rd	0.25	20	R								NA			NA		02/27/2006
			To: 37-622 Rockville Rd													
			From: Dead End													
(661) Salmontown Rd	0.55	150	R								NA			NA		07/22/2009
			To: 37-625 St Pauls Church Rd													
			From: SR 6 River Rd West													
(662) Willway Dr	0.05	1000	R								NA			NA		02/13/2006
			To: 37-663 Hickory Dr; 37-664 Dogwood Dr													
(662) Willway Dr	0.30	400	R								NA			NA		02/13/2006
			To: 37-714 Sawdust Dr													
(662) Willway Dr	0.14	300	R								NA			NA		02/13/2006
			To: 37-1040 Edgehill Wood Dr													

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(662) Willway Dr	0.09	230	R								NA			NA		02/13/2006
			From:	37-1040 Edgehill Wood Dr												
			To:	37-1046 Red Maple Dr												
(662) Willway Dr	0.40	170	R								NA			NA		08/03/2009
			From:	Cul-de-Sac												
			To:	37-662 Willway Dr												
(663) Hickory Dr	0.17	460	R								NA			NA		08/03/2009
			From:	37-709 Holly Dr												
			To:	37-714 Sawdust Dr												
(663) Hickory Dr	0.18	360	R								NA			NA		08/03/2009
			From:	37-1045 Red Cedar Dr												
			To:	37-1046 Red Maple Dr												
(663) Hickory Dr	0.13	320	R								NA			NA		08/03/2009
			From:	37-1047 Hickory Court												
			To:	Cul-de-Sac												
(663) Hickory Dr	0.17	230	R								NA			NA		08/03/2009
			From:	Dead End												
			To:	37-662; 37-663												
(664) Dogwood Dr	0.22	140	R								NA			NA		02/13/2006
			From:	37-632 Fairground Rd												
			To:	Dead End												
(665) Landfill Rd	0.15	500	R								NA			NA		07/27/2009
			From:	37-631 Scott Rd												
			To:	US 522 River Road West												
(666) Gathright Dr	0.60	160	R								NA			NA		07/27/2009
			From:	Fluvanna County Line												
			To:	37-651 Lowry Rd												
(667) Old Columbia Rd	3.10	270	R								NA			NA		08/22/2006
			From:	37-606 Hadensville-Fife Rd												
			To:	37-623 S, Hockett Rd												
(667) Old Columbia Rd	3.52	260	R								NA			NA		08/22/2006
			From:	37-623 N, Hockett Rd												
			To:	37-609 Hickory Hill Rd												
(668) Snead Rd	0.66	280	R								NA			NA		08/03/2009
			From:	37-699 Three Chopt Rd												
			To:	US 250 Broad Street Rd												
(669) County Line Rd	3.40	190	R								NA			NA		08/22/2006
			From:	SR 6 River Rd West												
			To:	US 250 Broad Street Rd												
(669) County Line Rd	0.18	210	R								NA			NA		08/22/2006
			From:	Dead End												
			To:	37-615 Forest Grove Rd												
(670) Cardwell Rd	5.20	1200	G	96%	1%	1%	2%	0%	0%	C	0.138	F	0.566	1300	G	2011
			From:	37-633 Poor House Rd												
			To:	37-634 Maidens Rd												
(671) Cemetery Lane	0.12	20	R								NA			NA		08/24/2006
			From:	37-606 Hadensville-Fife Rd												
			To:	37-611 Cedar Plains Rd												
(672) Turner Rd	2.10	350	R								NA			NA		03/13/2006
			From:	37-634 Maidens Rd												
			To:	US 522 Sandy Hook Rd												
(673) Whitehall Rd	4.91	910	G	98%	1%	1%	0%	0%	0%	F	0.103	F	0.651	990	G	2011
			From:	37-611 Cedar Plains Rd												
			To:	US 522 Sandy Hook Rd												
(673) Whitehall Rd	2.00	2000	G	98%	1%	1%	0%	0%	0%	C	0.108	F	0.862	2200	G	2011
			From:	US 522 Sandy Hook Rd												
			To:													

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(675) Ranson Rd	0.01	50	R				From: SR 6 W, River Rd West					NA		NA		07/20/2009
(675) Ranson Rd	0.34	46	R				To: 0.01 MN SR 6					NA		NA		07/20/2009
(676) Hermitage Rd	1.81	710	R				From: SR 6 E, River Rd West					NA		NA		02/13/2006
(676) Hermitage Rd	2.85	1400	R				To: 37-621 S Manakin Rd					NA		NA		02/13/2006
(677) Bowles Rd	0.20	8	R				From: Cul-de-Sac					NA		NA		07/13/2009
(678) Marlin Rd	1.00	150	R				To: 37-605 Shannon Hill Rd					NA		NA		07/22/2009
(679) Funny Tree Trail	0.16	20	R				From: Dead End					NA		NA		08/22/2006
(680) Youngstown Rd	0.88	50	R				To: 37-616 Stokes Station Rd					NA		NA		07/20/2009
(681) Payne Rd	2.00	120	R				From: Dead End					NA		NA		08/22/2006
(683) Parrish Rd	0.29	60	R				To: 37-605 Shannon Hill Rd					NA		NA		07/13/2009
(684) Ragland Rd	0.80	120	R				From: 37-653 Three Chopt Rd					NA		NA		07/13/2009
(685) Johnson Rd	0.50	630	R				To: Louisa County Line					NA		NA		07/13/2009
(686) New Town Rd	0.85	230	R				From: Dead End					NA		NA		07/22/2009
(687) Danieltown Rd	2.50	180	R				To: 37-625 St Pauls Church Rd					NA		NA		07/22/2009
(688) Pink Dogwood Rd	0.50	40	R				From: 37-623 Ashland Rd					NA		NA		08/05/2009
(689) Robinson Rd	0.30	70	R				To: Dead End					NA		NA		08/24/2006
(689) Robinson Rd	0.20	120	R				From: Dead End					NA		NA		08/24/2006
(690) Springfield Rd	0.35	110	R				To: 0.30 MS Dead End					NA		NA		08/24/2006
(691) Stage Coach Rd	0.25	160	R				From: 37-614 Dogtown Rd					NA		NA		08/24/2006
							To: Dead End					NA		NA		08/24/2006
							From: 37-614 Dogtown Rd					NA		NA		08/24/2006
							To: 37-614 Dogtown Rd					NA		NA		08/24/2006
							From: 37-644 Miller Lane					NA		NA		02/16/2006
							To: Dead End					NA		NA		02/16/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(692) Bell Rd	0.50	110	R				From: Dead End				NA		NA			08/24/2006
							To: 37-613 Riddles Bridge Rd									
(693) Martin Rd	0.60	40	R				From: Dead End				NA		NA			07/13/2009
							To: 37-605 Shannon Hill Rd									
(694) Proffitt Rd	0.48	140	R				From: Cul-de-Sac				NA		NA			08/26/2009
							To: 37-621 Manakin Rd									
(695) Waddy Dr	0.40	160	R				From: US 250 Broad Street Rd				NA		NA			08/22/2006
							To: Cul-de-Sac									
(696) Pacetown Rd	0.59	210	R				From: Dead End				NA		NA			08/24/2006
							To: 37-615 Forest Grove Rd									
(697) Marle Rd	0.36	10	R				From: 37-667 Old Columbia Rd				NA		NA			07/13/2009
							To: Dead End									
(698) Mickeytown Rd	0.12	70	R				From: 37-632 Fairground Rd				NA		NA			03/13/2006
							To: 37-637 Hawk Town Rd									
(699) Three Chopt Rd	1.30	220	R				From: 37-606 Three Chopt Rd				NA		NA			07/13/2009
							To: 37-695 Waddy Dr									
(699) Three Chopt Rd	0.20	60	R				From: US 250 Broad Street Rd				NA		NA			08/22/2006
							To: 37-669 County Line Rd									
(699) Three Chopt Rd	1.35	120	R				From: US 250 W, Broad Street Rd				NA		NA			08/22/2006
							To: 37-669 County Line Rd									
(700) Three Chopt Rd	3.20	760	R				From: US 250 W, Broad Street Rd				NA		NA			03/30/2006
							To: US 250 E, Broad Street Rd									
(701) Oakland Church Rd	0.35	550	R				From: US 250 Broad Street Rd				NA		NA			08/12/2009
							To: Louisa County Line									
(702) Pony Farm Rd	0.20	430	R				From: 37-634 Maidens Rd				NA		NA			03/13/2006
							To: US 250 Broad Street Rd									
(702) Pony Farm Rd	0.70	300	R				From: 37-636 Elpis Church Rd				NA		NA			08/12/2009
							To: 37-635 W, Perkinsville Church Rd									
(702) Pony Farm Rd	0.90	410	R				From: 37-635 E, Perkinsville Church Rd				NA		NA			03/13/2006
							To: 37-617 Oilville Rd									
(702) Pony Farm Rd	3.25	400	R				From: 37-617 Oilville Rd				NA		NA			03/13/2006
							To: 37-617 Oilville Rd									
(703) Herndon Rd	0.30	50	R				From: Dead End				NA		NA			07/20/2009
							To: 37-601 Pryor Rd									
(704) Alvis Rd	0.40	160	R				From: Dead End				NA		NA			02/16/2006
							To: 37-612 Three Chopt Rd									
(705) Cooley Rd	0.60	340	R				From: Cul-de-Sac				NA		NA			08/10/2009
							To: US 250 Broad Street Rd									
(706) Jerusalem Church Rd	0.23	30	R				From: 37-612 Three Chopt Rd				NA		NA			02/16/2006
							To: Dead End									

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(707) Hackney Rd	0.33	110	R									NA		NA		07/22/2009
(708) St Matthew Lane	0.71	790	R									NA		NA		02/27/2006
(708) St Matthew Lane	0.22	40	R									NA		NA		02/27/2006
(709) Holly Dr	0.18	90	R									NA		NA		08/03/2009
(710) Maidens Loop	0.11	30	R									NA		NA		02/27/2006
(711)	0.03	2	R									NA		NA		07/27/2009
(712) Windsor Way	1.07	120	R									NA		NA		02/13/2006
(712) Devon Way	0.54	380	R									NA		NA		02/13/2006
(713) Grays Lane	0.20	70	R									NA		NA		07/22/2009
(714) Sawdust Dr	0.25	100	R									NA		NA		02/13/2006
(714) Sawdust Dr	0.18	60	R									NA		NA		02/13/2006
(714) Sawdust Dr	0.07	50	R									NA		NA		02/13/2006
(715) Birch Circle	0.08	60	R									NA		NA		08/03/2009
(717) Maidens Loop	0.16	180	R									NA		NA		03/13/2006
(718) Halls Rd	0.80	430	R									NA		NA		08/24/2006
(720) Rollins Dr	0.34	50	R									NA		NA		07/13/2009
(724) Bulldog Way	0.92	1300	R									NA		NA		02/27/2006
(725) Nelwood Rd	0.07	50	R									NA		NA		02/27/2006
(725) Nelwood Rd	0.31	70	R									NA		NA		02/27/2006
(726) Nelwood Cove	0.06	20	R									NA		NA		02/27/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(727) Nelwood Place	0.11	40	R			From: 37-725 Nelwood Rd					NA		NA			02/27/2006
						To: Cul-de-Sac										
(730) Courthouse Creek Rd	0.08	110	R			From: Dead End					NA		NA			07/27/2009
						To: 37-634 Maidens Rd										
(735) Goodluck Rd	0.55	100	R			From: Dead End					NA		NA			08/12/2009
						To: 37-702 Pony Farm Rd										
(737) Cabin Rd	2.31	70	R			From: Dead End					NA		NA			08/10/2009
						To: 37-619 Newline Rd										
(737) Shephed Spring Rd	0.75	230	R			From: 37-1140 Fox Chase Run					NA		NA			08/10/2009
						To: 37-676 Hermitage Rd										
(740) Tuckahoe Creek Pkwy	0.65	1100	R			From: 37-1150 Kinloch Rd					NA		NA			08/12/2009
						To: 37-623 Hockett Rd										
(741) Capital One Dr	0.84	3000	R			From: 37-1250 West Creek Pkwy					NA		NA			09/15/2009
						To: Dead End										
(1000) Plaza Dr	0.33	1800	R			From: US 250 Broad Street Rd					NA		NA			08/05/2009
						To: 37-1013 Briggs Dr										
(1000) Plaza Dr	0.09	1900	R			From: 37-708 St Matthew Lane					NA		NA			08/05/2009
						To: 37-623 Ashland Rd										
(1001) Mills Rd	0.13	180	R			From: US 250 Broad St					NA		NA			02/27/2006
						To: 37-1002 Pamela Lane										
(1002) Pamela Lane	0.09	100	R			From: 37-1001 Mills Rd					NA		NA			02/27/2006
						To: 37-1004 Dorothy Dr										
(1002) Pamela Lane	0.17	150	R			From: 37-1003 Burfoot Rd					NA		NA			08/05/2009
						To: Dead End										
(1003) Burfoot Rd	0.09	30	R			From: 37-1005 Fawn Lane					NA		NA			02/27/2006
						To: 37-1002 Pamela Lane										
(1004) Dorothy Dr	0.09	130	R			From: 37-1002 Pamela Lane					NA		NA			08/05/2009
						To: 37-1005 Fawn Lane										
(1005) Fawn Lane	0.15	60	R			From: 37-1004 Dorothy Dr					NA		NA			02/27/2006
						To: 37-1003 Burfoot Rd										
(1005) Fawn Lane	0.07	20	R			From: Dead End					NA		NA			02/27/2006
						To: 37-623 Hockett Rd										
(1006) Holly Lane	0.16	260	R			From: 37-1007 Oak Lane					NA		NA			08/05/2009
						To: 37-1008 Birch Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Gochland County</b>																
1006 Holly Lane	0.10	100	R			From: 37-1008 Birch Rd					NA			NA		08/05/2009
1006 Holly Lane	0.04	30	R			To: 37-1009 Cedar Circle					NA			NA		08/05/2009
						To: Dead End										
1007 Oak Lane	0.06	60	R			From: 37-1006 Holly Lane					NA			NA		02/27/2006
						To: Dead End										
1008 Birch Rd	0.05	100	R			From: 37-1006 Holly Lane					NA			NA		08/05/2009
1008 Birch Rd	0.04	30	R			To: 37-1009 Cedar Circle					NA			NA		08/05/2009
						To: Dead End										
1009 Cedar Circle	0.12	80	R			From: 37-1008 Birch Rd					NA			NA		02/27/2006
						To: 37-1006 Holly Lane										
1010 Whippoorwill Rd	0.37	190	R			From: Dead End					NA			NA		08/05/2009
						To: US 250 Broad St										
1011 Valentine Rd	0.05	10	R			From: 37-708 St Matthew Lane					NA			NA		02/27/2006
						To: Dead End										
1012 Little Falls Lane	0.29	100	R			From: 37-708 St Matthew Lane					NA			NA		08/05/2009
						To: Cul-de-Sac										
1013 Briggs Dr	0.19	1200	R			From: US 250 Broad Street Rd					NA			NA		02/27/2006
						To: 37-1000 Plaza Dr										
1014 Goins Rd	0.23	20	R			From: 37-623 Hockett Rd					NA			NA		02/27/2006
						To: 37-623 Hockett Rd										
1015 Commerce Center Dr	0.23	860	R			From: Cul-de-Sac					NA			NA		08/26/2009
						To: 37-623 Ashland Rd										
1016 Granite Ridge Rd	0.23	580	R			From: Cul-de-Sac					NA			NA		08/26/2009
						To: 37-1015										
1017 Greystone Court	0.06	70	R			From: 37-1016					NA			NA		08/26/2009
						To: Cul-de-Sac										
1018 Shadow Creek Lane	0.50	170	R			From: 37-621 Manakin Rd					NA			NA		02/16/2006
						To: Cul-de-Sac										
1019 Forest Meadow Lane	0.23	60	R			From: Cul-de-Sac					NA			NA		02/13/2006
						To: 37-621 Manakin Rd										
1020 Broad Run Dr	0.10	220	R			From: 37-621 Manakin Rd					NA			NA		08/12/2009
1020 Broad Run Dr	0.48	130	R			To: 37-1021 Deer Run Rd					NA			NA		08/12/2009
						To: Cul-de-Sac										
1021 Deer Run Rd	0.30	90	R			From: 37-1020 Broad Run Dr					NA			NA		08/12/2009
						To: Cul-de-Sac										



Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
1022 Red Fox Rd	0.16	50	R								NA			NA		02/15/2006
1023 Mellick Ridge Rd	0.33	90	R								NA			NA		02/13/2006
1023 Mellick Ridge Rd	0.08	160	R								NA			NA		02/13/2006
1024 Mellick Ridge Court	0.14	60	R								NA			NA		02/13/2006
1025 Goosepoint Court	0.06	60	R								NA			NA		02/16/2006
1026 Hunting Ridge Rd	0.34	110	R								NA			NA		02/16/2006
1026 Hunting Ridge Rd	0.40	290	R								NA			NA		02/16/2006
1026 Hunting Ridge Rd	0.04	290	R								NA			NA		02/16/2006
1026 Hunting Ridge Rd	0.07	320	R								NA			NA		02/16/2006
1027 Game Bird Court	0.16	40	R								NA			NA		08/12/2009
1028 Quail Run Dr	0.36	110	R								NA			NA		02/16/2006
1029 Hawk Wing Dr	0.34	50	R								NA			NA		08/12/2009
1030 Holly Lake Dr	0.14	70	R								NA			NA		02/16/2006
1030 Holly Lake Dr	0.19	140	R								NA			NA		02/16/2006
1031 Rolling Lake Court	0.13	70	R								NA			NA		08/12/2009
1032 First Flite Lane	0.30	40	R								NA			NA		08/03/2009
1035 Perrow Lane	0.50	100	R								NA			NA		02/13/2006
1037 Cedar Run Court	0.05	30	R								NA			NA		02/13/2006
1038 Elm Creek Dr	0.38	220	R								NA			NA		02/13/2006
1039 Crossridge Lane	0.33	90	R								NA			NA		02/13/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
1039	Crossridge Lane	0.46	60	R								NA		NA		02/13/2006
1040	Edgehill Wood Dr	0.42	180	R								NA		NA		02/13/2006
1040	Edgehill Wood Dr	0.14	160	R								NA		NA		02/13/2006
1041	Edgehill Wood Court	0.13	70	R								NA		NA		08/03/2009
1042	Cedar Run Rd	0.89	170	R								NA		NA		02/13/2006
1043	Cypress Court	0.08	30	R								NA		NA		02/13/2006
1044	Summit Court	0.10	40	R								NA		NA		02/13/2006
1045	Red Cedar Dr	0.14	30	R								NA		NA		02/13/2006
1046	Red Maple Dr	0.11	120	R								NA		NA		08/03/2009
1046	Red Maple Dr	0.16	40	R								NA		NA		08/03/2009
1047	Hickory Court	0.04	9	R								NA		NA		02/13/2006
1050	Adventure Lane	0.23	190	R								NA		NA		02/27/2006
1051	Rohrer Rd	0.07	30	R								NA		NA		02/27/2006
1052	White Horse Rd	0.15	60	R								NA		NA		02/27/2006
1052	White Horse Rd	0.09	80	R								NA		NA		02/27/2006
1055	Alldever Dr	0.15	130	R								NA		NA		02/27/2006
1055	Alldever Dr	0.35	70	R								NA		NA		02/27/2006
1056	Craig Run Court	0.11	30	R								NA		NA		02/27/2006
1058	Log Cabin Rd	0.86	180	R								NA		NA		07/27/2009
1059	Old Store Rd	0.12	30	R								NA		NA		07/27/2009

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1060) Brittlend Dr	0.52	140	R			From: 37-626 Seay Rd						NA		NA		02/27/2006
						To: Cul-de-Sac										
(1063) Bexley Wood Run	0.34	120	R			From: Cul-de-Sac						NA		NA		08/24/2006
						To: 37-613										
(1064) Sycamore Creek Dr	0.27	50	R			From: US 250 Broad Street Rd						NA		NA		02/16/2006
						To: Cul-de-Sac										
(1065) Rabbit Warren Rd	0.21	80	R			From: US 250 Broad Street Rd						NA		NA		02/16/2006
						To: Cul-de-Sac										
(1066)	0.18	NA				From: 37-1067						NA		NA		
						To: 37-623 Hockett Rd										
(1067)	0.76	NA				From: 37-1066						NA		NA		
						To: 37-1066 End of Loop										
(1068)	0.04	NA				From:						NA		NA		
						To: 37-1067										
(1071) Sandwedge Court	0.05	20	R			From: Cul-de-Sac						NA		NA		08/10/2009
						To: 37-1099; 37-1098										
(1072) Par Three Plaza	0.10	20	R			From: Cul-de-Sac						NA		NA		08/10/2009
						To: 37-1098										
(1073) Putting Green Way	0.06	20	R			From: 37-1098						NA		NA		08/10/2009
						To: Cul-de-Sac										
(1074) Double Eagle Court	0.05	20	R			From: Cul-de-Sac						NA		NA		08/10/2009
						To: 37-1098										
(1077) Parkers Hill Dr	0.88	170	R			From: 37-634 Maidens Rd						NA		NA		07/27/2009
						To: Cul-de-Sac										
(1078) Blackwood Dr	0.22	49	R			From: 37-639 Sheppard Town Rd						NA		NA		07/27/2009
						To: Cul-de-Sac										
(1079) Long Branch Dr	0.13	40	R			From: 37-639 Sheppard Town Rd						NA		NA		07/27/2009
						To: Cul-de-Sac										
(1080) Greenbriar Branch Dr	0.35	130	R			From: 37-632 Fairground Rd						NA		NA		07/27/2009
						To: 37-1081 Wicker Woods Dr										
(1080) Greenbriar Branch Dr	0.11	47	R			From: 37-1081 Wicker Woods Dr						NA		NA		07/27/2009
						To: Cul-de-Sac										
(1081) Wicker Woods Dr	0.23	60	R			From: 37-1080 Greenbriar Branch Dr						NA		NA		10/23/2006
						To: Cul-de-Sac										
(1086) Eastleigh Dr	0.09	30	R			From: Cul-de-Sac						NA		NA		03/30/2006
						To: 37-1092 Tranbycroft Way										
(1087) Checketts Dr	0.22	90	R			From: Cul-de-Sac						NA		NA		03/30/2006
						To: 37-1092 Tranbycroft Way										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1087) Checketts Dr	0.24	90	R								NA			NA		03/30/2006
(1088) Caleherne Ct	0.06	46	R								NA			NA		03/30/2006
(1089) Blackfriar Lane	0.03	20	R								NA			NA		03/30/2006
(1090) Broadland Way	0.50	510	R								NA			NA		03/30/2006
(1090) Broadland Way	0.15	420	R								NA			NA		03/30/2006
(1091) Hill House Lane	0.09	46	R								NA			NA		03/30/2006
(1092) Tranbycroft Way	0.93	230	R								NA			NA		03/30/2006
(1092) Tranbycroft Way	0.23	220	R								NA			NA		03/30/2006
(1092) Tranbycroft Way	0.06	30	R								NA			NA		03/30/2006
(1093) Kingsmere Dr	0.09	30	R								NA			NA		03/30/2006
(1093) Kingsmere Dr	0.11	150	R								NA			NA		03/30/2006
(1094) Parkhouse Court	0.17	60	R								NA			NA		03/30/2006
(1094) Parkhouse Court	0.15	60	R								NA			NA		03/30/2006
(1095) Royal Virginia Court	0.20	20	R								NA			NA		08/10/2009
(1096) Royal Virginia Lane	0.11	2	R								NA			NA		08/10/2009
(1097) Royal Virginia Pkwy	1.23	390	R								NA			NA		08/24/2006
(1098) Dougle Eagle Dr	0.63	80	R								NA			NA		08/10/2009
(1099) Sand Trap Circle	0.11	6	R								NA			NA		08/10/2009
(1101) Berkley Dr	0.10	470	R								NA			NA		09/21/2009
(1102) Brook Run Dr	0.10	20	R								NA			NA		02/13/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Gochland County</b>																
(1102) Brook Run Dr	0.40	340	R			From: 37-1104 W, Ashley Dr						NA		NA		02/13/2006
(1102) Brook Run Dr	0.03	520	R			To: 37-1101 Berkley Dr						NA		NA		02/13/2006
(1102) Brook Run Dr	0.49	210	R			From: 37-1103 Sweetbriar Dr						NA		NA		02/13/2006
						To: 37-1104 E, Ashley Dr										
(1103) Sweetbriar Dr	0.12	50	R			From: Dead End						NA		NA		09/21/2009
(1103) Sweetbriar Dr	0.40	200	R			To: 37-1104 Ashley Dr						NA		NA		09/21/2009
						To: 37-1102 Brook Run Dr										
(1104) Ashley Dr	0.10	47	R			From: 37-1102 W, Brook Run Dr						NA		NA		02/13/2006
(1104) Ashley Dr	0.08	60	R			To: 37-1103 Sweetbriar Dr						NA		NA		02/13/2006
						To: 37-1102 E, Brook Run Dr										
(1105) Willow Oaks Rd	0.20	80	R			From: Dead End						NA		NA		09/15/2009
						To: 37-650 River Rd										
(1106) Lower Tuckahoe Rd	0.06	790	R			From: 37-1107 Lower Tuckahoe Rd						NA		NA		02/13/2006
						To: 37-650 River Rd										
(1107) Lower Tuckahoe Rd	0.37	140	R			From: Dead End						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.29	280	R			To: 37-1108 Roads End Lane						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.06	270	R			From: 37-1106 Lower Tuckahoe Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.11	300	R			To: 37-1111 W, Dahlgren Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.07	320	R			From: 37-1113 Buck Branch Dr						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.12	470	R			To: 37-1111 E, Dahlgren Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.05	150	R			From: 37-1120 Hill Point Rd						NA		NA		09/21/2009
(1107) Lower Tuckahoe Rd	0.11	70	R			To: 37-1121 Lower Tuckahoe Court						NA		NA		09/21/2009
						To: Cul-de-Sac										
(1108) Roads End Lane	0.13	50	R			From: 37-1107 Lower Tuckahoe Rd						NA		NA		02/13/2006
						To: Dead End										
(1109) Briarwood Circle	0.24	70	R			From: 37-647 Pagebrook Dr						NA		NA		09/15/2009
						To: 37-647 Pagebrook Dr										
(1110) Knollwood Dr	0.12	60	R			From: 37-647 Pagebrook Dr						NA		NA		02/13/2006
						To: Cul-de-Sac										
(1111) Dahlgren Rd	0.54	200	R			From: 37-1107 W, Lower Tuckahoe Rd						NA		NA		09/21/2009
(1111) Dahlgren Rd	0.15	150	R			To: 37-1113 Buck Branch Dr						NA		NA		09/21/2009
						To: 37-1114 Dover Place										

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1111) Dahlgren Rd	0.11	180	R								NA			NA		09/21/2009
(1112) Flag Stage Rd	0.25	100	R								NA			NA		02/13/2006
(1113) Buck Branch Dr	0.29	200	R								NA			NA		09/21/2009
(1114) Dover Place	0.05	20	R								NA			NA		02/13/2006
(1115) Partridge Rd	0.50	220	R								NA			NA		09/21/2009
(1116) Mystic Court	0.15	60	R								NA			NA		02/13/2006
(1117) Archway Lane	0.11	260	R								NA			NA		07/20/2009
(1118) Timber Trail Dr	0.32	46	R								NA			NA		07/20/2009
(1119) Fallen Creek Dr	0.08	40	R								NA			NA		07/20/2009
(1120) Hill Point Rd	0.17	50	R								NA			NA		02/13/2006
(1120) Hill Point Rd	0.25	270	R								NA			NA		02/13/2006
(1120) Hill Point Rd	0.05	500	R								NA			NA		02/13/2006
(1121) Lower Tuckahoe Court	0.06	40	R								NA			NA		09/21/2009
(1122) Hill Point Court	0.05	50	R								NA			NA		02/13/2006
(1123) Dunaway Dr	0.11	30	R								NA			NA		02/13/2006
(1126) Victoria Lane	0.17	250	R								NA			NA		02/13/2006
(1127) Regina Lane	0.16	160	R								NA			NA		02/13/2006
(1127) Regina Lane	0.03	50	R								NA			NA		09/15/2009
(1128) Drew Ridge Dr	0.41	230	R								NA			NA		08/22/2006

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1129) Royal Ridge Court	0.33	80	R									NA		NA		08/22/2006
(1130) Rockford Rd	0.29	160	R									NA		NA		02/16/2006
(1130) Rockford Rd	0.20	160	R									NA		NA		02/16/2006
(1130) Rockford Rd	0.49	570	R									NA		NA		02/16/2006
(1131) Wheatlands Dr	1.12	220	R									NA		NA		08/26/2009
(1132) Harolds Dr	0.35	130	R									NA		NA		02/16/2006
(1133) Windy Run	0.25	60	R									NA		NA		08/26/2009
(1134) Massies Lane	0.17	150	R									NA		NA		08/26/2009
(1135) Ford Rd	0.76	320	R									NA		NA		02/16/2006
(1136) Fed Lane	0.33	100	R									NA		NA		02/16/2006
(1137) Willowtrace Lane	0.96	220	R									NA		NA		03/30/2006
(1140) Fox Chase Run	0.40	290	R									NA		NA		03/30/2006
(1141) West Grey Fox Circle	0.95	180	R									NA		NA		08/24/2009
(1142) Fox Lair Rd	0.11	30	R									NA		NA		08/24/2009
(1142) Fox Lair Rd	0.39	49	R									NA		NA		08/24/2009
(1143) Elm Creek Dr	0.37	260	R									NA		NA		02/16/2006
(1144) Elm Creek Circle	0.08	60	R									NA		NA		02/13/2006
(1145) Mill Trace Lane	0.55	260	R									NA		NA		03/30/2006
(1146) Stone Creek Dr	0.77	220	R									NA		NA		03/30/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1147) Rockcress Lane	0.33	210	R								NA			NA		03/30/2006
(1147) Rockcress Lane	0.81	220	R								NA			NA		07/20/2009
(1148) Stonecastle Lane	0.21	50	R								NA			NA		07/20/2009
(1149) Heathmill Rd	0.15	40	R								NA			NA		03/30/2006
(1150) Kinloch Rd	0.16	70	R								NA			NA		02/16/2006
(1150) Kinloch Rd	0.31	200	R								NA			NA		02/16/2006
(1151) Kinloch Rd	0.22	100	R								NA			NA		02/16/2006
(1152) Long Pond Rd	0.48	610	R								NA			NA		09/15/2009
(1153) Hill Grove Rd	0.33	190	R								NA			NA		09/15/2009
(1154) Hunt Field Rd	0.14	80	R								NA			NA		09/15/2009
(1154) Hunt Field Rd	0.04	20	R								NA			NA		09/15/2009
(1155) Wellfield Rd	0.33	160	R								NA			NA		09/15/2009
(1156) Glenmeade Circle	0.04	20	R								NA			NA		09/15/2009
(1157) Broadfield Circle	0.15	50	R								NA			NA		09/15/2009
(1158) Fairstead Rd	0.19	60	R								NA			NA		09/30/2009
(1159) Longfield Dr	0.20	30	R								NA			NA		09/30/2009
(1160) Fairhurst Court	0.03	8	R								NA			NA		09/30/2009
(1161) Millstead Lane	0.11	45	R								NA			NA		09/30/2009
(1162)	0.27	NA									NA			NA		



Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1170) Thoroughbred Pkwy	0.61	350	R									NA		NA		08/19/2009
(1171) Bayberry Lane	0.19	90	R									NA		NA		08/19/2009
(1172) Hounds Run	0.14	190	R									NA		NA		08/19/2009
(1173) Horseshoe Bend	0.33	90	R									NA		NA		08/19/2009
(1174) Bridle Ridge	0.05	60	R									NA		NA		08/19/2009
(1174) Bridle Ridge	0.16	30	R									NA		NA		08/19/2009
(1175) Incline Court	0.12	40	R									NA		NA		08/19/2009
(1176) Steeplechase Pkwy	0.75	230	R									NA		NA		08/19/2009
(1177) Saddlebrook Dr	0.19	90	R									NA		NA		08/19/2009
(1178) Crest Hollow Court	0.32	80	R									NA		NA		08/19/2009
(1190) Manakin Park Dr	0.50	290	R									NA		NA		08/24/2009
(1191) Anitas Landing Way	0.04	30	R									NA		NA		08/24/2009
(1192) Maymont Way	0.07	70	R									NA		NA		08/24/2009
(1193) Libby Hill Court	0.07	90	R									NA		NA		08/24/2009
(1194) Powhatan Hill Place	0.09	110	R									NA		NA		08/24/2009
(1195) Manakin Parke Circle	0.09	220	R									NA		NA		08/24/2009
(1196) Jefferson Hill Way	0.08	70	R									NA		NA		08/24/2009
(1197) Canoe Run Place	0.08	70	R									NA		NA		08/24/2009
(1198) Taylors Hill Ct	0.07	80	R									NA		NA		08/24/2009


Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
(1200) Turkey Creek Rd	0.28	520	R								NA			NA		02/27/2006
(1201) Courthouse Dr	0.10	740	R								NA			NA		02/27/2006
(1202) Courthouse Circle	0.28	330	R								NA			NA		07/27/2009
(1205) Pitts Ave	0.22	60	R								NA			NA		02/27/2006
(1206)	0.07	NA									NA			NA		
(1207)	0.14	NA									NA			NA		
(1207)	0.34	NA									NA			NA		
(1208)	0.06	NA									NA			NA		
(1209)	0.23	NA									NA			NA		
(1210) Horsepen Rd	0.49	110	R								NA			NA		07/29/2009
(1213) Road A	0.08	790	R								NA			NA		02/16/2006
(1213) Road A	0.09	590	R								NA			NA		02/16/2006
(1214) Road B	0.18	280	R								NA			NA		07/29/2009
(1215) Valpark Dr	0.59	550	R								NA			NA		07/29/2009
(1216) Tri County Dr	0.56	150	R								NA			NA		07/29/2009
(1220) Fox Downs Lane	0.41	120	R								NA			NA		02/16/2006
(1220) Fox Downs Lane	0.59	290	R								NA			NA		02/16/2006
(1220) Fox Downs Lane	0.34	390	R								NA			NA		02/16/2006
(1221) Lake Pointe Circle	0.08	20	R								NA			NA		07/29/2009
(1222) Huntsman Circle	0.14	40	R								NA			NA		02/16/2006

Virginia Department of Transportation  
Traffic Engineering Division  
2011  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
1223	Ridgewell Dr	0.40	220	R										NA		03/13/2006
1224	Madison Court	0.09	20	R										NA		10/02/2006
1225	Elizabeth Lane	0.16	30	R										NA		10/02/2006
1226	Copperstone Ct	0.15	100	R										NA		10/02/2006
1230	Shade Hunter Lane	0.30	70	R										NA		07/27/2009
1231	Autumn Breez Dr	0.98	190	R										NA		07/29/2009
1232	Autumn Breez Place	0.11	30	R										NA		07/29/2009
1233	Autumn Breeze Dr	0.03	10	R										NA		07/29/2009
1234	Autumn Breez Dr	0.03	20	R										NA		07/29/2009
1240	Hill Stream Dr	0.25	110	R										NA		02/27/2006
1242	Temple Lane	0.22	50	R										NA		09/30/2009
1250	West Creek Pkwy	2.97	2800	R										NA		02/27/2006
9168	Byrd Primary School	0.07	170	R										NA		10/02/2006
9170	Goochland Elem Sch	0.14	630	R										NA		10/02/2006
9171	Goochland High Sch	0.08	1100	R										NA		10/02/2006
9172	Cardwell School	0.09	230	R										NA		03/20/2003
9173	Randolph Elem Sch	0.10	500	R										NA		10/02/2006
9174	Central High Sch	0.17	470	R										NA		10/02/2006
9661	Goochland Central Elem	0.08	320	R										NA		06/02/2003

Virginia Department of Transportation  
 Traffic Engineering Division  
 2011  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Goochland County</b>																
 Echo Meadows Rd	0.63	480	R	From: Hanover County Line				NA					NA			09/02/2008
				To: Hanover County Line												