2012

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 106

City of Colonial Heights

Information in this report is included in Report

20

(Chesterfield County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
(600)	Secondary Route	

Special Routes

Bus	Bus - Business Route	
{29}	Bypas - Bypass Route	
	Truck - Truck Route	
ALT	ALT - Alternate Route	
(220)	Wye - Wye Route connector	

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division

2012 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

							Tru	ıck			K		Dir		
Jurisdiction	Length	AADT	QA	4Tire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QK	Factor	AAWDT	QW
From:			-												
City of Colonial He	leights 0.53	13000	F	99%	0%	0%	0%	0%	0%	F	0.090	F	0.569	14000	F
To: From:		Dupuy Ave													
City of Colonial He	eights 0.40	23000	F	99%	0%	0%	0%	0%	0%	F	0.085	F	0.508	25000	F
From:				222/											
City of Colonial He	eights 0.33	24000	Α	99%	0%	0%	0%	0%	0%	C	0.099	Α	0.517	25000	Α
To- From:				000/	201			00/	201					00000	
City of Colonial He	eights 0.26	25000	G	99%	0%	0%	0%	0%	0%	F	NA			26000	G
To From:	L-1-1-1- 0.74			000/	00/		00/	00/	00/		0.000		0.500	05000	
City of Colonial He	eignts 0.74	23000	r	99%	0%	0%	0%	0%	0%	F	0.086	F	0.508	25000	F
City of Colonial I				050/	00/	10/	20/	40/	00/		NIA			20000	F
City of Colonial He				95%	0%	1%	3%	1%	0%	C	NA			20000	Г
City of Colonial L				000/	00/	00/	00/	00/	00/		0.001		0.514	29000	F
City of Colonial Fit				9970	076	0%	0%	076	0%	г	0.091	Г	0.514	20000	Г
City of Colonial H				000/	00/	00/	00/	00/	00/		0.003		0.54	26000	F
Try City or Colonial Fit	_ •			9970	076	0%	0 /6	076	0 /0		0.093		0.54	20000	-
From:				95											
City of Colonial Heights		NA				•					NA			NA	
To:	SR	144 FROM R	T 95												
From:															
•	,														Α
Combined Traffic Estimates for 2 Parallel	Roadways on this Route	: 99000	Α	91%	1%	1%	1%	7%	0%	F	0.091	Α	0.517	98000	Α
To. From:	S	Southpark Blv	ď												
•	,	42000	Α	91%	1%	1%	1%	6%	0%	F	0.092	Α		42000	Α
Combined Traffic Estimates for 2 Parallel	Roadways on this Route	84000	Α	91%	1%	1%	1%	7%	0%	F	0.091	Α	0.543	84000	Α
To: From:	SR	144 Temple	Ave												
City of Colonial Heights	s (Maint: 20) 2.38	47000	F	91%	1%	1%	1%	6%	0%	С	0.091	Α		47000	F
•	,	93000	F	91%	1%	<u>1%</u>	1%	7%	0%	С	NA			93000	F
To:	NCI	L Colonial He	ights												
From:	(11.1	I-95 North									· · -	_			
City of Colonial Heights		-2 Southpark									0.112	Α		10000	Α
To:															
To:	106		DIVU												
To: From: City of Colonial Heights		I-95 North	F								0.084	F		6300	F
	City of Colonial H City of Colonial Heights City of Colonial Heights City of Colonial Heights Combined Traffic Estimates for 2 Parallel City of Colonial Heights Combined Traffic Estimates for 2 Parallel City of Colonial Heights Combined Traffic Estimates for 2 Parallel City of Colonial Heights Combined Traffic Estimates for 2 Parallel City of Colonial Heights Combined Traffic Estimates for 2 Parallel City of Colonial Heights Combined Traffic Estimates for 2 Parallel	City of Colonial Heights 0.53 City of Colonial Heights 0.40 City of Colonial Heights 0.33 City of Colonial Heights 0.26 City of Colonial Heights 0.26 City of Colonial Heights 0.74 City of Colonial Heights 0.74 City of Colonial Heights 0.17 City of Colonial Heights 0.17 City of Colonial Heights 0.17 City of Colonial Heights 0.19 City of Colonial Heights 0.62 City of Colonial Heights 0.62 City of Colonial Heights (Maint: 20) 0.18 City of Colonial Heights (Maint: 20) 0.21 Combined Traffic Estimates for 2 Parallel Roadways on this Route	Jurisdiction Length AADT	City of Colonial Heights	Duply Ave	Durisdiction Length AADT QA 4Tire Bus	Jurisdiction Length AADT QA 4Tire Bus 2Axle	Durisdiction Length AADT QA 4Tire Bus AAVE 2Axle 3+Axle	Length AADT QA 4Tire Bus Truck	Length AADT QA 4Tire Bus True Standard 1Trail 2Trail 2Trail 2Trail 2Trail 2Trail 2Trail 3Trail 3T	Surface Length AADT QA ATire Bus Combined Traffic Estimates for 2 Parallel Roadways on this Route. Southern Route Southern R	Length AADT QA 4Tire Bus Truck 2AAU 31AAU 1Trail 2Trail 2Trail	Length AADT QA 4Tire Bus Cate State 1Trail 2Trail Cate Ca	Durisdiction Length AADT QA 4 Tire 1948 2	Length AADT QA 4Tire Bus 1714 374 1714 2718 QC Reactor Factor Facto

7/1/2013 7

Virginia Department of Transportation Traffic Engineering Division

2012 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

									Tru	ıck			K		Dir		
Route	Jurisdiction	n	Length	AADT	QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QW
South	From:			CL Petersbu													
95)	City of Colonial Height	, ,	0.37	50000	Α	91%	1%	1%	1%	7%	0%	F	0.093	Α		49000	Α
~	Combined Traffic Estimates for 2 Paralle	el Roadways on t	his Route:	99000	Α	91%	1%	1%	1%	7%	0%	F	0.091	Α	0.517	98000	Α
South	To: From:		Se	outhpark Bl	vd												
95)	City of Colonial Height	ts (Maint: 20)	1.05	42000	Α	91%	1%	1%	1%	7%	0%	F	0.092	Α		42000	Α
	Combined Traffic Estimates for 2 Paralle	el Roadways on t	his Route:	84000	Α	91%	1%	1%	1%	7%	0%	F	0.091	Α	0.543	84000	Α
2 4	To		SR 1	144 Temple	Ave												
South 95	City of Colonial Height	ts (Maint: 20)	2.15	46000	Α	91%	1%	1%	1%	7%	0%	С	0.094	Α		46000	Α
95)	Combined Traffic Estimates for 2 Paralle				F	91%	1%	1%	1%	7%	0%	С	NA	^		93000	F
	To:	Troadways on t		Colonial He		3170	170		1 70	7 70	070	O	INA			33000	'
South	From:			I-95 South													
95) Ramp	City of Colonial Height	ts (Maint: 20)	0.06	2900	F								0.099	F		2900	F
	To:	, i	W	est Roslyn I	Rd												
South	From:			I-95 South													
95) Ramp	City of Colonial Height	ts (Maint: 20)	0.06	10000	G								NA			10000	G
<u> </u>	То:		Ram	from I-95	North												
	From:			Colonial He													
144)Temple Ave	City of Colonial F	Heights	0.93	27000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.637	28000	F
<u>~</u>	To- From:			Conduit Rd													
144) Temple Ave	City of Colonial F	Heights	0.37	32000	F	99%	0%	0%	0%	0%	0%	F	0.085	F	0.51	33000	F
<u> </u>	To. From:			I-95				-									
144) Temple Ave	City of Colonial F	Heights	0.50	27000	F	99%	0%	0%	0%	0%	0%	F	0.085	F	0.525	28000	F
<u> </u>	To		U	S 1 Bouleva	ırd			<u> </u>									
144) (1) (301) Boulevard	City of Colonial F	Heights	0.74	23000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.508	25000	F
	То		T	akeview Av	/e												
144) (1) (301) Boulevard	From: L City of Colonial F	Heights	0.17	19000	F	95%	0%	1%	3%	1%	0%	С	NA			20000	F
	To.	<u> </u>	,	Ellerslie Av	2												
144) (1) (301) Boulevard	ا المسال City of Colonial H	-leights	0.19	27000	F	99%	0%	0%	0%	0%	0%	F	0.091	F	0.514	28000	F
144/ 1 301 Boulevard	Tol							 -	0,0	0,0	0,0	•	0.00	•	0.0		•
144) (1) (301) Boulevard	From: City of Colonial F	-laighte	0.62	herwood Av 24000	<u>е</u> F	99%	0%	0%	0%	0%	0%	F	0.093	F	0.54	26000	F
144/ 1 301 Boulevard	To:	leights		Colonial He		3370	070	<u> </u>	070	070	070	'	0.033	'	0.54	20000	'
	From:			144 Temple													
144)Ramp	ا City of Colonial Height	ts (Maint: 20)	0.15	15000	G								NA			15000	G
1,440		(. 3000	•
144)Ramp	City of Colonial Height	ts (Maint: 20)	0.27	Ramp Split 7400	F								0.083	F		7400	F
144/ Namp	To:	(IVIAIIII. ZU)	0.21	I-95 South	Г								0.003	r		1400	Г
	From:			Ramp Split													
1 ₄₄)Ramp	L City of Colonial Height	ts (Maint: 20)	0.38	5900	G								NA			5900	G
144)	To:	(a 20)	3.00	I-95 North												2000	J

Virginia Department of Transportation Traffic Engineering Division

2012 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru	ıck		QC	K	QK	Dir	AAWDT	OW
Note	Canadion	Longui	7.7.01	Q,A	71110	Duo	2Axle	3+Axle	1Trail	2Trail	QU	Factor	Q.I.	Factor	7011101	QVV
	From:	N	CL Petersbu	ırg												
(301)(1) Boulevard	City of Colonial Heights	0.53	13000	F	99%	0%	0%	0%	0%	0%	F	0.090	F	0.569	14000	F
	To: From:		Dupuy Ave				\neg									
301 1 Boulevard	City of Colonial Heights	0.40	23000	F	99%	0%	0%	0%	0%	0%	F	0.085	F	0.508	25000	F
	To:		ynchburg Av													
~~~~	From:		Vestover Av		000/	00/		00/	201	00/	_	0.000		0.547	05000	
(301) (1) Boulevard	City of Colonial Heights	0.33	24000	Α	99%	0%	0%	0%	0%	0%	С	0.099	Α	0.517	25000	Α
	To: From:	Bra	nders Bridge	e Rd												
(301) (1) Boulevard	City of Colonial Heights	0.26	25000	G	99%	0%	0%	0%	0%	0%	F	NA			26000	G
<del></del>	To: From:		Temple Ave	;			$\neg$ $\vdash$									
(301) (1) (144) Boulevard	City of Colonial Heights	0.74	23000	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.508	25000	F
$\Leftrightarrow \lor \lor$	To:	I	akeview Av	/e												
(301) (1) (144) Boulevard	City of Colonial Heights	0.17	19000	F	95%	0%	1%	3%	1%	0%	С	NA			20000	F
	To: From:	]	Ellerslie Ave	e												
(301) (1) (144) Boulevard	City of Colonial Heights	0.19	27000	F	99%	0%	0%	0%	0%	0%	F	0.091	F	0.514	28000	F
$\bigcirc$	To: From:	S	herwood Av	/e			$\neg$ $\vdash$									
301 1 144 Boulevard	City of Colonial Heights	0.62	24000	F	99%	0%	0%	0%	0%	0%	F	0.093	F	0.54	26000	F
$\bigcirc$	То:	NCL	Colonial He	eights												

7/1/2013

# Virginia Department of Transportation Traffic Engineering Division 2012 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

					C	ity of Co	ioniai He	ignis								
Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Colonial Heights			_				0.7.5.0						. acto.			
		From	<u> </u>				park Blvd					_				
1 C H Dimmock Pkwy	0.69	13000	F	99%	0%	1%	0%	0%	0%	F	0.089	F	0.514	14000	F	2012
		From	] 1				nple Ave	_			<u> </u>					
2 Southpark Blvd	0.31	20000	F	99%	0%	1%	mp To I-9: 0%	0%	0%	F	0.096	F	0.51	22000	F	2012
2 Southpark Blvd	0.51	20000		3370	070			070	070	'	0.000		0.51	22000	'	2012
2 Southpark Blvd	0.25	20000		99%	0%	Soi	uth Ave	0%	0%	F	0.094	F	0.518	21000	F	2012
2 Southpark Blvd	0.20	<b>20000</b> To		3370	070		nmock Pkv		070	'	0.054	•	0.010	21000	'	2012
		From				South	park Circle									
( 2 ) Southpark Blvd	0.05	9900	F	99%	0%	1%	0%	0%	0%	F	0.098	F	0.508	11000	F	2012
<u> </u>		To					nple Ave									
O Barra	0.05	From			JB-1	06 FROM	CONNEC	TOR RD	1					NIA		
2 Ramp	0.05	NA To	:		1.05	-S FROM	CONNEC	LUB BU			NA			NA		
		From	.1			-95-N053A			DT							
2 Ramp	0.19	3000	F		106-21	-93-NU3 <i>3P</i>	ATUAND	FROM .	K1		0.101	F		3000	F	2012
2)	00	To	·		I-9	5-N FRON	M CONNE	CTOR				•		0000	•	_0
		From	:				stview Dr									
4 Sherwood Dr	0.25	3600	F	99%	0%	1%	0%	0%	0%	С	0.101	F	0.609	3900	F	2012
$\overline{}$		To	:			US 1	Boulevard									
		From				WCL Co	lonial Heig	hts								
(9020) Dupuy Ave	0.42	17000	F	99%	0%	0%	0%	0%	0%	С	0.083	F	0.512	18000	F	2012
		To				US 1	Boulevard									
	0.00	From		4000/	00/		Boulevard	00/	00/			_	0.007	7000	_	0040
(9024) Westover Ave	0.66	7100	F	100%	0%	0%	0% nduit Rd	0%	0%	С	0.100	F	0.607	7600	F	2012
		From						1.								
9026) Branders Bridge Rd	0.30	5800	F	99%	0%	0%	lonial Heig 0%	nts 0%	0%	С	0.095	F	0.568	6200	F	2012
9026) Brandore Bridge rta	0.00	To	:	0070	070		Boulevard	070	070		0.000		0.000	0200	•	2012
		From	:			WCL Co	lonial Heig	hts								
(9030) Lakeview Ave	0.85	7400	F	99%	0%	0%	0%	0%	0%	С	0.101	F	0.658	7900	F	2012
		То	:			US 1	Boulevard									
		From					Boulevard									
(9032) E Ellerslie Ave	1.15	14000	F_	99%	0%	0%	0%	0%	0%	С	0.092	F	0.526	15000	F	2012
<u> </u>		То				Cor	nduit Rd									
Marking A.	0.07	From		070/	40/		Boulevard	00/	00/			_	0.007	700	_	0040
(9035) Washington Ave	0.37	650 To	F	97%	1%	1%	0% art Ave	0%	0%	С	0.099	F	0.667	700	F	2012
		From	:				ington Ave									
9035) Stuart Ave	0.10	1100	F	97%	1%	1%	0%	0%	0%	F	0.111	F	0.647	1100	F	2012
		To				Bris	stol Ave				$\neg$ —					
(9035) Conduit Rd	0.05	1800	F	97%	1%	1%	0%	0%	0%	F	0.142	F	0.732	1900	F	2012
		To From	:			Ive	ey Ave				$\neg$ —					
(9035) Conduit Rd	0.24	2700	F	97%	1%	1%	0%	0%	0%	F	0.12	F	0.711	2900	F	2012
$\overline{}$		To.	:			Lvncl	nburg Ave				$\neg$ —					
(9035) Conduit Rd	0.22	5400 From	F	98%	1%	0%	0%	0%	0%	С	0.105	F	0.564	5800	F	2012
$\overline{}$		To	-			West	over Ave				<b>—</b> —					
(9035) Conduit Rd	0.47	11000	F	97%	1%	1%	0%	0%	0%	F	0.090	F	0.505	11000	F	2012
$\overline{}$		To	1			Ten	nple Ave				¬—					
(9035) Conduit Rd	0.54	19000	F	97%	1%	1%	0%	0%	0%	F	0.089	F	0.576	21000	F	2012
		To					erslie Ave									
(9035) Conduit Rd	2.02	5300 From	F	99%	0%	0%	0%	0%	0%	С	0.096	F	0.634	5700	F	2012
		To	-				erfront Dr			-						
O Bootton Britat Bloom		From	F	99%	0%	0%		0%	00/		0.114	F	0.597	1000	F	2012
9035 Dunston Point Pkwy	0.28	970	г	JJ /0	U /0	U /0	0%	U%	0%	F	0.114	Г	0.597	1000		2012

7/1/2013 10

# Virginia Department of Transportation Traffic Engineering Division 2012 Annual Average Daily Traffic Volume Estimates By Section of Route City of Colonial Heights

						ity of Colonial H	Cigino								
Route	Length	AADT	QA	4Tire	Bus	Tr 2Axle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Yea
itv of Colonial Heights		From				MG 1 D 1	1			<del>- 1</del>					
Hamilton Ave	0.67	450	F	98%	1%	US 1 Boulevar 1% 0% E Westover Av	0%	0%	С	0.131	F	0.508	480	F	2012
1037) Hamilton Ave	0.55	2200 To	F	99%	0%	Westover Ave		0%	F	0.095	F	0.508	2300	F	2012
		From	<del></del>			Temple Ave									
Lynchburg Ave	0.65	2000 To	F	99%	0%	US 1 Boulevar 1% 0% Conduit Rd	0%	0%	С	0.111	F	0.547	2100	F	2012
Covington Rd		From <b>590</b>	G			Cedarwood Av	re			NA			590	G	201
		То	:			Appomatox D	r								
		From	<u> </u>			Greenwood Av	re							_	
Elmwood Dr		470 To	G			Cedarwood Av	Δ.			NA			470	G	201
		From	:			Sherwood Ave				<u> </u>					
Forestview Dr		320	G			Silci wood Ave				NA			320	G	201
		To	:			Brookhill Ave	;								
		From				Snead Ave									
James Ave		840	F							0.092	F	0.703	900	F	201
		То	<u> </u>			Hamilton Ave									
Lafayette Ave		From <b>380</b>	<u></u>			US 1				0.123	F	0.519	410	F	201
Larayette Ave		30U To	_			Danville Ave				0.123	Г	0.519	410	Г	201
		From				Angus Lane									
Longhorn Avenue		850	G			Aligus Laile				NA			850	G	201
g		To				Honeycreek C	t								
		From				Meridian Ave	:								
Maple Avenue		1200	G							NA			1200	G	201
		То	:			Cottage Grove A	ve								
		From				SR 144 Temple A									
Ramp		4800	F	96%	0%	1% 2%	2%	0%	С	NA			4800	F	201
		From	<u> </u>			I-95 North									
Richmond Ave		590	G			US 1				 NA			630	G	201
Michinolia Ave		To	_			Hill Pl							030	G	201
		From	c			Roslyn Ave									
Riverview Rd		160	G			Rostyn Tive				NA			160	G	201
		To	c			Pinehurst Ave	;								
		From	12			Walnut Ave									
Snead Ave		1200	G							NA			1200	G	201
		To	<u>1</u>			MacArther Av	e								
0(1) 0		From	لبا			Flintlock Dr							0.45		
Swift Creek Lane		640 To	G			Biltmore Dr				NA			640	G	201
		From													
W Rosylyn Ave		530	F			Conduit Rd				0.108	F	0.667	570	F	201
		To				Washington Av	ve				•	0.007	57.0	•	201
		From	-			Hamilton Ave									
Walnut Ave		240	F							0.106	F	0.614	250	F	201
		То				Elk Ave	_	_	_						
		From				Moose Ave									
			G							NA			620	G	201
White Bank Rd		620											020		
White Bank Rd		To	b.			Dunston Point Pl									
White Bank Rd Wrights Ave		620 From	b.			Dunston Point Pl Meridian Ave				0.122	F	0.717	610	F	201

7/1/2013 11