

2015
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates
where available

Jurisdiction Report

48

King George County

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
-  ALT - Alternate Route
-  Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
		From: Stafford County Line														
3 Kings Hwy	King George County	3.68	19000	G	96%	1%	1%	1%	2%	0%	F	0.090	0.519	20000	G	
		To: 48-605 Bloomsbury Rd; LaGrange Lane														
3 Kings Hwy	King George County	4.79	20000	G	96%	1%	1%	1%	2%	0%	C	0.1	0.565	20000	G	
		From: SR 206 Arnolds Corner														
3 Kings Hwy	King George County	2.58	15000	G	96%	1%	1%	1%	2%	0%	F	0.087	0.512	16000	G	
		To: SR 205 Purkins Corner														
3 Kings Hwy	King George County	1.56	7600	G	96%	1%	1%	1%	2%	0%	F	0.088	0.61	7800	G	
		To: US 301 Office Hall														
3 Kings Hwy	King George County	7.18	5900	G	93%	0%	1%	2%	4%	0%	C	0.088	0.653	6100	G	
		To: Westmoreland County Line														
		From: SR 3 Purkins Corner														
205 Ridge Rd	King George County	1.26	7900	G	98%	0%	0%	0%	1%	0%	F	0.09	0.511	8200	G	
		To: US 301 Edge Hill														
205 Ridge Rd	King George County	2.81	4700	G	98%	0%	0%	0%	1%	0%	F	0.095	0.604	4800	G	
		To: 48-617 Carruthers Corner														
205 Ridge Rd	King George County	3.36	4000	G	98%	0%	0%	0%	1%	0%	C	0.095	0.602	4100	G	
		To: Westmoreland County Line														
		From: SR 3 Arnolds Corner														
206 Dahlgren Rd	King George County	2.18	9600	G	98%	0%	0%	0%	1%	0%	F	0.101	0.638	9900	G	
		To: 48-610 Indiantown Rd														
206 Dahlgren Rd	King George County	4.26	9300	G	98%	0%	0%	0%	1%	0%	C	0.111	0.734	9600	G	
		To: SR 218 Berthaville														
206 218 Dahlgren Rd	King George County	2.19	12000	G	98%	0%	0%	0%	1%	0%	F	0.114	0.784	13000	G	
		To: SR 218 Owens														
206 Dahlgren Rd	King George County	0.62	12000	G	98%	0%	0%	0%	1%	0%	F	0.115	0.815	12000	G	
		To: US 301 East of Owens														
206 Dahlgren Rd	King George County	1.79	10000	G	98%	0%	0%	0%	1%	0%	F	0.106	0.816	11000	G	
		To: 48-604 Twelfth St														
		From: Stafford County Line														
218 Caledon Rd	King George County	5.93	3200	G	97%	0%	1%	1%	0%	0%	F	0.112	0.687	3300	G	
		To: 48-696 Fairview Dr														
218 Caledon Rd	King George County	1.05	3000	G	97%	0%	1%	1%	0%	0%	C	0.119	0.725	3100	G	
		To: 48-609 Cash Corner														
218 Caledon Rd	King George County	6.81	3000	G	97%	0%	1%	1%	0%	0%	F	0.125	0.820	3100	G	
		To: SR 206 Berthaville														
218 206 Dahlgren Rd	King George County	2.19	12000	G	98%	0%	0%	0%	1%	0%	F	0.114	0.784	13000	G	
		To: SR 206 Owens														

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
218 Windsor Dr	King George County	0.28	1300	G	99%	0%	1%	0%	0%	0%	F	0.131	0.565	1300	G	
218 Windsor Dr	King George County	6.02	5900	G	99%	0%	1%	0%	0%	0%	C	0.098	0.798	6100	G	
301 James Madison Pkwy	King George County	3.05	13000	G	93%	1%	1%	0%	5%	0%	F	0.088	0.583	13000	G	
301 James Madison Pkwy	King George County	2.05	13000	G	93%	1%	1%	0%	5%	0%	F	0.089	0.597	13000	G	
301 James Madison Pkwy	King George County	1.91	14000	G	93%	1%	1%	0%	5%	0%	F	0.087	0.609	14000	G	
301 James Madison Pkwy	King George County	5.91	16000	A	93%	1%	1%	0%	5%	0%	C	0.137	0.602	15000	A	
301 James Madison Pkwy	King George County	0.56	23000	G	93%	1%	1%	0%	5%	0%	F	0.095	0.760	22000	G	
301 James Madison Pkwy	King George County	3.58	26000	G	93%	1%	1%	0%	5%	0%	F	0.091	0.696	25000	G	

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(F970) Walsingham Rd	0.09	30	R											NA	NA	11/02/2010
(600) Passapatanzy Dr	1.68	590	R											NA	NA	09/13/2010
(600) Passapatanzy Dr	1.04	310	R											NA	NA	09/14/2010
(601) Gera Rd	1.30	300	R											NA	NA	10/17/2010
(602) Chapel Green Rd	0.80	360	R											NA	NA	09/14/2010
(603) Fletchers Chapel Rd	1.16	1900	R											NA	NA	09/14/2010
(603) Fletchers Chapel Rd	1.27	1400	R											NA	NA	09/14/2010
(603) Fletchers Chapel Rd	0.63	690	R											NA	NA	09/14/2010
(603) Y Intersection Leg	0.04	3800	R											NA	NA	12/15/2008
(603) Fletchers Chapel Rd	0.15	170	R											NA	NA	09/14/2010
(603) Fletchers Chapel Rd	0.79	180	R											NA	NA	09/14/2010
(603) Dogwood Lane	0.80	140	R											NA	NA	09/14/2010
(604) Twelfth St	0.23	590	G	97%	2%	0%	0%	0%	0%	C	0.275	0.947	610	G	2015	
(605) LaGrange Lane	0.75	46	R											NA	NA	09/15/2010
(605) Bloomsbury Rd	1.20	1200	R											NA	NA	09/15/2010
(605) Bloomsbury Rd	2.20	850	R											NA	NA	09/15/2010
(605) Chapel Way	0.20	130	R											NA	NA	07/16/2013
(606) Rokeby Lane	0.50	30	R											NA	NA	09/28/2010
(606) Rokeby Lane	0.11	80	R											NA	NA	09/28/2010
(607) Port Conway Rd	0.90	1100	G	89%	0%	1%	2%	7%	0%	F	0.102	0.566	1200	G	2015	
(607) Port Conway Rd	3.04	1000	G	89%	0%	1%	2%	7%	0%	C	0.103	0.651	1000	G	2015	
(607) Port Conway Rd	2.75	1300	G	85%	0%	1%	4%	10%	0%	C	0.098	0.622	1300	G	2015	

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
King George County															
608 Igo Rd	2.38	620	R								NA		NA		09/23/2010
			From 48-694 Lambs Creek Church Rd												
			To 48-609 N. Comorn Rd												
608 Muscoe Pl	0.79	150	R								NA		NA		09/23/2010
			From 48-609 S. Comorn Rd												
			To Dead End												
609 Comorn Rd	0.32	3100	G	98%	0%	1%	0%	0%	0%	C	0.099	0.529	3100	G	2015
			From SR 3 Kings Hwy												
609 Comorn Rd	0.53	3900	G	98%	0%	1%	0%	0%	0%	F	0.098	0.508	4000	G	2015
			From 48-677 Stanley Rd												
609 Comorn Rd	1.31	1800	G	98%	0%	1%	0%	0%	0%	F	0.114	0.658	1900	G	2015
			From 48-608 S. Igo Rd												
609 Comorn Rd	0.53	1500	G	98%	0%	1%	0%	0%	0%	F	0.11	0.524	1600	G	2015
			From 48-649 Marmion Lane												
			To SR 218 Caledon Rd												
610 Powhatan Rd	1.63	330	R								NA		NA		10/07/2010
			From 48-607 Port Conway Rd												
610 Millbank Rd	1.30	650	G	99%	0%	0%	0%	0%	0%	F	0.108	0.623	670	G	2015
			From 48-631 Millbank Rd												
610 Millbank Rd	0.08	1100	G	99%	0%	0%	0%	0%	0%	F	0.104	0.527	1100	G	2015
			From 48-678 St Anthonys												
610 Indiantown Rd	1.80	1400	G	99%	0%	0%	0%	0%	0%	C	0.101	0.604	1400	G	2015
			From SR 3 W, Kings Hwy												
			To SR 3 E, Kings Hwy												
610 Indiantown Rd	0.50	1800	R								NA		NA		10/07/2010
			From SR 206 Dahlgren Rd												
610 Indiantown Rd	2.21	560	R								NA		NA		10/07/2010
			From 48-1210 Michael Dr												
			To SR 218 Caledon Rd												
611 Hanover Church Rd	0.47	670	G	99%	0%	0%	0%	0%	0%	F	0.13	0.708	690	G	2015
			From SR 205 Ridge Rd												
611 Eden Dr	2.24	1100	G	99%	0%	0%	0%	0%	0%	C	0.099	0.555	1100	G	2015
			From US 301 James Madison Pkwy												
			To SR 206 Dahlgren Rd												
612 Locust Dale Lane	0.20	110	R								NA		NA		07/16/2013
			From 48-610 Indiantown Rd												
			To Dead End												
613 Little Ferry Rd	0.05	45	R								NA		NA		09/20/2010
			From SR 218 Windsor Dr												
613 Little Ferry Rd	0.80	40	R								NA		NA		09/20/2010
			From 0.05 ME SR 218												
			To Dead End												
614 Potomac Dr	0.93	690	G	99%	0%	0%	0%	0%	0%	F	0.093	0.639	710	G	2015
			From Dead End												
614 Potomac Dr	1.16	3400	G	99%	0%	0%	0%	0%	0%	C	0.094	0.513	3500	G	2015
			From SR 206 Dahlgren Rd												
614 Owens Dr	0.55	3100	G	99%	0%	0%	0%	0%	0%	F	0.099	0.745	3200	G	2015
			From US 301 James Madison Pkwy												
614 Owens Dr	0.85	1500	G	99%	0%	0%	0%	0%	0%	F	0.122	0.935	1600	G	2015
			From 48-635 Gambo Creek Rd												
			To 48-624 Mathias Point Rd												
615 Berry Wharf Rd	1.50	10	R								NA		NA		09/20/2010
			From SR 218 Windsor Dr												
			To Dead End												

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(616) Washington Mill Rd	1.86	230	R									NA		NA		08/23/2010
(616) Brickhouse Rd	0.80	190	R									NA		NA		09/20/2010
(617) Poplar Neck Rd	3.35	260	R									NA		NA		09/20/2010
(618) Pumpkin Neck Rd	0.62	240	R									NA		NA		08/23/2010
(619) Good Hope Rd	0.60	580	R									NA		NA		09/20/2010
(619) Stoney Point Rd	2.00	360	R									NA		NA		09/20/2010
(620) Alden Rd	2.15	60	R									NA		NA		07/16/2013
(621) Pine Hill Rd	1.60	420	R									NA		NA		09/20/2010
(622) Ashland Mill Rd	2.00	120	R									NA		NA		07/16/2013
(623) Jersey Rd	1.00	1000	G	97%	1%	1%	1%	1%	0%	C	0.111	0.667	1000	G	2015	
(623) Jersey Rd	1.70	730	G	97%	1%	1%	1%	1%	0%	F	0.111	0.681	750	G	2015	
(624) Owens Dr	0.33	1700	G	98%	0%	0%	1%	0%	0%	C	0.103	0.804	1800	G	2015	
(624) Owens Dr	1.47	1500	G	98%	0%	0%	1%	0%	0%	F	0.102	0.849	1600	G	2015	
(624) Mathias Point Rd	1.10	770	R									NA		NA		10/06/2010
(624) Mathias Point Rd	1.20	710	R									NA		NA		10/06/2010
(624) Mathias Point Rd	1.00	120	R									NA		NA		10/06/2010
(625) Salem Church Rd	2.67	260	G	99%	0%	1%	0%	0%	0%	F	0.126	0.677	270	G	2015	
(625) Salem Church Rd	3.40	250	G	99%	0%	1%	0%	0%	0%	C	0.135	0.647	260	G	2015	
(625) Dickensons Corner Rd	1.43	100	R									NA		NA		09/20/2010
(625) Prim Rd	1.35	40	R									NA		NA		09/20/2010
(625) Prim Rd	1.60	40	R									NA		NA		09/20/2010

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(626) Green Law Way	0.50	70	R								NA			NA		07/16/2013
(627) Wilmont Rd	1.39	60	R								NA			NA		07/16/2013
(627) Wilmont Rd	0.15	70	R								NA			NA		09/28/2010
(627) Wilmont Rd	0.90	190	R								NA			NA		09/28/2010
(627) Wilmont Rd	0.25	70	R								NA			NA		09/28/2010
(627) Kings Mill Rd	2.67	140	R								NA			NA		09/20/2010
(628) Stoney Knoll Rd	1.21	660	G	96%	0%	0%	3%	1%	0%	F	0.100		0.667	680	G	2015
(628) Stoney Knoll Rd	1.30	710	G	96%	0%	0%	3%	1%	0%	C	0.100		0.779	730	G	2015
(629) Round Hill Rd	0.22	1300	G	97%	1%	1%	1%	1%	0%	F	0.109		0.652	1300	G	2015
(629) Round Hill Rd	1.69	820	G	97%	1%	1%	1%	1%	0%	C	0.116		0.680	840	G	2015
(629) Round Hill Rd	0.66	550	G	97%	1%	1%	1%	1%	0%	F	0.107		0.603	570	G	2015
(629) Round Hill Rd	0.70	410	G	93%	3%	1%	2%	1%	0%	C	0.125		0.596	420	G	2015
(629) Round Hill Rd	1.31	390	G	93%	3%	1%	2%	1%	0%	F	0.121		0.546	400	G	2015
(630) Kitchen Point Rd	0.25	110	R								NA			NA		09/20/2010
(631) Millbank Rd	1.00	50	R								NA			NA		07/16/2013
(631) Millbank Rd	1.48	240	G	99%	1%	0%	0%	0%	0%	F	0.129		0.522	250	G	2015
(631) Millbank Rd	0.66	350	G	99%	1%	0%	0%	0%	0%	C	0.106		0.658	360	G	2015
(631) Millbank Rd	1.38	350	G	99%	1%	0%	0%	0%	0%	F	0.108		0.585	360	G	2015
(632) Berthaville Rd	0.90	240	R								NA			NA		08/23/2010
(633) Will Loop	0.55	120	R								NA			NA		09/20/2010
(633) Will Loop	0.14	50	R								NA			NA		09/20/2010
(634) Hillcrest Dr	0.32	160	R								NA			NA		08/23/2010

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(635) Gambo Creek Rd	0.37	180	R			From 48-614 Owens Dr					NA			NA		10/06/2010
(635) Gambo Creek Rd	0.08	30	R			To 0.37 ME 48-614					NA			NA		10/06/2010
						From Dead End										
(636) Rosedale Dr	0.12	210	R			From 48-1134 Schooner Dr					NA			NA		10/12/2010
(636) Rosedale Dr	0.09	290	R			To 48-640 Eleventh St					NA			NA		10/12/2010
(636) Rosedale Dr	0.17	360	R			From 48-604 Twelfth St					NA			NA		10/12/2010
						To SR 206; 48-668										
(637) Ridgeway Dr	0.64	70	R			From Dead End					NA			NA		01/05/2010
						To SR 3 Kings Hwy										
(638) Hudson Rd	0.20	60	R			From SR 3 Kings Hwy					NA			NA		10/06/2010
						To Dead End										
(639) Osprey Rd	0.90	370	R			From 48-624 Mathias Point Rd					NA			NA		10/06/2010
						To Dead End										
(640) Eleventh St	0.10	120	R			From 48-614 Potomac Dr					NA			NA		10/12/2010
						To 48-636 Rosedale Dr										
(641) Chatterton Lane	0.80	170	R			From SR 218 Caledon Rd					NA			NA		07/16/2013
						To Dead End										
(642) Fitzhugh Lane	0.70	150	R			From SR 218 Caledon Rd					NA			NA		07/16/2013
(642) Fitzhugh Lane	0.10	60	R			To 48-682 Eagles Nest Lane					NA			NA		07/16/2013
						To Dead End										
(643) Bald Eagle Dr	1.80	80	R			From Dead End					NA			NA		07/16/2013
						To 48-625 Salem Church Rd										
(644) Potts Lane	0.30	230	R			From SR 206 Dahlgren Rd					NA			NA		10/06/2010
(644) Potts Lane	0.10	140	R			To 48-1206 Allen Ave					NA			NA		10/06/2010
(644) Potts Lane	0.30	40	R			From 0.10 ME 48-1206					NA			NA		10/06/2010
						To Dead End										
(645) Springfield Rd	1.05	120	R			From Dead End					NA			NA		09/29/2010
(645) Springfield Rd	0.03	600	G	94%	1%	1%	1%	3%	0%	C	0.115	0.726	610	G	2015	
						From 48-647 Shiloh Loop										
						To SR 3 Kings Hwy										
(646) Payne Dr	0.40	80	R			From Dead End					NA			NA		10/12/2010
						To 48-670 Fifteenth St										
(647) Shiloh Loop	0.12	570	G	96%	0%	1%	2%	1%	0%	C	0.117	0.729	590	G	2015	
						From 48-645 Springfield Rd										
(647) Shiloh Loop	0.30	280	R			To 48-623 Jersey Rd					NA			NA		09/28/2010
						To SR 3 Kings Hwy										

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(647) Big Timber Rd	1.61	190	R			From: SR 3 Kings Hwy					NA			NA		09/28/2010
(647) Big Timber Rd	0.97	70	R			To: 1.61 ME SR 3					NA			NA		09/28/2010
(648) Winston Place	0.60	260	R			From: 48-625 Prim Rd					NA			NA		09/23/2010
(648) Winston Place	0.61	400	R			To: Dead End					NA			NA		09/23/2010
(649) Marmion Lane	0.75	40	R			From: 0.60 MN Dead End					NA			NA		07/16/2013
(650) Welcome Lane	1.10	310	R			To: 48-609 Comorn Rd					NA			NA		09/28/2010
(651) Valley Hill Loop	0.72	70	R			From: 48-609 Comorn Rd					NA			NA		07/24/2013
(652) Roseland Rd	0.58	50	R			To: Dead End					NA			NA		10/06/2010
(653) Midway Rd	1.00	200	R			From: Dead End					NA			NA		10/07/2010
(654) Belvedere Dr	1.65	320	R			To: 48-686 Mt Rose Dr					NA			NA		09/14/2010
(655) St Pauls Rd	0.63	300	R			From: 48-600 Passapatanzy Dr					NA			NA		08/23/2010
(655) St Pauls Rd	0.94	170	R			To: Dead End					NA			NA		08/23/2010
(656) Rosiers Creek Lane	0.32	150	R			From: 48-632 Berthaville Rd					NA			NA		09/20/2010
(657) Chastine Dr	0.75	180	R			To: Dead End					NA			NA		07/24/2013
(658) Cedar Ridge Lane	0.07	80	R			From: SR 3 Kings Hwy					NA			NA		09/14/2010
(658) Cedar Ridge Lane	0.46	60	R			To: 48-600 Passapatanzy Dr					NA			NA		09/14/2010
(659) Hobson Lane	0.65	180	R			From: 0.07 ME 48-600					NA			NA		07/24/2013
(660) Canning Way	0.25	60	R			To: Dead End					NA			NA		07/24/2013
(661) Peerless Rd	0.20	130	R			From: SR 206 Dahlgren Rd					NA			NA		01/12/2010
(662) Oaktree Dr	0.60	160	R			To: Dead End					NA			NA		09/20/2010

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(663) Chotank Loop	0.30	100	R								NA		NA			08/23/2010
(664) Bromme Circle	1.00	340	R								NA		NA			10/07/2010
(665) Birchwood Creek Lane	1.35	930	G	63%	1%	1%	10%	26%	0%	C	0.104	0.505	930	G		2015
(665) Birchwood Creek Lane	0.18	610	G	92%	1%	1%	2%	5%	0%	C	0.109	0.618	610	G		2015
(666) Gulvey Loop	0.43	40	R								NA		NA			07/24/2013
(667) State Rd	0.90	540	R								NA		NA			09/20/2010
(668) Fourteenth St	0.10	110	R								NA		NA			01/07/2010
(669) Woodland Way	0.40	100	R								NA		NA			07/23/2013
(670) Fifteenth St	0.17	430	R								NA		NA			01/07/2010
(671) Norton Dr	0.03	30	R								NA		NA			07/23/2013
(671) Gordon Dr	0.08	190	R								NA		NA			01/07/2010
(671) Gordon Dr	0.07	250	R								NA		NA			01/07/2010
(671) Gordon Dr	0.11	40	R								NA		NA			07/23/2013
(672) Austin Dr	0.08	130	R								NA		NA			07/23/2013
(673) Duclos Lane	0.13	120	R								NA		NA			07/23/2013
(674) Forest Rd	0.07	120	R								NA		NA			07/23/2013
(674) Forest Rd	0.07	170	R								NA		NA			07/23/2013
(675) N Williams Creek Rd	0.10	70	R								NA		NA			07/23/2013
(675) N Williams Creek Rd	0.10	70	R								NA		NA			07/23/2013
(676) Rectory Lane	0.30	160	R								NA		NA			01/05/2010

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(677) Stanley Rd	0.29	850	R								NA			NA		09/28/2010
(678) St Anthonys	0.51	600	R								NA			NA		10/06/2010
(679) Canterbury Loop	0.85	500	R								NA			NA		09/28/2010
(680) Index Lane	0.32	20	R								NA			NA		09/11/2013
(681) Rollens Fork Rd	0.30	180	R								NA			NA		09/28/2010
(682) Eagles Nest Lane	1.00	80	R								NA			NA		07/16/2013
(683) Ferry Dock Rd	0.17	190	R								NA			NA		01/07/2010
(683) Ferry Dock Rd	0.03	90	R								NA			NA		07/23/2013
(684) Garnets Loop	0.35	10	R								NA			NA		09/11/2013
(685) Schoolhouse Rd	0.13	30	R								NA			NA		10/06/2010
(686) Mt Rose Dr	1.21	440	R								NA			NA		10/07/2010
(687) Woodstock Rd	1.66	170	R								NA			NA		10/06/2010
(688) Hickory Lane	0.20	100	R								NA			NA		07/23/2013
(689) Tenth St	0.13	47	R								NA			NA		07/23/2013
(690) Luther Lane	0.16	50	R								NA			NA		07/23/2013
(691) Rosedale Dr	0.18	50	R								NA			NA		07/23/2013
(692) Cleve Rd	2.60	710	R								NA			NA		10/07/2010
(693) Townsend Dr	0.11	46	R								NA			NA		07/23/2013
(694) Lambs Creek Church Rd	1.39	880	G	99%	0%	1%	0%	0%	0%	C	0.099		0.711	900	G	2015

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(694) Lambs Creek Church Rd	0.96	700	R			From 48-664 Bromme Circle					NA		NA			07/16/2013
(694) Lambs Creek Church Rd	1.45	600	R			To 48-608 Muscoe Pl					NA		NA			07/16/2013
						From SR 218 Caledon Rd										
(695) Goby Lane	0.55	70	R			To Dead End					NA		NA			07/16/2013
						From SR 218 Caledon Rd										
(696) Fairview Dr	0.75	1300	R			To SR 218 Caledon Rd					NA		NA			09/23/2010
(696) Fairview Dr	0.18	520	R			From 48-707 Riverview Dr					NA		NA			09/23/2010
(696) Fairview Dr	0.05	290	R			To 48-1001 First St					NA		NA			07/17/2013
(696) Fairview Dr	0.04	130	R			From 48-1002 Second St					NA		NA			07/17/2013
(696) Fairview Dr	0.09	120	R			To 48-1003 Third St					NA		NA			07/17/2013
(696) Fairview Dr						From 48-1005 Fifth St										
(697) Chestnut Hill Loop	0.28	50	R			To US 301 S, James Madison Pkwy					NA		NA			09/11/2013
						From US 301 N, James Madison Pkwy										
(698) Nanzatico Lane	2.28	90	R			To Dead End					NA		NA			09/28/2010
						From 48-625 Salem Church Rd										
(699) Ivy Hill Loop	0.35	70	R			To US 301 S, James Madison Pkwy					NA		NA			09/11/2013
						From US 301 N, James Madison Pkwy										
(700) St Stephens Rd	0.20	30	R			To Dead End					NA		NA			09/23/2010
						From 48-648 Winston Place										
(701) Rixey Rd	0.38	70	R			To Dead End					NA		NA			07/17/2013
						From 48-616 Washington Mill Rd										
(702) Burrell Lane	0.12	60	R			To SR 206 Dahlgren Rd					NA		NA			07/24/2013
						From Dead End										
(703) Quesenberry Dr	0.10	40	R			To 48-674 Forest Rd					NA		NA			07/23/2013
						From Dead End										
(704) Henry Griffen Rd	0.14	50	R			To Dead End					NA		NA			07/17/2013
						From SR 205 Ridge Rd										
(705) Circle Loop	0.47	70	R			To SR 205 W, Ridge Rd					NA		NA			09/20/2010
						From SR 205 E, Ridge Rd										
(706) Pullen Loop	0.44	70	R			To SR 205 W, Ridge Rd					NA		NA			09/20/2010
						From 48-662 Oaktree Dr										
(706) Pullen Loop	0.02	220	R			To SR 205 E, Ridge Rd					NA		NA			09/20/2010
						From 48-696 Fairview Dr										
(707) Riverview Dr	0.05	870	R			To 48-1001 First St					NA		NA			09/23/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(707) Riverview Dr	0.05	1100	R				48-1001 First St					NA		NA		07/17/2013
(707) Riverview Dr	0.05	1000	R				48-1002 Second St					NA		NA		07/17/2013
(707) Riverview Dr	0.05	1000	R				48-1003 Third St					NA		NA		07/17/2013
(707) Riverview Dr	0.05	1100	R				48-1004 Fourth St					NA		NA		07/17/2013
(707) Riverview Dr	0.12	520	R				48-1005 Fifth St					NA		NA		09/29/2004
(707) Riverview Dr	0.04	840	R				48-1007 Seventh St					NA		NA		07/17/2013
(707) Riverview Dr	0.06	750	R				48-1008 Eighth St					NA		NA		07/17/2013
(707) Riverview Dr	0.05	730	R				48-1009 Ninth St					NA		NA		07/17/2013
(707) Riverview Dr	0.05	250	R				48-1010 Tenth St					NA		NA		09/29/2004
(707) Riverview Dr							48-1011 Eleventh St									
(708) Potomac Ave	0.04	90	R				48-1007 Seventh St					NA		NA		07/17/2013
(708) Potomac Ave	0.05	80	R				48-1008 Eighth St					NA		NA		07/17/2013
(708) Potomac Ave	0.05	70	R				48-1009 Ninth St					NA		NA		07/17/2013
(708) Potomac Ave	0.05	70	R				48-1010 Tenth St					NA		NA		07/17/2013
(708) Potomac Ave	0.04	30	R				48-1011 Eleventh St					NA		NA		10/04/2004
(708) Potomac Ave							48-1012 Twelfth St									
(709) Bradley Lane	0.34	70	R				SR 3 Kings Hwy					NA		NA		01/12/2010
(710) Poplar Lane	0.08	80	R				48-710 Poplar Lane					NA		NA		07/17/2013
(710) Poplar Lane							48-709 Bradley Lane									
(710) Poplar Lane							48-629 Round Hill Rd									
(711) Dixon Lane	0.20	60	R				Dead End					NA		NA		07/24/2013
(711) Dixon Lane							48-624 Owens Dr									
(712) Fence Dr	0.32	110	R				48-614 S, Potomac Dr					NA		NA		07/24/2013
(712) Fence Dr							48-614 N, Potomac Dr									
(713) Jones Ct	0.14	40	R				Cul-de-Sac					NA		NA		09/14/2010
(713) Jones Ct							48-600 Passapatanzy Dr									
(714) Bumbrey Lane	0.13	60	R				48-663 Chotank Loop					NA		NA		08/23/2010
(714) Bumbrey Lane							Dead End									
(715) Norton Dr	0.05	40	R				48-675, N Williams Creek Rd					NA		NA		10/12/2010
(715) Norton Dr							Dead End									
(717) Green Meadow Dr	0.25	70	R				48-719 Misty Lane					NA		NA		09/20/2010
(717) Green Meadow Dr							SR 205 Ridge Rd									

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(718) Shiloh Dr	0.39	70	R			From: 48-719 Misty Lane					NA			NA		09/20/2010
						To: SR 205 Ridge Rd										
(719) Misty Lane	0.27	40	R			From: 48-717 Green Meadow Dr					NA			NA		09/20/2010
						To: Cul-de-Sac										
(724) Beaver Dr	0.18	200	R			From: 48-629 Round Hill Rd					NA			NA		01/12/2010
						To: 48-725 Thunder Rd										
(725) Thunder Rd	0.30	110	R			From: Dead End					NA			NA		07/17/2013
						To: 48-724 Beaver Dr										
(726) Stoney Knoll Rd	0.14	20	R			From: 48-628 Stoney Knoll Rd					NA			NA		07/24/2013
						To: Cul-de-Sac										
(730) Bushrod Rd	0.30	50	R			From: Dead End					NA			NA		07/24/2013
						To: 96-628 Pomona Rd										
(1000) Barnes Field	0.39	130	R			From: US 301 James Madison Pkwy					NA			NA		10/06/2010
						To: Dead End										
(1001) First St	0.15	70	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-696 Fairview Dr										
(1002) Second St	0.15	45	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-696 Fairview Dr										
(1003) Third St	0.15	40	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-696 Fairview Dr										
(1004) Fourth St	0.15	40	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-696 Fairview Dr										
(1005) Fifth St	0.15	120	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-696 Fairview Dr										
(1007) Seventh St	0.11	110	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-708 Potomac Ave										
(1008) Eighth St	0.11	30	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-708 Potomac Ave										
(1009) Ninth St	0.11	30	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-708 Potomac Ave										
(1010) Tenth St	0.11	30	R			From: 48-707 Riverview Dr					NA			NA		09/29/2004
						To: 48-708 Potomac Ave										
(1011) Eleventh St	0.15	70	R			From: Dead End					NA			NA		09/29/2004
						To: 48-708 Potomac Ave										
(1012) Twelfth St	0.04	40	R			From: Dead End					NA			NA		07/17/2013
						To: 48-708 Potomac Ave										
(1013) Mapel Ridge Ct	0.19	80	R			From: Cul-de-Sac					NA			NA		07/24/2013
						To: SR 218 Caledon Rd										

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1014) Summer Beam Dr	0.42	80	R								NA			NA		07/24/2013
(1015) Lewis Lane	0.10	30	R								NA			NA		09/14/2010
(1018) Ormond Way	0.73	310	R								NA			NA		08/23/2010
(1019) Anderson Court	0.10	70	R								NA			NA		08/23/2010
(1020) Oakland Dr	0.34	350	R								NA			NA		09/14/2010
(1020) Oakland Dr	0.12	370	R								NA			NA		09/14/2010
(1020) Oakland Dr	0.22	600	R								NA			NA		09/14/2010
(1021) Forest Ridge Dr	0.14	320	R								NA			NA		01/05/2010
(1021) Forest Ridge Dr	0.23	320	R								NA			NA		07/16/2013
(1022) Flora Ct	0.05	40	R								NA			NA		09/11/2013
(1023) Covington St	0.12	160	R								NA			NA		09/14/2010
(1024) Garner Dr	0.15	90	R								NA			NA		09/14/2010
(1024) Garner Dr	0.19	80	R								NA			NA		09/14/2010
(1025) Passapatanzy Rd	0.74	880	R								NA			NA		07/16/2013
(1026) Bush St	0.18	50	R								NA			NA		07/16/2013
(1027) French Ct	0.14	130	R								NA			NA		09/14/2010
(1027) French Ct	0.14	100	R								NA			NA		07/16/2013
(1028) Vining St	0.10	60	R								NA			NA		08/23/2010
(1029) Benton Court	0.42	80	R								NA			NA		08/23/2010
(1030) Ward Rd	0.29	220	R								NA			NA		08/23/2010

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1031) Stuart Rd	0.29	90	R								NA		NA			08/23/2010
(1032) Claydael Blvd	0.18	1100	R								NA		NA			08/23/2010
(1032) Claydael Blvd	0.38	860	R								NA		NA			08/23/2010
(1032) Claydael Blvd	0.16	600	R								NA		NA			12/15/2008
(1032) Claydael Blvd	0.16	80	R								NA		NA			08/23/2010
(1033) Peppermill Rd	0.57	300	R								NA		NA			08/23/2010
(1034) Calvert Ct	0.16	48	R								NA		NA			08/23/2010
(1035) Richards Ride	0.33	130	R								NA		NA			08/23/2010
(1036) Julia Place	0.08	20	R								NA		NA			08/23/2010
(1037) Culpeper Ct	0.14	120	R								NA		NA			08/23/2010
(1038) Aidan Way	0.22	70	R								NA		NA			08/23/2010
(1039) Meadow Way	0.28	70	R								NA		NA			08/23/2010
(1040) Potomac Landing Dr	1.51	360	R								NA		NA			07/17/2013
(1041) Potomac Landing Dr	0.37	210	R								NA		NA			09/23/2010
(1042) Tides Rd	0.18	110	R								NA		NA			09/23/2010
(1043) Lucas Lane	0.04	170	R								NA		NA			10/06/2010
(1044) North Stuart St	0.22	90	R								NA		NA			12/15/2008
(1044) North Stuart St	0.34	130	R								NA		NA			07/24/2013
(1045) Booths Spur	0.05	20	R								NA		NA			07/16/2013
(1049) Sweet Gum Dr	0.12	60	R								NA		NA			07/16/2013

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1050) Turkey Acres Rd	0.50	150	R			From: Dead End					NA			NA		09/23/2010
						To: 48-694 Lambs Creek Church Rd										
(1051) Combs Rd	0.24	520	R			From: Dead End					NA			NA		10/12/2010
						To: 48-614 Potomac Dr										
(1052) Magnolia Lane	0.43	190	R			From: 48-605 Chapel Way					NA			NA		07/16/2013
						To: End State Maintenance										
(1060) Round Hill Estates Dr	0.40	150	R			From: 48-629 Round Hill Rd					NA			NA		07/16/2013
						To: Cul-de-Sac										
(1061) Deerfield Ct	0.09	50	R			From: Cul-de-Sac					NA			NA		07/16/2013
						To: 48-1060 Round Hill Estates Dr										
(1062) Forest Lane	0.12	30	R			From: Cul-de-Sac					NA			NA		07/16/2013
						To: 48-1060 Round Hill Estates Dr										
(1085) Village Lane	0.19	230	R			From: Cul-de-Sac					NA			NA		10/12/2010
						To: 48-614 Owens Dr										
(1086) Lisa Lane	0.23	210	R			From: 48-1085 Village Lane					NA			NA		10/12/2010
						To: Cul-de-Sac										
(1087) Fern Court	0.10	30	R			From: Cul-de-Sac					NA			NA		10/12/2010
						To: 48-1088 Navigator Lane										
(1088) Navigator Lane	0.25	100	R			From: 48-1085 Village Lane					NA			NA		10/12/2010
						To: 48-1086 Lisa Lane										
(1097) Tinsbloom Mill Rd	0.21	360	R			From: SR 3 Kings Hwy					NA			NA		11/02/2010
						To: Dead End										
(1100) Savannah St	0.16	45	R			From: 48-1105 Fleming St					NA			NA		11/02/2010
						To: 48-1108 Delaware Dr										
(1101) Danube Dr	0.16	1200	R			From: US 301 James Madison Pkwy					NA			NA		01/07/2010
						To: 48-1102 Baltic Place										
(1101) Danube Dr	0.11	1000	R			From: 48-1102 Baltic Place					NA			NA		07/23/2013
						To: 48-1103 Williams Place										
(1101) Danube Dr	0.12	820	R			From: 48-1103 Williams Place					NA			NA		07/23/2013
						To: 48-1105 Fleming St										
(1101) Danube Dr	0.15	390	R			From: 48-1105 Fleming St					NA			NA		11/02/2010
						To: 48-1108 Delaware Dr										
(1102) Baltic Place	0.06	120	R			From: 48-1104 Willow Tree Lane					NA			NA		01/07/2010
						To: 48-1101 Danube Dr										
(1102) Baltic Place	0.07	80	R			From: 48-1101 Danube Dr					NA			NA		07/23/2013
						To: Dead End										
(1103) Williams Place	0.15	70	R			From: 48-1101 Danube Dr					NA			NA		07/23/2013
						To: Dead End										
(1104) Willow Tree Lane	0.06	70	R			From: Dead End					NA			NA		09/11/2013
						To: 48-1102 Baltic Place										

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1104) Willow Tree Lane	0.06	70	R								NA		NA			09/11/2013
(1105) Fleming St	0.08	60	R								NA		NA			11/02/2010
(1105) Fleming St	0.07	160	R								NA		NA			11/02/2010
(1105) Fleming St	0.08	270	R								NA		NA			11/02/2010
(1105) Fleming St	0.15	380	R								NA		NA			11/02/2010
(1105) Fleming St	0.07	560	R								NA		NA			11/02/2010
(1106) Chesapeake Place	0.24	20	R								NA		NA			01/07/2010
(1107) Albemarle Ct	0.12	50	R								NA		NA			07/24/2013
(1108) Delaware Dr	0.40	210	R								NA		NA			11/02/2010
(1108) Delaware Dr	0.06	46	R								NA		NA			11/02/2010
(1109) Pamlico Dr	0.13	49	R								NA		NA			11/02/2010
(1110) Machodoc Dr	0.05	120	R								NA		NA			07/24/2013
(1110) Machodoc Dr	0.36	70	R								NA		NA			07/24/2013
(1111) Price Ct	0.07	30	R								NA		NA			07/24/2013
(1112) Cape Fear Lane	0.09	80	R								NA		NA			07/24/2013
(1115) Strawberry Lane	0.20	100	R								NA		NA			07/24/2013
(1120) Kent Rd	0.62	440	R								NA		NA			09/28/2010
(1121) Ascot Close Dr	0.10	40	R								NA		NA			09/28/2010
(1122) Ripon Ct	0.09	70	R								NA		NA			09/28/2010
(1123) Canterbury Ct	0.42	150	R								NA		NA			09/28/2010

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck----- 2Axle 3+Axle 1Trail 2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
King George County													
(1124) Chester Ct	0.13	70	R			From: Cul-de-Sac To: 48-1120 Kent Rd		NA			NA		07/23/2013
(1130) Green Blvd	0.77	310	R			From: 48-1131 River Dr To: 48-639 Osprey Rd		NA			NA		10/06/2010
(1131) River Dr	0.55	130	R			From: Cul-de-Sac To: 48-1130 Green Blvd		NA			NA		10/06/2010
(1131) River Dr	0.02	30	R			From: 48-1130 Green Blvd To: Dead End O.O2 MN 1130		NA			NA		10/06/2010
(1132) Nancy Lane	0.45	110	R			From: Cul-de-Sac To: 48-1130 Green Blvd		NA			NA		07/23/2013
(1133) Windword Lane	0.16	250	R			From: 48-614 Potomac Dr To: Cul-de-Sac		NA			NA		10/12/2010
(1134) Schooner Circle	0.39	120	R			From: 48-1133 Windword Lane To: 48-1133 Windword Lane		NA			NA		10/12/2010
(1135) Leeward Court	0.03	40	R			From: 48-1134 Schooner Dr To: Dead End		NA			NA		10/12/2010
(1136) Haven Court	0.03	40	R			From: 48-1134 Schooner Dr To: Dead End		NA			NA		10/12/2010
(1140) Jepco Lane	0.05	70	R			From: 48-1141 Kitchen Dr To: 48-630 Kitchen Point Rd		NA			NA		09/20/2010
(1141) Kitchen Dr	0.24	60	R			From: Cul-de-Sac To: 48-1140 Jepco Lane		NA			NA		09/20/2010
(1143) Barbaras Way	0.31	360	R			From: SR 3 Kings Hwy To: Cul-de-Sac		NA			NA		09/11/2013
(1144) Dollys Ct	0.09	150	R			From: Cul-de-Sac To: 48-1143 Barbaras Way		NA			NA		09/11/2013
(1149) Cobblestone Ct	0.20	70	R			From: 48-621 Pine Hill Rd To: Cul-de-Sac		NA			NA		09/11/2013
(1150) Potomac Dr	0.48	1400	R			From: US 301 James Madison Pkwy To: 48-614 Potomac Dr		NA			NA		10/12/2010
(1152) Chatham Dr	0.75	520	R			From: 48-614 Owens Dr To: 48-614 Owens Dr		NA			NA		07/23/2013
(1153) Richmond Ct	0.47	60	R			From: 48-1152 Chatham Dr To: Cul-de-Sac		NA			NA		09/11/2013
(1154) Berkley Ct	0.13	120	R			From: 48-1152 Chatham Dr To: Cul-de-Sac		NA			NA		07/23/2013
(1155) Alexis Lane	0.17	50	R			From: 48-1152 Chatham Dr To: 48-1153 Richmond Ct		NA			NA		09/11/2013

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1156) Stafford Dr	0.14	70	R								NA			NA		07/23/2013
(1201) Poplar Dr	0.08	300	R								NA			NA		01/06/2010
(1201) Poplar Dr	0.35	130	R								NA			NA		07/17/2013
(1202) Cedar Lane	0.10	70	R								NA			NA		07/17/2013
(1202) Cedar Lane	0.17	110	R								NA			NA		07/17/2013
(1202) Hickory Dr	0.25	160	R								NA			NA		07/17/2013
(1203) Pine Tree Lane	0.38	30	R								NA			NA		01/06/2010
(1204) Dixie Dr	0.17	80	R								NA			NA		07/17/2013
(1205) Oakwood Dr	0.24	30	R								NA			NA		07/17/2013
(1205) Oakwood Dr	0.13	130	R								NA			NA		07/17/2013
(1206) Allen Ave	0.33	150	R								NA			NA		01/06/2010
(1207) Beechwood Lane	0.64	100	R								NA			NA		07/17/2013
(1209) Fulmont Dr	0.19	80	R								NA			NA		10/06/2010
(1210) Michael Dr	0.15	90	R								NA			NA		10/07/2010
(1210) Michael Dr	0.08	390	R								NA			NA		10/07/2010
(1211) Todd St	0.20	110	R								NA			NA		07/16/2013
(1211) Todd St	0.08	50	R								NA			NA		07/16/2013
(1212) Linda Lane	0.10	80	R								NA			NA		10/07/2010
(1214) Hudson Lane	0.10	350	R								NA			NA		01/05/2010
(1214) Hudson Lane	0.13	280	R								NA			NA		07/16/2013

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1215) Pamela Ct	0.08	70	R								NA		NA			07/16/2013
(1216) Karen Ct	0.09	40	R								NA		NA			07/16/2013
(1217) Walkers Lane	0.09	100	R								NA		NA			07/16/2013
(1217) Walkers Lane	0.09	100	R								NA		NA			07/16/2013
(1220) Lee St	0.48	220	R								NA		NA			10/06/2010
(1223) Clare St	0.25	130	R								NA		NA			10/06/2010
(1224) Pratt Place	0.10	40	R								NA		NA			10/06/2010
(1225) Mohawk Dr	0.78	270	R								NA		NA			11/01/2010
(1226) Pamaunkey Dr	0.26	150	R								NA		NA			09/11/2013
(1226) Pamunkey Dr	0.25	280	R								NA		NA			12/15/2008
(1227) Monacan Way	0.08	45	R								NA		NA			12/15/2008
(1228) Mattapani Lane	0.32	70	R								NA		NA			11/01/2010
(1230) Sherwood Forest Dr	0.39	210	R								NA		NA			10/12/2010
(1231) Little John Ct	0.08	30	R								NA		NA			10/12/2010
(1232) Robin Hood Ct	0.08	40	R								NA		NA			10/12/2010
(1238) Carriage Lane	0.54	80	R								NA		NA			11/02/2010
(1239) Chaps Dr	0.13	30	R								NA		NA			11/02/2010
(1240) Ernest Ellis Lane	0.65	560	R								NA		NA			11/01/2010
(1241) Gray Fox Lane	0.58	200	R								NA		NA			11/01/2010

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 King George Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
King George County																
(1242) Saddle Dr	0.29	350	R								NA		NA			11/01/2010
(1243) Galant Green Dr	0.32	40	R								NA		NA			11/01/2010
(1244) Zepp Dr	0.24	100	R								NA		NA			11/01/2010
(1245) Den Circle	0.31	180	R								NA		NA			11/01/2010
(1246) Trumpet Court	0.18	30	R								NA		NA			11/01/2010
(1247) Chase Lane	0.18	49	R								NA		NA			11/01/2010
(9209) King George School Board Office	0.04	330	R								NA		NA			10/12/2004
(9210) King George School Maintenance Shop	0.06	320	R								NA		NA			10/07/2004
(9213) King George Middle School	0.15	520	R								NA		NA			10/07/2004
(9578) Potomac Elementary School	0.07	90	R								NA		NA			09/20/2004
(9951) King George Middle School	0.31	340	R								NA		NA			10/07/2004